

NOTES:

TABLE OF CONTENTS

| CARGO TYPE/MODEL | PAGE |
|-------------------------------------|------|
| UTILTY | |
| SSR | 4 |
| AR 2.0 (54"-66") | 5 |
| AR 2.0 (72"-80") | 6 |
| WR 2.0 (60"-66") | 7 |
| WR 2.0 (72"-80") | 8 |
| FA 2.0 | 9 |
| FA Tilt 2.0 | 10 |
| FA Tandem Axle 2.0 | 11 |
| Landscape 2.0 Wood Deck | 12 |
| Light Duty Deckover | 13 |
| Deckover | 14 |
| Commercial Grade Deckover | 15 |
| Patriot | 16 |
| Commercial Grade Patriot | 17 |
| Dump | 18 |
| | |
| | |
| ATV / UTV | • |
| 83-Wide ATV | 19 |
| 88-Wide ATV | 20 |
| | |
| | |
| OPEN CARGO | |
| Open Motorcycle 2.0 | 21 |
| Slingshot Trailer | 22 |
| Mutli-Purpose Travel | 23 |
| Raft | 24 |
| Open Car Hauler 2.0 Wood Deck | 25 |
| Open Car Hauler 2.0 Wood Deck (10K) | 26 |
| Open Car Hauler | 27 |
| Tilting Open Car Hauler | 28 |
| | |
| | |
| | • |

| CARGO TYPE/MODEL | PAGE |
|---|------|
| ENCLOSED CARGO | |
| Cargo 4/5/6-Wide | 29 |
| Cargo 7-Wide | 30 |
| Cargo 7.5-Wide | 31 |
| Cargo 8.5-Wide | 32 |
| Enclosed Motorcycle | 33 |
| Enclosed Cargo Options | 34 |
| Car Hauler (14'-22') | 35 |
| Car Hauler (24'-32') | 41 |
| Tandem Gooseneck (24'-30') | 42 |
| Tandem Gooseneck (32'-38') | 43 |
| Tri-Axle Gooseneck | 44 |
| Enclosed Car Hauler & Gooseneck Options | 45 |
| ENCLOSED SNOW | |
| Inline 7-Wide | 51 |
| Inline 7.5-Wide | 52 |
| Duralite - Deckover | 43 |
| Deckover (101" / 6.5-Height) | 54 |
| Enclosed Snow Options | 55 |
| All-Sport Peak Value | 61 |
| All-Sport | 62 |
| Gooseneck-EW | 63 |
| Gooseneck Features | 64 |
| Crossover (60" & 101") | 69 |
| Crossover (7' & 7.5') | 70 |
| OPEN SNOW | |
| Tilt Bed Single Place | 71 |
| Tilt Bed Two Place | 72 |
| Drive On/Off LV | 73 |
| Sport Decks | 74 |
| OTHER | |
| UTV Rack | 75 |
| Truck Beds | 76 |
| Ice Shacks | 77 |

EXTERIOR COLORS

Colors displayed in this pricebook are intended for reference purposes only. In situations where color-matching is critical, please contact us for a physical skin sample. In addition, the colors listed below are available





STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- 1/2" Marine Tech Plywood Decking
- Fixed 20" Sides w/ .086" Skin
- Leaf Spring Axles
- Welded Aluminum Fenders

- Integrated Aluminum Rear Ramp
- 4-Way Flat Power Connection
- LED Lighting
- Straight Pull Tongue
- 2" Coupler w/ 5000# Safety Chains
- Limited 1 Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | | |
|-----------------------------------|-----------------|----------------|----------------|
| TRAILER MODEL | MUS5x8SSR | MU5x10SSR | MU6x12SSR |
| Deck WxL | 57" x 94 1/2" | 57" x 118 1/2" | 69" x 142 1/2" |
| Overall WxL | 82" x 12' | 82" x 14' | 94" x 16' |
| Deck Height | 20" | 20" | 20" |
| Hitch Height | 16" | 16" | 16" |
| Axle(s) - Qty/Rating) | 1-2200# | 1-2200# | 1-2200# |
| Wheels | 13" Silver Mod. | 13" Silver Mod | 13" Silver Mod |
| Tires | 175/80R13 | 175/80R13 | 175/80R13 |
| GVWR | 2200# | 2200# | 2200# |
| Curb Weight | 400# | 415# | 435# |
| Payload | 1800# | 1785# | 1765# |

| POPULAR OPTIONS | | | (Additional Options & Prici | ng Listed in Back of F | Price Book) |
|---|-------|-----|--|------------------------|-------------|
| CONSTRUCTION OPTIONS | PRICE | UOM | OPTIONS | PRICE | UOM |
| Upgrade to Bi Fold Ramp | | EA | Stabilizer Jacks | | PAIR |
| Upgrade to Extruded Aluminum Decking | | PLF | Surface Mount D-Rings | | EA |
| Upgrade to 5/4" Pressure Treated Decking | | PBF | Heavy Duty Recessed D- Rings | | EA |
| WHEELS | | | SPECIAL PACKAGES | | |
| Spare 13" Silver Mod (175/R8013") | | EA | Northern Package SA - Bi Fold Ramp (w/Solid Bottom 20"), Reinfored Sides | | PKG |
| Spare 15" Silver Mod (205/75R15") | | EA | Northern Package TA - Bi Fold Ramp (w/Solid Bottom 20"), Reinfored Sides & Tandem Idler Upgrade #2990 GVWR, w/15" Silver Mods | | PKG |
| Spare 13" Aluminum (175/R13") | | EA | ACCESSORIES | | |
| Spare 15" Aluminum (205/75R15") | | EA | 1200# Wheel Jack | \$66 | EA |
| Upgrade to 13" Aluminum Rims | | EA | | | |
| Upgrade to 15" Silver Mod From 13" Silver Mod | | EA | | | |
| Upgrade to 15" Aluminum from 15" Silver Mod | | EA | | | |
| Tongue Mounted Spare Tire Holder (Bolt-On) | | EA | | | |

UTILITY [AR-2.0] 54/60/66-WIDE

** Freight Rebate

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- Extruded Aluminum Decking
- Dexter Torsion Idler Axle
- Intergrated Rear Ramp with Beveled Edge
- EASY Removable Aluminum Fenders

- Adjustable Track for EASY INSTALL Tie Downs
- Adjustable Track for Perimeter EASY INSTALL Options
- 4-Way Flat Power Connection
- Exterior LED Lighting
- Triple Tube Box Tube Tongue
- 6000# Coupler w/ 2" Ball
- · Limited 5 Year Warranty



| STANDARD SPECIFICATIONS | & PRICING | | | | |
|-------------------------|--------------|---------------|--------------|---------------|---------------|
| TRAILER MODEL | MU54x8AR-2.0 | MU54x10AR-2.0 | MU60x8AR-2.0 | MU60x10AR-2.0 | MU66X10AR-2.0 |
| Deck WxL | 50" x 96" | 50" x 119" | 56" x 96" | 56" x 119" | 62" x 119" |
| Overall WxL | 76" x 150" | 76" x 173" | 82" x 150" | 82" x 173" | 88" x 173" |
| Deck Height | 16" | 16" | 16" | 16" | 16" |
| Hitch Height | 13" | 13" | 13" | 13" | 13" |
| Axle(s) - Qty/Rating | 1-2200# | 1-2200# | 1-2200# | 1-2200# | 1-2200# |
| Wheels | 13" Aluminum | 13" Aluminum | 13" Aluminum | 13" Aluminum | 13" Aluminum |
| Tires | 175/80R13 | 175/80R13 | 175/80R13 | 175/80R13 | 175/80R13 |
| GVWR | 2200# | 2200# | 2200# | 2200# | 2200# |
| Curb Weight | 408# | 458# | 498# | 542# | 582# |
| Payload | 1792# | 1742# | 1702# | 1658# | 1618# |
| BASE PRICE | | | | | |

BASE PRICE

| POPULAR OPTIONS | | | | | |
|---|-------|-----|----------------------------|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM | RAIL KITS CONT. | PRICE | UOM |
| Bi-Fold Ramp Upgrade | | EA | Solid 10" Rail Kit 54x8 | | SET |
| Downgrade to 5/4" PT Decking from Aluminum Decking | | PBF | Solid 10" Rail Kit 54x10 | | SET |
| WHEELS | | | Solid 10" Rail Kit 60x8 | | SET |
| Spare 13" Silver Mod (175/80R13"0 | | EA | Solid 10" Rail Kit 60x10 | | SET |
| Spare 15" Silver Mod (205/75R15") | | EA | Solid 10" Rail Kit 66x10 | | SET |
| Spare 13" Aluminum Rim (175R13") | | EA | Slatted 14" Rail Kit 54x8 | | SET |
| Spare 14" Aluminum Rim (205/75R14) | | EA | Slatted 14" Rail Kit 54x10 | | SET |
| Spare 15" Aluminum Rim (205/75R15) | | EA | Slatted 14" Rail Kit 60x8 | | SET |
| Downgrade to Silver Mods From Aluminum Rims | | EA | Slatted 14" Rail Kit 60x10 | | SET |
| Upgrade to 14" Aluminum Rims From 13" Aluminum Rims | | EA | Slatted 14" Rail Kit 66x10 | | SET |
| Upgrade to 15" Aluminum Rims From 13" Aluminum Rims | | EA | | | |
| | | | EASY INSTALL/ADJUST OP | TIONS | |
| | | | Spare Tire Holder | | EA |
| | | | Stake Pocket Kit (4) | | KIT |
| | | | Adjustable D-Ring Kit (4) | | KIT |
| | | | Adjustable D-Ring | | EA |

Stabilizer Jacks

PAIR

UTILITY [AR-2.0] 72/80-WIDE

** Freight Rebate

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- Extruded Aluminum Decking
- Dexter Torsion Idler Axle
- Intergrated Rear Ramp with Beveled Edge
- EASY Removable Aluminum Fenders

- Adjustable Track for EASY INSTALL Tie Downs
- Adjustable Track for Perimeter EASY INSTALL Options
- 4-Way Flat Power Connection
- Exterior LED Lighting
- Triple Tube Box Tube Tongue
- 6000# Coupler w/ 2" Ball
- · Limited 5 Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | | | |
|-----------------------------------|---------------|---------------|---------------|---------------|
| TRAILER MODEL | MU72x10AR-2.0 | MU72x12AR-2.0 | MU80x12AR-2.0 | MU80X14AR-2.0 |
| Deck WxL | 68" x 119" | 68" x 146" | 76" x 146" | 76" x 169" |
| Overall WxL | 94" x 173" | 94" x 200" | 102" x 200" | 102" x 223" |
| Deck Height | 17" | 17" | 17" | 17" |
| Hitch Height | 14" | 14" | 14" | 14" |
| Axle(s) - Qty/Rating | 1-3500# | 1-3500# | 1-3500# | 1-3500# |
| Wheels | 14" Aluminum | 14" Aluminum | 14" Aluminum | 14" Aluminum |
| Tires | 205/75R14 | 205/75R14 | 205/75R14 | 205/75R14 |
| GVWR | 2990# | 2990# | 2990# | 2990# |
| Curb Weight | 667# | 697# | 730# | 862# |
| Payload | 2323# | 2293# | 2260# | 2128# |
| BASE PRICE | | | | |

| ВΑ | SE. | PK | UE |
|----|-----|----|----|
| | | | |

| POPULAR OPTIONS | | | | |
|--|-------|-----|-----------------------------|---|
| CONSTRUCTION OPTIONS | PRICE | UOM | EASY INSTALL/ADJUST OPTIONS | |
| Bi-Fold Ramp Upgrade | | EA | Spare Tire Holder | |
| Downgrade to 5/4" PT Decking from Aluminum Decking | | PBF | Stake Pocket Kit (4) | |
| WHEELS | | | Adjustable D-Ring Kit (4) | 1 |
| Spare 14" Aluminum Rim (205/75R14) | | EA | Adjustable D-Ring | 1 |
| Spare 15" Aluminum Rim (205/75R15) | | EA | Stabilizer Jacks | P |
| Downgrade to Silver Mods From Aluminum Rims | | EA | | |
| Upgrade to 15" Aluminum Rims From 14" Aluminum Rims | | EA | | |
| | | | | |
| RAIL KITS | PRICE | UOM | | |
| Solid 10" Rail Kit 72x10 | | SET | | |
| Solid 10" Rail Kit 72x12 | | SET | | |
| Solid 10" Rail Kit 80x12 | | SET | | |
| Solid 10" Rail Kit 80x14 | | SET | | |
| | | 021 | | |
| Slatted 14" Rail Kit 72x10 | | SET | | |
| Slatted 14" Rail Kit 72x10 Slatted 14" Rail Kit 72x12 | | | | |
| | | SET | | |

UTILITY [WR-2.0] 72/80-WIDE

** Freight Rebate

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- 2"x8" Planking
- Leaf Spring Idler Straight Axle
- · Lay Flat Rear Ramp
- Aluminum Fenders

- Fixed 1"x2" Rail Kit
- 4-Way Flat Power Connection
- Exterior LED Lighting
- Two Piece Box Tube Tongue
- 6000# Coupler w/ 2" Ball
- 2000# Center Jack
- · Limited 4 Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | | | | | | | |
|-----------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|--|--|
| TRAILER MODEL | MU72x10WR-2.0 | MU72x12WR-2.0 | MU72x14WR-2.0 | MU80x10WR-2.0 | MU80x12WR-2.0 | MU80X14WR-2.0 | | |
| Deck WxL | 72" x 120" | 72" x 144" | 72" x 168" | 80" x 120" | 80" x 144" | 80" x 168" | | |
| Overall WxL | 94" x 198" | 94" x 222" | 94" x 246" | 100" x 198" | 100" x 222" | 100" x 246" | | |
| Deck Height | 18" | 18" | 18" | 18" | 18" | 18" | | |
| Hitch Height | 15" | 15" | 15" | 15" | 15" | 15" | | |
| Axle(s) - Qty/Rating | 1-3500# | 1-3500# | 1-3500# | 1-3500# | 1-3500# | 1-3500# | | |
| Wheels | 15" Silver Mod | | |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 | | |
| GVWR | 2990# | 2990# | 2990# | 2990# | 2990# | 2990# | | |
| Curb Weight | 756# | 796# | 836# | 906# | 944# | 982# | | |
| Payload | 2234# | 2194# | 2154# | 2084# | 2046# | 2008# | | |
| RASE PRICE | | | | | | | | |

| POPULAR OPTIONS | | | | | |
|---|-------|-----|---------------------------------|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM | RAIL KITS CONT. | PRICE | UOM |
| Bi-Fold Ramp Upgrade | | EA | Add ATV Side Ramps (12'+) | | SET |
| Upgrade to Aluminum Decking | | PLF | Upgrade to PT Solid Rail Kit | | PBF |
| WHEELS | | | Upgrade to DP Solid Rail Kit | | PBF |
| Spare 15" Silver Mod (205/75R15") | | EA | ACCESSORIES | | |
| Spare 15" Aluminum Rim (205/75R15) | | EA | Surface Mount D- Rings | | EA |
| Upgrade to 15" Aluminum Rims From 15" Silver Mods | | EA | 5000# HD D-Rings | | EA |
| Tongue Mounted Spare Tire Holder (Bolt-On) | | EA | 6000# Swivel D- Rings (Zinc) | | EA |
| 1200# Wheel Jack | | EA | | | |

UTILITY [FA-2.0]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- Extruded Aluminum Decking
- Torsion Ride Idler Axle
- EASY Removable Aluminum Fenders
- Fixed 2"x2" Aluminum Side Rail Kit

- Intergrated Rear Ramp with Beveled Edge
- Adjustable Track for Perimeter EASY INSTALL Options
- 4-Way Flat Power Connection
- Exterior LED Lights
- 6000# Coupler w/ 2" Ball
- (2) 5000# Safety Chains
- · Limited 5 Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | | |
|-----------------------------------|----------------|----------------|----------------|
| TRAILER MODEL | MU6.5x10FA-2.0 | MU6.5x12FA-2.0 | MU6.5x14FA-2.0 |
| Deck WxL | 76" x 119" | 76" x 146" | 76" x 223" |
| Overall WxL | 102" x 173" | 102" x 200" | 102" x 223" |
| Deck Height | 17" | 17" | 17" |
| Hitch Height | 14" | 14" | 14" |
| Axle(s) - Qty/Rating | 1-3500# | 1-3500# | 1-3500# |
| Wheels | 14" Aluminum | 14" Aluminum | 14" Aluminum |
| Tires | 205/75R14 | 205/75R14 | 205/75R14 |
| Tongue | Triple-Tube | Triple - Tube | Triple - Tube |
| GVWR | 2990# | 2990# | 2990# |
| Curb Weight | 693# | 773# | 853# |
| Payload | 2297# | 2217# | 2137# |

| POPULAR OPTIONS | | | | |
|--|-------|-----|---|------|
| CONSTRUCTION OPTIONS | PRICE | UOM | EASY INSTALL/ADJUST OPTIONS | |
| Upgrade to Bi-Fold Ramp (All Models) | | EA | Spare Tire Holder | EA |
| Downgrade to 5/4" PT Decking from Aluminum Decking | | PBF | Stake Pocket Kit (4) | KIT |
| REMOVABLE RAIL KITS | | | Stabilizer Jacks | PAIR |
| Slatted 17" Rail Kit w/ Solid Front for 10' | | SET | Adjustable D-Ring Kit (4) | KIT |
| Slatted 17" Rail Kit w/ Solid Front for 12' | | SET | | |
| Slatted 17" Rail Kit w/ Solid Front for 14' | | SET | WHEELS | |
| Solid 10" Rail Kit 10' | | SET | Spare 14" Aluminum | EA |
| Solid 10" Rail Kit 12' | | SET | Spare 15" Silver Mod | EA |
| Solid 10" Rail Kit 14' | | SET | Spare 15" Aluminum | EA |
| | | | Upgrade to 15" Aluminum Rims From 14" Aluminum Rims | EA |

UTILITY [FA TILT-2.0]

** Freight Rebate

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- Extruded Aluminum Decking
- Torsion Ride Idler Axle
- EASY Removable Aluminum Fenders
- Fixed 2"x2" Aluminum Side Rail Kit

- Tilt Bed with Hydraulic Dampener System
- Adjustable Track for Perimeter EASY INSTALL Options
- 4-Way Flat Power Connection
- Exterior LED Lights
- 6000# Coupler w/ 2" Ball
- (2) 5000# Safety Chains
- Limited 5 Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | |
|-----------------------------------|---------------------|---------------------|
| TRAILER MODEL | MU6.5x12FA-TILT-2.0 | MU6.5x14FA-TILT-2.0 |
| Deck WxL | 76" x 146" | 76" x 169" |
| Overall WxL | 102" x 200" | 102" x 223" |
| Deck Height | 17" | 17" |
| Hitch Height | 14" | 14" |
| Axle(s) - Qty/Rating | 1-3500# | 1-3500# |
| Wheels | 14" Aluminum | 14" Aluminum |
| Tires | 205/75R14 | 205/75R14 |
| Tongue | Triple - Tube | Triple - Tube |
| GVWR | 2990# | 2990# |
| Curb Weight | 480# | 560# |
| Payload | 2510# | 2430# |

POPULAR OPTIONS

| REMOVABLE RAIL KITS | PRICE | UOM | EASY INSTALL/ADJUST OPTIONS | PRICE | UOM |
|---|-------|-----|-----------------------------------|-------|------|
| Slatted 17" Rail Kit w/ Solid Front for 12' | | SET | Spare Tire Holder | | EA |
| Slatted 17" Rail Kit w/ Solid Front for 14' | | SET | Stake Pocket Kit (4) | | KIT |
| Solid 10" Rail Kit 12' | | SET | Stabilizer Jacks | | PAIR |
| Solid 10" Rail Kit 14' | | SET | Adjustable D-Ring Kit (4) | | KIT |
| WHEELS | | | MISC OPTIONS | | |
| Spare 14" Aluminum | | EA | Front Stone Guard | | EA |
| Spare 15" Silver Mod | | EA | | | |
| Spare 15" Aluminum | | EA | | | |
| Upgrade to 15" Aluminum Rims From 14" Aluminum Rims | | EA | | | |

UTILITY [TANDEM AXLE FA-2.0]

** Freight Rebate

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 5" Subframe Tubing
- Extruded Aluminum Decking
- Torsion Ride Braked Axles
- Removable Aluminum Fenders
- Fixed 2"x2" Aluminum Side Rail Kit
- 1500# Wheel Jack

- Intergrated Rear Ramp with Beveled Edge
- Adjustable Track for Perimeter EASY INSTALL Options
- 7-Way Round Power Connection
- Exterior LED Lights
- 6000# Coupler w/ 2 5/16" Ball
- (2) 7800# Safety Chains
- · Limited 5 Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | | | |
|-----------------------------------|-------------------|-------------------|-------------------|-------------------|
| TRAILER MODEL | MU6.5x14TA-FA-2.0 | MU6.5x16TA-FA-2.0 | MU6.5x18TA-FA-2.0 | MU6.5x20TA-FA-2.0 |
| Deck WxL | 76" x 169" | 76" x 192" | 76" x 215" | 76" x 239" |
| Overall WxL | 102" x 223" | 102" x 246" | 102" x 269" | 102" x 292 |
| Deck Height | 17" | 17" | 17" | 17" |
| Hitch Height | 14" | 14" | 14" | 14" |
| Axle(s) - Qty/Rating | 2-3500# | 2-3500# | 2-3500# | 2-3500# |
| Wheels | 14" Aluminum | 14" Aluminum | 14" Aluminum | 14" Aluminum |
| Tires | 205/75R14 | 205/75R14 | 205/75R14 | 205/75R14 |
| Tongue | Triple - Tube | Triple - Tube | Triple - Tube | Triple - Tube |
| GVWR | 7000# | 7000# | 7000# | 7000# |
| Curb Weight | 1134# | 1168# | 1202# | 1236# |
| Payload | 5866# | 5832# | 5798# | 5764# |
| BASE PRICE | | | | |


| POPULAR OPTIONS | | | | |
|---|-------|-----|-----------------------------|------|
| CONSTRUCTION OPTIONS | PRICE | UOM | ACCESSORIES | |
| Upgrade to Bi-Fold Ramp (All Models) | | EA | 5000# HD D-Rings | EA |
| Upgrade to Pull Out 4000# Ramp Kit | | KIT | EASY INSTALL/ADJUST OPTIONS | |
| | | | Spare Tire Holder | EA |
| WHEELS | | | Stake Pocket Kit (4) | KIT |
| Spare 14" Aluminum Rim (205/75R14) | | EA | Stabilizer Jacks | PAIR |
| Spare 15" Silver Mod (205/75R15") | | EA | Adjustable D-Ring Kit (4) | KIT |
| Spare 15" Aluminum Rim (205/75R15) | | EA | | |
| Upgrade to 15" Alum Rims From 14" Alum Rims | | EA | | |

UTILITY LANDSCAPE [WOOD DECK 2.0]

** Freight Rebate

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 5" Subframe Tubing
- 2"x8" Planking
- 4" Drop Leaf Spring Axles
- Integrated Aluminum Rear Ramp
- Fixed 1"x2" Aluminum Rail Kit
- Welded Aluminum Fenders
- 7-Way Round Power Connection

- Recessed LED Marker Lights
- 2" Coupler
- 1500# Wheel Jack
- (2) 7800# Safety Chains
- Limited 4 Year Warranty




| STANDARD SPECIFICATIONS & PRICING | | | | |
|-----------------------------------|------------------|------------------|-----------------|-----------------|
| TRAILER MODEL | MLS6.5X12-2.0 | MLS6.5X14-2.0 | MLS6.5X16-2.0 | MLS6.5X18-2.0 |
| Deck WxL | 80" x 144" | 80" x 168" | 80" x 192" | 80" x 216" |
| Overall WxL | 102" x 192" | 102" x 216" | 102" x 240" | 102" x 264" |
| Deck Height | 19" | 19" | 19" | 19" |
| Hitch Height | 16" | 16" | 16" | 16" |
| Axle(s) - Qty/Rating | 2 - 3500# Braked | 2 - 3500# Braked | 2 -3500# Braked | 2 -3500# Braked |
| Wheels | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 6000# | 6000# | 6000# | 6000# |
| Curb Weight | 1297# | 1392# | 1487# | 1582# |
| Payload | 4133# | 4228# | 4323# | 4418# |
| BASE PRICE | | | | |

| POPULAR OPTIONS | | | | | |
|--------------------------------------|-------|-----|---|-------|------|
| CONSTRUCTION OPTIONS | PRICE | UOM | ACCESSORIES | PRICE | UOM |
| Upgrade to Bi-Fold Ramp (All Models) | | EA | Tongue Mounted Diamond Plate Tool Box | | EA |
| Upgrade to Aluminum Decking | | PLF | Stabilizer Jacks | | PAIR |
| SIDE RAILS | | | Surface Mounted D-Rings | | EA |
| ATV Side Ramp Kit 14' + Models | | EA | HD Recessed D-Rings | | EA |
| Upgrade to PT Solid Rail Kit | | PBF | | | |
| Upgrade to DP Solid Rail Kit | | PBF | WHEELS | | |
| Add Side Load Ramp | | EA | Spare 15" Silver Mod (205/75R15") | | EA |
| | | | Spare 15" Aluminum Rim (205/75R15) | | EA |
| | | | Upgrade to 15" Aluminum Rims from 15" Silver Mod | | EA |

- All-Aluminum Construction
- 2"x3" Crossmembers
- 2"x5" (2'x6" 20'-5K) Subframe Tubing
- 5/4" Pressure Treated Planking
- Torsion Ride Axles
- 6000# Coupler w/ 2" Ball (16' & 20')
- 12500# Coupler w/ 2 5/16" Ball
- HD Stake Pockets (Full Perimeter)
- (2) 5000# Safety Chains (16' & 20')
- (2) 7800# Safety Chains (20' 5K)

- 7-Way Round Power Connection
- 1200# Wheel Jack
- Recessed Rubber Mounted Lights
- (8) Surface Mounted D-Rings ((6)- 16' model)
- Limited 4 Year Warranty





| (=) 1000% Guilety Guillet (=0 011) | | | |
|------------------------------------|------------------|------------------|------------------|
| STANDARD SPECIFICATIONS & PRICING | | | |
| TRAILER MODEL | MDO101x16-L | MDO101x20-L | MDO101x20-L5K |
| Deck WxL | 101" x 18' | 101" x 20' | 101" x 22' |
| Overall WxL | 102" x 20' | 102" x 24' | 102" x 26' |
| Deck Height | TBD | TBD | TBD |
| Hitch Height | TBD | TBD | TBD |
| Axle(s) - Qty/Rating | 2 - 3500# Braked | 2 - 3500# Braked | 2 - 5200# Braked |
| Wheels | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires | 205/75R15 | 225/75R16 | 225/75R15 |
| GVWR | 6000# | 6000# | 9900# |
| Curb Weight | TBD | TBD | TBD |
| Payload | TBD | TBD | TBD |
| BASE PRICE | | | |

| POPULAR OPTIONS | | | | | |
|---|-------|-----|--|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM | ACCESSORIES | PRICE | UOM |
| Jpgrade to 6' Car Hauler Grade Pull Out Ramps | | SET | Tongue Mounted Diamond Plate Tool Box | | EA |
| Adjustable 2 5/16" Coupler | | EA | Heavy Duty Recessed D- Rings | | EA |
| FLOORING | | | Recessed Heavy-Duty 6000# Swivel D-Rings (Zinc) | | EA |
| Jpgrade to Ext. Alum. Decking (UDO-L) | | PBF | | | |
| NHEELS | | | | | |
| Spare 15" Silver Mod (205/75R15") | | EA | | | |
| Spare 15" Aluminum Rim (205/75R15) | | EA | | | |
| Spare 15" Silver Mod Wheel (225/75R15) | | EA | | | |
| Spare 15" Aluminum (225/75R15) | | EA | | | |
| Jpgrade to 15" Aluminum Rims from 15" Silver Mod | | EA | | | |
| Tongue Mounted Spare Tire Carrier (Bolt-On) | | EA | | | |

UTILITY [DECKOVER]

STANDARD FEATURES

• All-Aluminum Construction

• 2"x3" Crossmembers

• 2"x5" Subframe Tubing

• Extruded Aluminum Decking

• Torsion Ride Axles

• Tandem 6' HD 4000#

Stowaway Ramps

• HD Stake Pockets (Full Perimeter)

• Fixed 2"x2" Front Bumper Rail

• 7-Way Round Power Connection

• Recessed Rubber Mounted LED Lights

• (4) Recessed HD - D-Rings

• Tri-Frame Straight Arrow Tongue

• 10000# Coupler w/ Adjustable

• 3" Pintle Hitch

• 5000# Pedestal Jack

• (2) 15000# Safety Chains

• Limited 4 Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | | |
|-----------------------------------|----------------------|----------------------|----------------------|
| TRAILER MODEL | MDO101x18-A | MDO101x20-A | MDO101x22-A |
| Deck WxL | 101" x 18' | 101" x 20' | 101" x 22' |
| Overall WxL | 102" x 22' | 102" x 24' | 102" x 26' |
| Deck Height | 29" | 29" | 29" |
| Hitch Height | 20" - 28" Adjustable | 20" - 28" Adjustable | 20" - 28" Adjustable |
| Axle(s) - Qty/Rating | 2 - 3500# Braked | 2 - 3500# Braked | 2 - 3500# Braked |
| Wheels | 15" Aluminum | 15" Aluminum | 15" Aluminum |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 7000# | 7000# | 7000# |
| Curb Weight | 1750# | 1810# | 1985# |
| Payload | 5250# | 5190# | 5015# |
| BASE PRICE | | | |

POPULAR OPTIONS

| 1 31 327 11 31 113113 | | |
|--|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM |
| Adjustable 2 5/16" Ball-Style Coupler (Replaces Pintle) | | SET |
| Upgrade to HD Adjustable Flip-Up Ramps (ilo of Pull-Out Ramps) | | SET |
| WHEELS | | EA |
| Spare 15" Silver Mod Wheel (205/75R15) | | EA |
| Spare 15" Aluminum Rim (205/75R15) | | EA |
| ACCESSORIES | | EA |
| Tongue Mounted Diamond Plate Tool Box | | EA |
| Additional Heavy Duty Recessed D-Rings | | EA |
| Heavy-Duty 6000# Swivel D-Rings (Zinc) | | EA |
| | | |

UTILITY [DECKOVER] 14K CG

** Freight Rebate

- All-Aluminum Construction
- 2"x3" Crossmembers
- 2"x8" Subframe Tubing
- Extruded Aluminum Decking
- Dexter Torsion Ride Axles
- HD Rub-Rail and Stake Pockets
- HD 2"x2" Front Bumper
- 7-Way Round Power Connection
- 15000# 2 5/16" Adjustable Coupler

- Recessed Rubber Mounted LED Lights
- Tri-Frame Straight Arrow Tongue
- (4) 6000# Recessed Swivel D-Rings
- 8K Drop Jack
- Adjustable HD Flip Up Ramps (16" x 5')
- Beavertail Construction
- · Limited Lifetime Warranty



| STANDARD SPECIFICATIONS & PRICING | ; | | | |
|-----------------------------------|---------------------|----------------------|----------------------|----------------------|
| TRAILER MODEL | MDO101x18-14K | MDO101x20-14K | MDO101x22-14K | MDO101x24-14K |
| Deck WxL | 101" x 18' | 101" x 20' | 101" x 22' | 101" x 24' |
| Overall WxL | 102" x 22' | 102" x 24' | 102" x 26' | 102" x 28' |
| Deck Height | 36" | 36" | 36" | 36" |
| Hitch Height | 24" - 32"Adjustable | 24" - 32" Adjustable | 24" - 32" Adjustable | 24" - 32" Adjustable |
| Axle(s) - Qty/Rating | 2 - 7000# Braked | 2 - 7000# Braked | 2 - 7000# Braked | 2 - 7000# Braked |
| Wheels | 16" Aluminum | 16" Aluminum | 16" Aluminum | 16" Aluminum |
| Tires | 235/80R16 | 235/80R16 | 235/80R16 | 235/80R16 |
| GVWR | 14000# | 14000# | 14000# | 14000# |
| Curb Weight | TBD | TBD | TBD | TBD |
| Payload | TBD | TBD | TBD | TBD |
| BASE PRICE | | | | |

| OPTIONS & ACCESSORIES | | |
|--|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM |
| Gooseneck Upgrade for Opens (MDO) | | SET |
| Adjustable 3" Pintle (Replaces 2 5/16" Coupler) | | SET |
| Upgrade to 6' Car Hauler Grade Pull Out Ramps (ilo of Flip Up Ramps) | | SET |
| WHEELS | | |
| Spare 16" Silver Mod Wheel (235/80R16) | | EA |
| Spare 16" Aluminum Wheel (235/80R16) | | EA |
| ACCESSORIES | | |
| Tongue Mounted Diamond Plate Tool Box | | EA |
| Additional Heavy Duty Recessed D-Rings | | EA |
| | | |

UTILITY [PATRIOT EDITION]

STANDARD FEATURES

- All-Aluminum Construction
- 2"x3" Crossmembers
- 2"x6" Subframe Tubing
- 5/4" Pressure Treated Decking
- Torsion Ride Axles
- Adjustable HD Flip Up Ramps
- HD 2"x2" Perimeter Rub Rail
- 7-Way Round Power Connection
- 10000# 2 5/16" A-Frame Coupler

- Recessed Rubber Mounted LED Lights
- Tri-Frame Straight Arrow Tongue
- 2 5/16" A-Frame Coupler
- 5000# Pedestal Jack
- (2) 15000# Safety Chains
- Limited 4 Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | | |
|-----------------------------------|------------------|------------------|------------------|
| TRAILER MODEL | MPAT6.5x14 | MPAT6.5x16 | MPAT6.5x18 |
| Deck WxL | 80" x 14' | 80" x 16' | 80" x 18' |
| Overall WxL | 102" x 18' | 102" x 20' | 102" x 22' |
| Deck Height | 24" | 24" | 24" |
| Hitch Height | 20" | 20" | 20" |
| Axle(s) - Qty/Rating | 2 - 3500# Braked | 2 - 3500# Braked | 2 - 3500# Braked |
| Wheels | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 7000# | 7000# | 7000# |
| Curb Weight | 1350# | 1500# | 1650# |
| Payload | 5650# | 5500# | 5350# |

| POPULAR OPTIONS | | |
|--|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM |
| Upgrade to 6' Car Hauler Grade Pull Out Ramps (ilo of Flip Up Ramps) | | SET |
| Gooseneck Upgrade for Opens (MPAT) | | SET |
| Adjustable 2 5/16" Coupler | | EA |
| FLOORING | | |
| Upgrade to Ext. Alum. Decking | | PBF |
| WHEELS | | |
| Spare 15" Silver Mod (205/75R15") | | EA |
| Spare 15" Aluminum Rim (205/75R15) | | EA |
| Spare 15" Silver Mod Wheel (225/75R15) | | EA |
| Spare 15" Aluminum (225/75R15) | | EA |
| Tongue Mounted Spare Tire Carrier | | EA |
| ACCESSORIES | | |
| Tongue Mounted Diamond Plate Tool Box | | EA |
| Heavy Duty Recessed D-Rings | | EA |
| | | |

UTILITY [PATRIOT] 14K CG

** Freight Rebate

STANDARD FEATURES

- All-Aluminum Construction
- 2"x3" Crossmembers
- 2"x6" Subframe Tubing
- Extruded Aluminum Decking
- Dexter Torsion Ride Axles
- Adjustable HD Flip Up Ramps (16" x 5')
- HD 2"x2" Front Bumper

- 7-Way Round Power Connection
- 15000# 2 5/16" Adjustable Coupler

- Heavy Duty Diamond Plate Fenders w/Corner Steps
- Recessed Rubber Mounted LED Lights
- Tri-Frame Straight Arrow Tongue
- (4) 6000# Recessed Swivel D-Rings
- 8K Drop Jack
- HD Rub-Rail and Stake Pockets
- Beavertail Construction (3" Drop)
- Limited Lifetime Warranty



| STANDARD SPECIFICATIONS & PRICING | | | | | | | |
|-----------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--|--|
| TRAILER MODEL | MPAT6.5x14-14K | MPAT6.5x16-14K | MPAT6.5x18-14K | MPAT6.5x20-14K | MPAT6.5x22-14K | | |
| Deck WxL | 80" x 14' | 80" x 16' | 80" x 18' | 80" x 20' | 80" x 22' | | |
| Overall WxL | 102" x 18' | 102" x 20' | 102" x 22' | 102" x 24' | 102" x 26' | | |
| Deck Height | 25" | 25" | 25" | 25" | 25" | | |
| Hitch Height | 18" | 18" | 18" | 18" | 18" | | |
| Axle(s) - Qty/Rating | 2 - 7000# Braked | | |
| Wheels | 16" Aluminum Rims | | |
| Tires | 235/80R16 | 235/80R16 | 235/80R16 | 235/80R16 | 235/80R16 | | |
| GVWR | 14000# | 14000# | 14000# | 14000# | 14000# | | |
| Curb Weight | TBD | TBD | TBD | TBD | TBD | | |
| Payload | TBD | TBD | TBD | TBD | TBD | | |

| OPTIONS & ACCESSORIES | | |
|--|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM |
| Upgrade to 6' Car Hauler Grade Pull Out Ramps (ilo of Flip Up Ramps) | | SET |
| Gooseneck Upgrade for Opens (MPAT) | | SET |
| Adjustable 3" Pintle Hitch | | EA |
| WHEELS | | |
| Spare 16" Silver Mod (235/80R16) | | EA |
| Spare 16" Aluminum Rim (235/80R16) | | EA |
| Tongue Mounted Spare Tire Carrier (Bolt-On) | | EA |
| ACCESSORIES | | |
| Tongue Mounted Diamond Plate Tool Box | | EA |
| Recessed Heavy-Duty 6000# Swivel D-Rings (Zinc) | | EA |

** Freight Rebate

UTILITY [DUMP]

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Crossmembers
- 2"x5" Subframe Tubing (6x10)
- 2"x6" Subframe Tubing (6x12)
- 2"x8" Subframe Tubing (7x14)
- Extruded Aluminum Decking
- Leaf Spring Axles
- 17" Tall Dump Body
- Rear Swing Open Bar Doors
- 12V Hydraulic Pump

- DP Tongue Mount Storage Box
- (Hydraulic Storage)
- 6" Filler Board Slot
- Front Hoist System
- Canvas Tarp System
- 7-Way Round Power Connection
- Recessed Rubber Mounted LED Lights
- 12500# Coupler w/ 2 5/16" Ball
- 5000# Center Jack (6x10)
- 8000# Pedestal Jack (6x12 and Larger)



• (2) 15000# Safety Chains

• Limited Lifetime Warranty

| STANDARD SPECIFICATIONS & PRICING | | | |
|-----------------------------------|------------------|------------------|------------------|
| TRAILER MODEL | MODP6x10 | MODP6x12 | MODP7x14 |
| Deck WxL | 72" x 10' | 72" x 12' | 84" x 14' |
| Overall WxL | 98" x 14' | 98" x 16' | 102" x 18.5' |
| Deck Height | 28" | 28" | 28" |
| Hitch Height | 16" | 16" | 16" |
| Axle(s) - Qty/Rating | 2 - 3500# Braked | 2 - 5200# Braked | 2 - 6000# Braked |
| Wheels | 15" Silver Mods | 15" Silver Mods | 16" Silver Mods |
| Tires | 205/75R15 | 225/75R15 | 235/80R16 |
| GVWR | 7000# | 9990# | 12000# |
| Curb Weight | 1800# | 2000# | 2165# |
| Payload | 5200# | 7990# | 9835# |

| POPULAR OPTIONS | | | |
|---|-------|-----|--|
| CONSTRUCTION OPTIONS | PRICE | UOM | |
| 3 - Way Rear Gate System | | EA | |
| Upgrade HD Ramp Kit (4000# Rated, Not Availble with 3 way dump) | | SET | |
| Pintle Hitch Upgrade | | EA | |
| Adjustable 2 5/16" Coupler Upgrade | | EA | |
| Upgrade to 7k Axles (From 6k on 7x14 Only) | | EA | |
| Upgrade to 24" Tall Dump Sides (PBF) | | PBF | |
| Upgrade to 36" Tall Dump Sides (PBF) | | PBF | |
| Upgrade to 48" Tall Dump Sides (PBF) | | PBF | |
| WHEELS | | | |
| Spare 15" Silver Mod (205/75R15") | | EA | |
| Spare 15" Aluminum Rim (205/75R15) | | EA | |
| Spare 15" Silver Mod Wheel (225/75R15) | | EA | |
| Spare 15" Aluminum Spoke (225/75R15) | | EA | |
| Spare 16" Silver Mod Wheel (235/80R16) | | EA | |
| Spare 16" Aluminum Spoke (235/80R16) | | EA | |
| Upgrade to 15" Aluminum Rims from 15" Silver Mod | | EA | |
| Upgrade to 15" 225's Aluminum Rims from 15" Silver Mod 225's | | EA | |
| Upgrade to 16" Aluminum Rims from 16" Silver Mod | | EA | |
| Exterior Spare Tire Mount | | EA | |

OPEN ATV [83-Wide]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"x3" Subframe Tubing
- · Leaf Spring Axles
- Custom Angle Side Rails

for Low Profile Side Loading

• Rear & Front Stowing Removable 8' Ramps

(8' Front/Rear 83-Wide)

- 5/4" Pressure Treated Decking
- 4-Way Flat Power Connection (7-way Braked Models)
- Recessed LED Marker Lights
- 1200# Wheel Jack
- 3500# Wishbone Style Coupler

w/ 2" Ball

- (2) 5000# Safety Chains
- · Limited 1 Year Warratny



| STANDARD SPECIFICATIONS & PRICING | | | |
|-----------------------------------|----------------|----------------|----------------|
| TRAILER MODEL | MATV 83x10 | MATV83x14 | MATV83x16 |
| Deck WxL | 83" x 10' | 83" x 14' | 83" x 16' |
| Overall WxL | 102" x 14' | 102" x 18' | 102" x 20' |
| Deck Height | 23" | 23" | 23" |
| Hitch Height | 19" | 19" | 19" |
| Decking | 5/4" PT | 5/4" PT | 5/4" PT |
| Surface Mount D-Rings | Optional | Optional | Optional |
| Axle(s) - Qty/Rating | 1-3500# | 1-3500# | 2-3500# Braked |
| Wheels | 13" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires | 175/80R13 | 205/75R15 | 205/75R15 |
| GVWR | 2990# | 2990# | 6000# |
| Curb Weight | 698# | 904# | 1235# |
| Payload | 2292# | 2086# | 4765# |

| POPULAR OPTIONS | | |
|--|-------|------|
| WHEELS | PRICE | UOM |
| Spare 13" Silver Mod (175/80R13) | | EA |
| Spare 15" Silver Mod (205/75R15) | | EA |
| Spare 15" Aluminum Rim (205/75R15) | | EA |
| Upgrade to 13" Aluminum Rims | | EA |
| Upgrade to 15" Silver Mod From 13" Silver Mod | | EA |
| Upgrade to 15" Aluminum Rims from 15" Silver Mod | | EA |
| Tongue Mounted Spare Tire Holder (Bolt-On) | | EA |
| | | |
| ACCESSORIES | | |
| Stabilizer Jacks | | PAIR |
| Surface Mount D-Rings | | EA |
| Heavy Duty Recessed D-Rings | | EA |

ATV [88-Wide]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"x3" Subframe Tubing
- Torsion Ride Axles
- Removable Ramps/Side Panels
- 1/2" Marine Tech Plywood Decking

- Rear Edge Protector
- 4-Way Flat Power Connection
- Recessed LED Marker Lights
- 3500# Wishbone Style Coupler

w/ 2" Ball

• (2) 5000# Safety Chains



| STANDARD SPECIFICATIONS & PRICING | | | | | |
|-----------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| TRAILER MODEL | MATV88x102 | MATV88x10 | MATV88x12 | MATV88x14 | MATV88x18 |
| Deck WxL | 88" x 102" | 88" x 120" | 88" x 144" | 88" x 166" | 88" x 216" |
| Overall WxL | 92" x 12'6" | 92" x 14' | 92" x 16' | 92" x 18' | 92" x 22' |
| Deck Height | 23 1/2" | 23 1/2" | 23 1/2" | 23 1/2" | 23 1/2" |
| Hitch Height | 18" | 18" | 18" | 18" | 18" |
| Surface Mount D-Rings | 4 | 4 | 6 | 6 | 8 |
| Axle(s) - Qty/Rating | 1- 2200# | 1-2200# | 1-3500# | 1-3500# | 2-2200# Braked |
| Wheels | 12" E-Rated Silver Mod |
| Tires | ST145/R12E | ST145/R12E | ST145/R12E | ST145/R12E | ST145/R12E |
| GVWR | 2200# | 2200# | 2990# | 2990# | 4400# |
| Curb Weight | 380# | 430# | 450# | 475# | 835# |
| Payload | 1820# | 1770# | 2540# | 2515# | 3565# |
| Wheel Jack | | | | | |

| POPULAR OPTIONS | | | | | |
|---|-------|-----|--------------------------------------|-------|------|
| AXLES | PRICE | UOM | ACCESSORIES | PRICE | UOM |
| Upgrade from 1 - 3500# Idler to 2 - 2200# Braked | | | 1200# Wheel Jack | | EA |
| Axle (14' Model) | | | Stabilizer Jacks | | PAIR |
| Upgrade from 1 - 3500# Idler to 2 - 2200# Idler Axles | | | Additional Surface-Mount D-Rings | | EA |
| (14' Model, 2990 GVWR) | | | Heavy Duty Recessed D- Rings | | EA |
| WHEELS | | | CONSTRUCTION UPGRADE | | |
| Upgrade to 13" Tires from 12" Tires | | EA | Upgrade to Extruded Aluminum Decking | | PLF |
| Upgrade to 15" Tires from 12" Tires (Includes Drop | | EA | Side Load Ramps Upgrade - 102" | | SET |
| Hitch) | | | Side Load Ramps Upgrade - 120" | | SET |
| Spare 12" Silver Mod (145/R12E) | | EA | Side Load Ramps Upgrade - 14' | | SET |
| Spare 13" Silver Mod (175/80R15) | | EA | Side Load Ramps Upgrade - 18' | | SET |
| Spare 15" Silver Mod (205/75R15) | | EA | | | |
| Tongue Mounted Spare Mount (Bolt-On) | | EA | | | |

OPEN [MOTORCYCLE 2.0]

** Freight Rebate

STANDARD FEATURES

• All-Aluminum Construction

• Removable 18" Aluminum Stoneguard

• 24" O/C Crossmembers

• Surface-Mounted Wheel Chock(s)

• 2"x3" Subframe Tubing

• 4-Way Flat Power Connection

Torsion Ride Axles

• Recessed LED Marker Lights

• Extruded Aluminum Decking

• 3500# Wishbone Style Coupler w/ 2" Ball

• HD Aluminum Pull Out Ramp

• (2) 7500# Safety Chains

• EASY Removable Aluminum Fenders

· Limited 5-Year Warranty

Adjustable Track for Perimeter EASY INSTALL Options

| Adjustable Track for Fellificter LAST INSTALL Options | | |
|---|--------------|----------------|
| STANDARD SPECIFICATIONS & PRICING | | |
| TRAILER MODEL | MOMC5x8-2.0 | MOMC6.5x10-2.0 |
| Deck WxL | 56" x 96" | 76" x 120" |
| Overall WxL | 82" x 170" | 102" x 204" |
| Deck Height | 16" | 18" |
| Hitch Height | 13" | 14" |
| Axle(s) - Qty/Rating | 1- 2200# | 1-3500# |
| Wheels | 13" Aluminum | 14" Aluminum |
| Tires | 175/80R13 | 205/75R14 |
| GVWR | 2200# | 2990# |
| Curb Weight | 400# | 550# |
| Payload | 1800# | 2440# |
| D-Rings | 4 | 8 |
| Wheel Jack | 1500# | 1500# |
| BASE PRICE | | |

| POPULAR OPTIONS | | |
|---|-------|------|
| CONSTRUCTION OPTIONS | PRICE | UOM |
| Rear Ramp Upgrade (ilo of Stowing Ramp) | | EA |
| WHEELS | | |
| Spare 13" Silver Mod (175/80R13"0 | | EA |
| Spare 15" Silver Mod (205/75R15") | | EA |
| Spare 13" Aluminum Rim (175R13") | | EA |
| Spare 14" Aluminum Rim (205/75R14) | | EA |
| Upgrade to 15" Aluminum Rims From 13" | | EA |
| Upgrade to 15" Aluminum Rims From 14" | | EA |
| ACCESSORIES | | |
| Tool Box Add On to Stone Guard | | EA |
| EASY INSTALL/ADJUST OPTIONS | | |
| Spare Tire Holder | | EA |
| Stake Pocket Kit (4) | | KIT |
| Stabilizer Jacks | | PAIR |
| Adjustable D-Ring Kit (4) | | KIT |

SLINGSHOT [ALUMINUM DECK]

** Freight Rebate

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"X3" Subframe Tubing
- Torsion Axles
- 7' Fold Down Bi-Fold Rear Ramp
- (4) HD D-Rings
- (2) 5000# Safety Chains
- · Limited 5 Year Warranty

- Extruded Aluminum Decking
- 4-Way Flat Power Connection
- Recessed Rubber Mounted LED Lights
- 3500# Wishbone Style Coupler w/ 2" Ball
- Beavertail
- Bolt On Fenders
- Front Bumper



| TRAILER MODEL | MU6.5x14SLINGSHOT |
|--------------------|-------------------|
| Deck WxL | 76" X 166" |
| Overall WxL | 102" X 218" |
| Deck Height | 19" |
| Hitch Height | 16" |
| Decking | Extruded Aluminum |
| HD D-Rings | 4 |
| Axle(s)-Qty/Rating | 1-3500# |
| Wheels | 15" Aluminum |
| Tires | 205/75R15 |
| GVWR | 2990# |
| Curb Weight | 810# |
| Payload | 2180# |
| Wheel Jack | 1200# |

| POPULAR OPTIONS | | | | | |
|-----------------------------|-------|-----|----------------|-------|-----|
| | PRICE | UOM | | PRICE | UOM |
| ACCESSORIES | | | WHEELS/TIRES | | |
| Spare Holder (Tongue Mount) | | EA | Spare 15" Alum | | EA |

MULTI-PURPOSE

- All-Aluminum Construction
- 16" O/C Wall/Roof Studs
- 24" O/C Floor Crossmembers
- 2"x3" Subframe Tubing
- 5/8" Water Resistant Decking
- Torsion Ride Axles
- Screwless .030" Exterior Panels
- Checkerboard Flooring

- Top-Lift Access Hatch w/ Gas Prop Assist
- Diamond Plate Stoneguard
- 4-Way Flat Power Connection
- Recessed LED Lights
- 3500# Wishbone Style Coupler
- w/ 2" Ball
- (2) 5000# Safety Chains
- Limited 4-Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | |
|-----------------------------------|-----------------|------------------------|
| TRAILER MODEL | MMT3x4 | MMT4x6 |
| Box WxLxH | 36" x 48" x 30" | 48" x 72" x 30" |
| Interior WxLxH | 58" x 10' x 40" | 67.5" x 10'6" x 43.75" |
| Deck Height | 15" | 15" |
| Hitch Height | 12" | 12" |
| Rear Door Opening | 30" x 18" | 48" x 36" |
| Capacity | 13 cu ft | 18 cu ft |
| Axle(s) - Qty/Rating | 1 - 1000# | 1 - 2200# |
| Wheels | 12" Aluminum | 12" Aluminum |
| Tires | 145/R12E | 145/R12E |
| GVWR | 999# | 2200# |
| Curb Weight | 200# | 362# |
| Payload | 799# | 1838# |

| POPULAR OPTIONS | | |
|--|-------|-----|
| WHEELS | PRICE | UOM |
| Spare 12" Aluminum (145/R12E) | | EA |
| Tongue-Mounted Spare Tire Holder (Bolt-On) | | EA |
| INTERIOR | | |
| Carpet Interior | | PKG |
| ACCESSORIES | | |
| Tongue-Mounted Cooler Tray | | EA |
| Roof-Mounted Luggage Rack | | EA |
| | | |

RAFT SERIES

STANDARD FEATURES

All-Aluminum Construction

• Recessed LED Marker Lights

• 24" O/C Crossmembers

• (5) Tie Down Points per Side

• 2"x3" Subframe Tubing

• (2) Front Tie Down Points

• 5/4" Pressure Treated Decking

• 4-Way Flat Power Connection

• Torsion Ride Axles

• 6000# Straight Coupler w/ 2" Ball

• Manual Winch w/ 24" Post

• (2) 5000# Safety Chains

• Rear Roller w/ Bearings

· Limited 1-Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | |
|-----------------------------------|-----------------|-----------------|
| TRAILER MODEL | MRFT84x10 | MRFT84x12 |
| Deck WxL | 84"x10' | 84"x12' |
| Overall WxL | 84"x14' | 84"x16' |
| Deck Height | 26" | 26" |
| Hitch Height | 21" | 21" |
| Axle(s) - Qty/Rating | 1-2200# | 1-2200# |
| Wheels | 13" Silver Mods | 13" Silver Mods |
| Tires | 175/80R13 | 175/80R13 |
| GVWR | 2200# | 2200# |
| Curb Weight | 540# | 590# |
| Payload | 1660# | 1610# |
| DACE DDICE | | |

| POPULAR OPTIONS | | |
|--|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM |
| Upgrade to 36" Winch Post | | EA |
| Tilt Bed Option | | EA |
| Welded Side Tie Down Rings | | EA |
| WHEELS | | |
| Spare 13" Silver Mod (175/80R15) | | EA |
| Upgrade to 13" Aluminum Rims from 13" Silver Mod | | EA |
| Spare 13" Aluminum Rim (175R13") | | EA |
| Tongue Mounted Spare Mount (Bolt-On) | | EA |
| ACCESSORIES | | |
| 1200# Wheel Jack | | EA |
| Additional Surface-Mount D-Rings | | EA |
| | | |

OPEN CAR HAULER [WOOD DECK 2.0]

** Freight Rebate

STANDARD FEATURES

- All-Aluminum Construction
- 2"x3" Heavy Wall Crossmembers
- 2"x5" Subframe Tubing (Outer & Tongue)
- 2"x8" Planking
- Leaf Spring Axles
- Removable Aluminum Fender (D/S)
- 2' Beavretail (3" Drop)
- Front Bumper
- Stowaway 5' Aluminum Ramps

- Rub Rail w/ Stake Pockets
- 7-Way Round Power Connection
- Recessed LED Marker Lights
- 10000# Coupler w/ 2 5/16" Ball
- (2) 5000# Safety Chains
- 5000# Center Jack
- (4) 5000# Recessed D-Rings
- Limited 4 Year Warranty



** Standard Rub Rail & Stake Pocket Kit not Shown

| STANDARD SPECIFICATIONS & PRICIN | NG | | |
|----------------------------------|------------------|------------------|------------------|
| TRAILER MODEL | MOCH8x16-W-2.0 | MOCH8x18-W-2.0 | MOCH8x20-W-2.0 |
| Deck WxL | 80" x 192" | 80" x 216" | 80" x 240" |
| Overall WxL | 101" x 220" | 101" x 244" | 101" x 268" |
| Deck Height | 20" | 20" | 20" |
| Hitch Height | 24" | 24" | 24" |
| Decking | 2" x 8" Planking | 2" x 8" Planking | 2" x 8" Planking |
| Axle(s) - Qty/Rating | 2-3500# | 2-3500# | 2-3500# |
| Wheels | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 7000# | 7000# | 7000# |
| Curb Weight | 1363# | 1543# | 1723# |
| Payload | 4917# | 5097# | 5277# |
| | | | |

| POPULAR OPTIONS | | |
|--|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM |
| 6' Economy Car Hauler Ramp Upgrade (from 5') | | EA |
| Upgrade to Extruded Aluminum Decking | | PLF |
| | | |
| WHEELS | | |
| Upgrade to 15" Aluminum Rims from 15" Silver Mod | | EA |
| Spare 15" Silver Mod (205/75R15") | | EA |
| Tongue Mounted Spare Tire Holder (Bolt-On) | | EA |
| | | |
| ACCESSORIES | | |
| Tongue Mounted Diamond Plate Tool Box | | EA |
| Heavy Duty Recessed D-Rings | | EA |
| Air Dam | | EA |
| | | |

OPEN CAR HAULER [WOOD DECK 2.0]

** Freight Rebate

STANDARD FEATURES

- All-Aluminum Construction
- 2"x3" Heavy Wall Crossmembers
- 2"x5" Subframe Tubing (Outer & Tongue)
- 2"x8" Planking
- Leaf Spring Axles
- Removable Aluminum Fender (D/S)
- 2' Beavretail (3" Drop)
- Front Bumper
- Stowaway 5' Aluminum Ramps

- Rub Rail w/ Stake Pockets
- 7-Way Round Power Connection
- Recessed LED Marker Lights
- 10000# Coupler w/ 2 5/16" Ball
- (2) 5000# Safety Chains
- 5000# Center Jack
- (4) 5000# Recessed D-Rings
- · Limited 4 Year Warranty



** Standard Rub Rail & Stake Pocket Kit not Shown

| STANDARD SPECIFICATIONS & PRICING | | |
|-----------------------------------|--------------------|--------------------|
| TRAILER MODEL | MOCH8x18-W-10K-2.0 | MOCH8x20-W-10K-2.0 |
| Deck WxL | 80" x 216" | 80" x 240" |
| Overall WxL | 101" x 244" | 101" x 268" |
| Deck Height | 20" | 20" |
| Hitch Height | 24" | 24" |
| Decking | 2" x 8" Planking | 2" x 8" Planking |
| Axle(s) - Qty/Rating | 2-5200# | 2-5200# |
| Wheels | 15" Silver Mod | 15" Silver Mod |
| Tires | 225/75R15 | 225/75R15 |
| GVWR | 9990# | 9990# |
| Curb Weight | 1745# | 1925# |
| Payload | 8245# | 9065 |
| | | |

| POPULAR OPTIONS | | |
|--|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM |
| 6' Economy Car Hauler Ramp Upgrade (from 5') | | EA |
| Upgrade to Extruded Aluminum Decking | | PLF |
| | | |
| WHEELS | | |
| Upgrade to 15" 225 Aluminum Rims from 15" 225 Silver | | EA |
| Mod | | |
| Spare 15" Silver Mod (225/75R15") | | EA |
| Tongue Mounted Spare Tire Holder (Bolt-On) | | EA |
| | | |
| ACCESSORIES | | |
| Tongue Mounted Diamond Plate Tool Box | | EA |
| Heavy Duty Recessed D-Rings | | EA |
| Air Dam | | EA |
| | | |

OPEN CAR HAULER

** Freight Rebate

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Crossmembers
- 2"x5" Subframe Tubing (Outer & Tongue)
- Extruded Aluminum Decking
- Torsion Ride Axles
- Removable Driver's Side Alum. Fender
- Fixed 2"x2" Aluminum Bumper (Front)
- 6' HD Stowaway Aluminum Ramps

POPULAR OPTIONS

Tongue Mounted Diamond Plate Tool Box

Heavy Duty Recessed D-Rings

Removable Curbside Fender

Add 3rd Ramp (Slingshot)

Air Dam

- Beavertail Construction
- 7-Way Round Power Connection
- · Recessed LED Marker Lights
- 12500# Coupler w/ 2 5/16" Ball
- (2) 7800# Safety Chains
- 5000# Wheel Jack
- (4) 5000# Recessed D-Rings
- Limited Lifetime Warranty



| STANDARD SPECIFICATIONS & PRICING | | | | |
|-----------------------------------|--------------|--------------|--------------|--------------|
| TRAILER MODEL | MOCH8x14 | MOCH8x16 | MOCH8x18 | MOCH8x20 |
| Deck WxL | 80"x14' | 80"x16' | 80"x18' | 80"x20' |
| Overall WxL | 101"x18'4" | 101"x20'4" | 101"x22'4" | 101"x24'4" |
| Deck Height | 17" | 17" | 17" | 17" |
| Hitch Height | 18" | 18" | 18" | 18" |
| Axle(s) - Qty/Rating | 2-3500# | 2-3500# | 2-3500# | 2-3500# |
| Wheels | 15" Aluminum | 15" Aluminum | 15" Aluminum | 15" Aluminum |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 7250# | 7250# | 7250# | 7250# |
| Curb Weight | 1000# | 1160# | 1400# | 1580# |
| Payload | 6250# | 6090# | 5850# | 5670# |
| BASE BRICE | | | | |

EΑ

EΑ

EΑ

EΑ

EΑ

| CONSTRUCTION OPTIONS | PRICE | UOM | |
|---|-------|-----|--|
| Integrated Heavy Duty Tire Rack | | EA | |
| AXLES | | | |
| Upgrade to 2-5200# Braked Axles (From 2-3500# Braked) | | SET | |
| WHEELS | | | |
| Spare 15" Aluminum Rim (205/80R15) T07 | | EA | |
| Spare 15" Aluminum Rim (225/75R15) T07 | | EA | |
| Spare 15" Silver Mod (205/75R15") | | EA | |
| Tongue Mounted Spare Tire Holder (Bolt-On) | | EA | |
| ACCESSORIES | | | |

OPEN CAR HAULER [TILTING]

** Freight Rebate

- All-Aluminum Construction
- 16" O/C Crossmembers
- 2"x6" Subframe Tubing (Outer & Tongue)
- Extruded Aluminum Decking
- Torsion Ride Axles
- Removable Driver's Side Alum. Fender
- 6" Front Bumper
- Hydraulic Tilt System w/ Control Valve

- Front 18" of Deck Stationary
- 7-Way Round Power Connection
- Recessed Rubber Mounted LED Lights
- 12500# Coupler w/ 2 5/16" Ball
- (2) 15000# Safety Chains
- 5000# Wheel Jack
- (4) 5000# Recessed D-Rings
- · Limited Lifetime Warranty



| STANDARD SPECIFICATIONS & PRICING | | | | |
|-----------------------------------|---------------|---------------|---------------|--|
| TRAILER MODEL | MOCH8x18 TILT | MOCH8x20 TILT | MOCH8x22 TILT | |
| Deck WxL | 80"x18' | 80"x20' | 80"x22' | |
| Overall WxL | 101"x22'4" | 101"x24'4" | 101"x26'4" | |
| Deck Height | 23" | 23" | 23" | |
| Hitch Height | 18" | 18" | 18" | |
| Axle(s) - Qty/Rating | 2-3500# | 2-3500# | 2-3500# | |
| Wheels | 15" Aluminum | 15" Aluminum | 15" Aluminum | |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | |
| GVWR | 7250# | 7250# | 7250# | |
| Curb Weight | #1515 | 1895# | TBD | |
| Payload | 5735# | 5355# | TBD | |
| BASE PRICE | | | | |

| POPULAR OPTIONS | | |
|--|-------|-----|
| CONSTRUCTION OPTIONS | PRICE | UOM |
| Integrated Heavy Duty Tire Rack | | EA |
| AXLES | | |
| Upgrade to 2-5200# Braked Axles w/6-Lug Wheels (From 2-3500# Braked) | | SET |
| WHEELS | | |
| Spare 15" Aluminum Rim (205/80R15) | | EA |
| Spare 15" Aluminum Rim (225/75R15) | | EA |
| Spare 15" Silver Mod (205/75R15") | | EA |
| Tongue Mounted Spare Tire Holder (Bolt-On) | | EA |
| ACCESSORIES | | |
| Tongue Mounted Diamond Plate Tool Box | | EA |
| Heavy Duty Recessed D-Rings | | EA |
| Removable Curbside Fender | | EA |
| Air Dam | | EA |

ENCLOSED CARGO 4/5/6-WIDE

• Integrated All-Aluminum Box Tube

• 16" O/C Wall & Roof Studs

• 24" O/C Floor Crossmembers

• 2" x 3" Subframe Tubing

• Torsion Ride Suspension

• One-Piece Aluminum Roof

• Smooth .030" Bonded Side Panels

• Rear Barn Doors

• Polished Aluminum Fenders

• 24" Bright Stoneguard

• 3/8" Water Resistant Walls

• 32"x66" Side Door (6 wides only)

• 3/4" Water Resistant Decking (6 wides)

• 5/8" Water Resistant Decking (4 & 5 wides)

• Recessed LED Lights • 2 Interior LED Dome Lights w/ Switch

• 2000# Center Jack

• (2) 5000#

Safety Chains

Roof Vent

· Limited Lifetime Warranty

| Rear Door Opening WxH 42" x 54" 52" x 60" 52" x 60" 64" x 72" 64" x 72" 64" x 72" Axle(s) - Qty/Rating) 1 -2200# 1 -3500# 1 -3500# 1 -3500# 1 -3500# 2 -3500# Wheels 13" Silver Mod 15" Silver Mod 205/75R15 205/75R15 205/75R15 205/75R15 205/75R15 205/75R15 205/75R15 205/75R15 205/75R15 2090# 2990# 2990# 2990# 2990# 2990# 120# 1300# | STANDARD SPECIFICA | ATIONS & PRICING | | | | | |
|---|--------------------------|-------------------|-------------------|-------------------|-------------------|--------------------|-------------------|
| Interior WxLxH 47" x 5'10" x 58" 57" x 7'10" x 64" 57" x 9'10" x 64" 69" x 9'10" x 76" 69" x 11'10" x 76" 69" 11'10" x 76" Overall WxLxH 72" x 10' x 72" 82" x 12'8" x 78" 82" x 14'8" x 78" 94" x 15'7" x 90" 94" x 177" x 90" 94" x 197" x 90" Deck Height 12" 13" 13" 13" 13" 13" 13" 13" 13" 13" 13" 4" x 72" 64" x 72" 25" x 60" 52" x 60" 52" x | TRAILER MODEL | MEC4x6-IF | MEC5x8-IF | MEC5x10-IF | MEC6x10-IF | MEC6x12SA-IF | MEC6x12TA-IF |
| Overall WxLxH 72" x 10' x 72" 82" x 12'8" x 78" 82" x 14'8" x 78" 94" x 157" x 90" 94" x 17'7" x 90" 94" x 19'7" x 90" Deck Height 12" 13" 64" x 72" 72500# 23500# 23500# 23500# 20575R15 205/75R15 205/75R15 | Box WxLxH | 50" x 6' x 60" | 60" x 8' x 66" | 60" x 10' x 66" | 72" x 10' x 78" | 72" x 12' x 78" | 72" x 12' x 78" |
| Deck Height 12" 13" 14" 14" 12" 64" x 72" 7500# 23500# 23500# 23500# 23500# 23500# 2050# 20575R15 205/75R15 205/75R15 205/75R15 205/75R15 205/75R15 205/75R15 | Interior WxLxH | 47" x 5'10" x 58" | 57" x 7'10" x 64" | 57" x 9'10" x 64" | 69" x 9'10" x 76" | 69" x 11'10" x 76" | 69" 11'10" x 76" |
| Rear Door Opening WxH 42" x 54" 52" x 60" 52" x 60" 64" x 72" 64" x 72" 64" x 72" Axle(s) - Qty/Rating) 1 -2200# 1 -3500# 1 -3500# 1 -3500# 1 -3500# 2 -3500# Wheels 13" Silver Mod 15" Silver Mod 205/75R15 200/7 200/7 200/7 | Overall WxLxH | 72" x 10' x 72" | 82" x 12'8" x 78" | 82" x 14'8" x 78" | 94" x 15'7" x 90" | 94" x 17'7" x 90" | 94" x 19'7" x 90" |
| Axle(s) - Qty/Rating) 1-2200# 1-3500# 1-3500# 1-3500# 1-3500# 2-3500# Wheels 13" Silver Mod 15" Silver Mod 15" Silver Mod 15" Silver Mod 15" Silver Mod Tires 175/80R13 205/75R15 | Deck Height | 12" | 13" | 13" | 13" | 13" | 13" |
| Wheels 13" Silver Mod 15" Silver Mod 205/75R15 2090# 2990# 2990# 2990# 2990# 2990# 7000# TBD Curb Weight 650# 875# 2040# 1870# 1690# TBD TBD V-Nose 24" 28" 28" 38 1/2" 38 1/2" 38 1/2" 38 1/2" 38 1/2" 8000#/2" 8000#/2" 8000#/2" 8000#/2" 8000#/2" 12" 12" 12" 12" 12" 12" | Rear Door Opening WxH | 42" x 54" | 52" x 60" | 52" x 60" | 64" x 72" | 64" x 72" | 64" x 72" |
| Tires 175/80R13 205/75R15 20 | Axle(s) - Qty/Rating) | 1-2200# | 1-3500# | 1-3500# | 1-3500# | 1-3500# | 2-3500# |
| GVWR 2200# 2990# 2990# 2990# 2990# 7000# Curb Weight 650# 875# 950# 1120# 1300# TBD Payload 1550# 2115# 2040# 1870# 1690# TBD V-Nose 24" 28" 28" 38 1/2" 38 1/2" 38 1/2" 38 1/2" Coupler Rating/Ball Size 3500#/2" 3500#/2" 3500#/2" 8000#/2" 8000#/2" 8000#/2" Hitch Height 11" 12" 12" 12" 12" 12" | Wheels | 13" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Curb Weight 650# 875# 950# 1120# 1300# TBD Payload 1550# 2115# 2040# 1870# 1690# TBD V-Nose 24" 28" 28" 38 1/2" 38 1/2" 38 1/2" 38 1/2" Coupler Rating/Ball Size 3500#/2" 3500#/2" 3500#/2" 8000#/2" 8000#/2" 8000#/2" 8000#/2" 12" | Tires | 175/80R13 | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 |
| Payload 1550# 2115# 2040# 1870# 1690# TBD V-Nose 24" 28" 28" 38 1/2" 38 1/2" 38 1/2" 38 1/2" Coupler Rating/Ball Size 3500#/2" 3500#/2" 3500#/2" 8000#/2" 8000#/2" 8000#/2" 8000#/2" Hitch Height 11" 12" 12" 12" 12" 12" 12" | GVWR | 2200# | 2990# | 2990# | 2990# | 2990# | 7000# |
| V-Nose 24" 28" 28" 38 1/2" 38 1/2" 38 1/2" Coupler Rating/Ball Size 3500#/2" 3500#/2" 3500#/2" 8000#/2" 8000#/2" 8000#/2" Hitch Height 11" 12" 12" 12" 12" 12" 12" 12" | Curb Weight | 650# | 875# | 950# | 1120# | 1300# | TBD |
| Coupler Rating/Ball Size 3500#/2" 3500#/2" 3500#/2" 8000#/2" 8000#/2" 8000#/2" 8000#/2" 8000#/2" 12" | Payload | 1550# | 2115# | 2040# | 1870# | 1690# | TBD |
| Hitch Height 11" 12" 12" 12" 12" 12" 12" | V-Nose | 24" | 28" | 28" | 38 1/2" | 38 1/2" | 38 1/2" |
| | Coupler Rating/Ball Size | 3500#/2" | 3500#/2" | 3500#/2" | 8000#/2" | 8000#/2" | 8000#/2" |
| Power Connection4-Way Flat4-Way Flat4-Way Flat4-Way Flat4-Way Flat7-Way Round | Hitch Height | 11" | 12" | 12" | 12" | 12" | 12" |
| | Power Connection | 4-Way Flat | 7-Way Round |

OPTIONS & ACCESSORIES

| CONSTRUCTION OPTIONS | PRICE | UOM |
|---------------------------------------|-------|-----|
| 6" Extra Height | | PBF |
| 12" Extra Height | | PBF |
| EXTERIOR | | |
| Two-Tone Color w/6" Anodized Divider | | PKG |
| INTERIOR | | |
| Upgrade to White Luan Walls | | PBF |
| DOORS/WINDOWS/VENTS | | |
| 32" x 58" Side Access Door | | EA |
| 32" x 66" Side Access Door | | EA |
| 32" x 72" Side Access Door (from 66") | | EA |
| Upgrade to Rear Ramp Door w/Spring | | EA |

(Expanded list of available options can be found in MEC option Section)

ENCLOSED CARGO 7-WIDE

STANDARD FEATURES

- Intergrated All-Aluminum Box Tube
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2" x 3" Heavy Wall Subframe Tubing (2"x5" Tongue)
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Barn Doors
- 3/4" Water Resistant Decking
- Polished Aluminum Fenders

- 3/8" Water Resistant Walls • 3 Interior LED Dome Lights w/ Switch
- Roof Vent
- Recessed LED Lights

• 24" Bright Stoneguard

- Tri-Frame Tongue
- A-Frame Coupler w/ 2 5/16" Ball
- 2000# Center Jack
- (2) 5000# Safety Chains • Limited Lifetime Warranty
- 32"x66" Side Access Door

| JZ XUU OIGE ACCESS DOOI | | | | | |
|-----------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| STANDARD SPECIFICATIONS & PRICING | | | | | |
| TRAILER MODEL | MEC7x12-IF | MEC7x14-IF | MEC7x16-IF | MEC7x18-IF | MEC7x20-IF |
| Box WxLxH | 84"x12'x78" | 84"x14'x78" | 84"x16'x78" | 84"x18'x78" | 84"x20'x78" |
| Interior WxLxH | 81"x11'10"x76" | 81"x13'10"x76" | 81"x15'10"x76" | 81"x17'10"x76" | 81"x19'10"x76" |
| Overall WxLxH | 102"x17'10"x90" | 102"x19'10"x90" | 102"x21'10"x90" | 102"x23'10"x90" | 102"x23'10"x90" |
| Deck Height | 13" | 13" | 13" | 13" | 13" |
| Hitch Height | 12" | 12" | 12" | 12" | 12" |
| Rear Door Opening | 76"x72" | 76"x72" | 76"x72" | 76"x72" | 76"x72" |
| Axle(s) - Qty/Rating) | 2-3500# | 2-3500# | 2-3500# | 2-3500# | 2-3500# |
| Wheels | 15" Silver Mod |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 7000# | 7000# | 7000# | 7000# | 7000# |
| Curb Weight | 1450# | 1750# | 1900# | 2075# | 2275# |
| Payload | 5550# | 5250# | 5100# | 4925# | 4725# |
| Wheel Jack | Standard | Standard | Standard | Standard | Standard |
| Power Connection | 7-Way Round |

OPTIONS & ACCESSORIES

| CONSTRUCTION OPTIONS | PRICE | UOM |
|--|-------|-----|
| 6" Extra Height | | PBF |
| 12" Extra Height | | PBF |
| EXTERIOR | | |
| Two-Tone Color w/6" Anodized Divider | | PKG |
| INTERIOR | | |
| Upgrade to White Luan Walls | | PBF |
| DOORS/WINDOWS/VENTS | | |
| 32" x 72" Side Access Door (from 32" x 66") | | EA |
| Upgrade to Rear Ramp Door w/Spring (7-Wides) | | EA |

ENCLOSED CARGO 7.5-WIDE

STANDARD FEATURES

• Intergrated All-Aluminum Box Tube

• 16" O/C Wall & Roof Studs

• 24" O/C Floor Crossmembers

• 2" x 3" Heavy Wall Subframe Tubing

(2"x5" Tongue)

• Torsion Ride Suspension

• Smooth .030" Bonded Side Panels

• One-Piece Aluminum Roof

• Rear Barn Doors

• 3/4" Water Resistant Decking

• Polished Aluminum Fenders

• 24" Bright Stoneguard

• 3/8" Water Resistant Walls

• 3 Interior LED Dome Lights w/ Switch

· Roof Vent

• Recessed LED Lights

• Tri-Frame Tongue

• A-Frame Coupler w/ 2 5/16" Ball

• 2000# Center Jack

• (2) 5000# Safety Chains

· Limited Lifetime Warranty

| 32"x66" | Side | Access | Door |
|---------|------|--------|------|
|---------|------|--------|------|

| 02 X00 Olde / 100000 D001 | | | | | |
|---------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| STANDARD SPECIFICA | TIONS & PRICING | | | | |
| TRAILER MODEL | MEC7.5x12-IF | MEC7.5x14-IF | MEC7.5x16-IF | MEC7.5x18-IF | MEC7.5x20-IF |
| Box WxLxH | 90"x12'x78" | 90"x14'x78" | 90"x16'x78" | 90"x18'x78" | 90"x20'x78" |
| Interior WxLxH | 87"x11'10"x76" | 87"x13'10"x76" | 87"x15'10"x76" | 87"x17'10"x76" | 87"x19'10"x76" |
| Overall WxLxH | 102"x17'10"x90" | 102"x19'10"x90" | 102"x21'10"x90" | 102"x23'10"x90" | 102"x23'10"x90" |
| Deck Height | 13" | 13" | 13" | 13" | 13" |
| Hitch Height | 12" | 12" | 12" | 12" | 12" |
| Rear Door Opening | 80"x72" | 80"x72" | 80"x72" | 80"x72" | 80"x72" |
| Axle(s) - Qty/Rating) | 2-3500# | 2-3500# | 2-3500# | 2-3500# | 2-3500# |
| Wheels | 15" Silver Mod |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 7000# | 7000# | 7000# | 7000# | 7000# |
| Curb Weight | 1450# | 1750# | 1900# | 2075# | 2275# |
| Payload | 5550# | 5250# | 5100# | 4925# | 4725# |
| Wheel Jack | Standard | Standard | Standard | Standard | Standard |
| Power Connection | 7-Way Round |
| BASE PRICE | | | | | |
| | | | | | |

OPTIONS & ACCESSORIES

| CONSTRUCTION OPTIONS | PRICE | UOM |
|--|-------|-----|
| 6" Extra Height | | PBF |
| 12" Extra Height | | PBF |
| EXTERIOR | | |
| Two-Tone Color w/6" Anodized Divider | | PKG |
| INTERIOR | | |
| Upgrade to White Luan Walls | | PBF |
| DOORS/WINDOWS/VENTS | | |
| 32" x 72" Side Access Door (rom 32" x 66") | | EA |
| Upgrade to Rear Ramp Door w/Spring (7.5-Wides) | | EA |
| | | |

(Expanded list of available options can be found in MEC option Section)

ENCLOSED CARGO 8.5-WIDE

STANDARD FEATURES

• Integrated All-Aluminum Box Tube

• 24" Bright Stoneguard

• 16" O/C Wall & Roof Studs

• 3/8" Water Resistant Walls

• 24" O/C Floor Crossmembers

• 3 Interior LED Dome Lights w/ Switch

• 2" x 5" Subframe Tubing

• Roof Vent

• Torsion Ride Suspension

• Recessed LED Lights

• Smooth .030" Bonded Side Panels

• Tri-Frame Tongue

• One-Piece Aluminum Roof

• A-Frame Coupler w/ 2 5/16" Ball

• Rear Barn Doors

• 2000# Center Jack

• 3/4" Water Resistant Decking

• (2) 5000# Safety Chains

Polished Aluminum Fenders

· Limited Lifetime Warranty

• 32"x66" Side Door

| STANDARD SPECIFIC | ATIONS & PRICING | | | | |
|-----------------------|------------------|-----------------|-----------------|-----------------|-----------------|
| TRAILER MODEL | MEC8.5x12-IF | MEC8.5x14-IF | MEC8.5x16-IF | MEC8.5x18-IF | MEC8.5x20-IF |
| Box WxLxH | 99"x12'x78" | 99"x14'x78" | 99"x16'x78" | 99"x18'x78" | 99"x20'x78" |
| Interior WxLxH | 96"x11'10"x76" | 96"x13'10"x76" | 96"x15'10"x76" | 96"x17'10"x76" | 96"x19'10"x76" |
| Overall WxLxH | 102"x18'8"x92" | 102"x20'8"x92" | 102"x22'8"x92" | 102"x24'8"x92" | 102"x26'8"x92" |
| Deck Height | 15" | 15" | 15" | 15" | 15" |
| Hitch Height | 14" | 14" | 14" | 14" | 14" |
| Rear Door Opening | 89"x72" | 89"x72" | 89"x72" | 89"x72" | 89"x72" |
| Axle(s) - Qty/Rating) | 2-3500# | 2-3500# | 2-3500# | 2-3500# | 2-3500# |
| Wheels | 15" Silver Mods | 15" Silver Mods | 15" Silver Mods | 15" Silver Mods | 15" Silver Mods |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 7000# | 7000# | 7000# | 7000# | 7000# |
| Curb Weight | 1850# | 1950# | 2050# | 2275# | 2475# |
| Payload | 5150# | 5050# | 4950# | 4725# | 4525# |
| Wheel Jack | Standard | Standard | Standard | Standard | Standard |
| Power Connection | 4-Way Flat | 7-Way Round | 7-Way Round | 7-Way Round | 7-Way Round |
| BASE PRICE | | | | | |

OPTIONS & ACCESSORIES

| CONSTRUCTION OPTIONS | PRICE (| UOM |
|--|---------|-----|
| 6" Extra Height | | PBF |
| 12" Extra Height | ! | PBF |
| EXTERIOR | | |
| Two-Tone Color w/6" Anodized Divider | F | PKG |
| INTERIOR | | |
| Upgrade to White Luan Walls | 1 | PBF |
| DOORS/WINDOWS/VENTS | | |
| 32" x 72" Side Access Door (from 32" x 66") | | EA |
| Upgrade to Rear Ramp Door w/Spring (8.5-Wides) | | EA |

ENCLOSED MOTORCYCLE

- Intergrated All-Aluminum Box Tube
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2" x 3" Heavy Wall Subframe Tubing
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist
- 3/4" Water Resistant Decking
- Polished Aluminum Fenders
- 24" Bright Stoneguard

- 32"x58" Side Access Door
- · White Luan Interior Walls
- 3 Interior LED Dome Lights w/ Switch
- Roof Vent
- Recessed LED Lights
- 7-Way Round Power Connection
- Tri-Frame Tongue
- 8000# A-Frame Coupler w/ 2" Ball
- 2000# Center Jack
- (2) 7800# Safety Chains
- Limited Lifetime Warranty



| STANDARD SPECIFICATIONS & PRICING | | |
|-----------------------------------|------------------|------------------|
| TRAILER MODEL | MEM7x12LP-IF | MEM7x14LP-IF |
| Box WxLxH | 84"x12'x72" | 84"x14'x72" |
| Interior WxLxH | 81"x11'10"x70" | 81"x11'10"x70" |
| Overall WxLxH | 102"x18'4"x85" | 102"x20'2"x85" |
| Deck Height | 13" | 13" |
| Hitch Height | 12" | 12" |
| Rear Door Opening | 74"x66" | 74"x66" |
| Axle(s) - Qty/Rating) | 2-3500# | 2-3500# |
| Wheels | 15" T07 Aluminum | 15" T07 Aluminum |
| Tires | 205/75R15 | 205/75R15 |
| GVWR | 6000# | 6000# |
| Curb Weight | 1525# | 1700# |
| Payload | 4475# | 4300# |
| BASE PRICE | | |

| OPTIONS & ACCESSORIES | |
|---|-----|
| CONSTRUCTION OPTIONS | UOM |
| 6" Extra Height | PBF |
| EXTERIOR | |
| Two-Tone Color w/6" Anodized Divider | PKG |
| INTERIOR | |
| White Vinyl Faced Luan Ceiling | PBF |
| WHEELS | |
| Spare 15" Silver Mod (205/75R15") | EA |
| Spare 15" Aluminum Rim (205/80R15) | EA |
| ACCESSORIES | |
| Tandem Wheel Chocks w/8 Surface D-Rings | PKG |
| Surface Mounted D-Rings | EA |
| (Expanded list of available options can be found in MEC option Section) | |

POPULAR ENCLOSED CARGO OPTIONS UOM SPECIAL PACKAGES PBF Midnight Package (Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24") CONSTRUCTION OPTIONS Flat Front Construction EΑ Cast Polished Corners for Flat Front PKG Upgrade to Radius Roof Construction (Up to 30') PBF 2' Round Nose Construction w/4' Anodized Nose cone Panel PKG Add Slope in V-Nose PKG 6" Extra Height PBF 9" Extra Height PBF 12" Extra Height PBF 18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .090 Wall Stud Upgrade) PBF 24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .090 Wall Stud Upgrade) PBF Height Decrease 6" **PBF** Height Decrease 12" PBF Additional Length in 2' Intervals (6 wide) Per 2' Additional Length in 2' Intervals (7 wide) Per 2' Additional Length in 2' Intervals (7.5 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' Upgrade to 2 5/16" A-Frame Coupler (From 2" A-Frame Coupler) EΑ Add Beavertail w/ Extra High Door (6-Wide +, 16' +) EΑ Reverse Beavertail Construction on (6-Wide +) EΑ Upgrade to 16" O/C Floor Crossmembers **PBF** Upgrade to .090 Wall Studs PBF Ladder to Roof (Outside V-Nose) EΑ Upgrade to Roller on Rear Ladder Rack EΑ 8' Platform Roof w/Ladder & Rail Kit PKG 10' Catwalk (Includes Ladder to Roof & 3 Ladder Racks) PKG 12' Catwalk (Includes Ladder to Roof & 3 Ladder Racks) PKG 14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks) PKG 16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks) PKG 18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks) PKG 20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks) PKG Extend Tongue 16" PKG **DOORS, RAMPS & COMPARTMENTS** 32" x 58" Side Access Door w/ Paddle Handle EΑ 32" x 66" Side Access Door w/ Paddle Handle EΑ 32" x 72" Side Access Door w/ Paddle Handle EΑ Radius RV Door 32" x 72" w/Screen (Window Optional) EΑ Upgrade to 32" x 72" Side Access Door (from 32" x 66" Door) PKG PKG Upgrade to 32" x 72" Dexter Radius Side Access Door (from 32" x 72" Door) Upgrade to Radius RV Door 32" x 72" w/Screen (Window Optional; From 32"x72" Side Access Door) EΑ Upgrade to 36" Wide Side Access Door (from 32") EΑ Upgrade to 48" Wide Side Access Door (from 32") EΑ Upgrade to Rear Ramp Door w/Spring Assist EΑ Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp) EΑ

| POPULAR ENCLOSED CARGO OPTIONS (con | t.) UOM |
|---|----------|
| DOORS, RAMPS & COMPARTMENTS (cont.) | |
| Diamond Plate Transition Flap | EA |
| Barn Doors or Ramp on Side of Trailers (72"x74 1/2") | EA |
| 30" x 30" Generator Door w/ Salem Vent (Lockable) | EA |
| 36" x 36" Generator Door w/ Salem Vent (Lockable) | EA |
| Generator Box 30"Hx30"Wx24"D (Door Optional) | EA |
| Generator Box 36"Hx36"Wx24"D (Door Optional) | EA |
| Generator Slide 16" | EA |
| Upgrade to Insulated Generator Compartment Propane Compartment 30"h x 30"w x 24" w/ Vented Non Locking Door | EA EA |
| Propane Compartment 36"h x 36"w x 24" w/ Vented Non Locking Door | EA |
| Fuel Door 14" x 14" w/Paddle Handle | EA |
| Fuel Door 24" x 24" w/Paddle Handle | EA |
| 4' x 4' Concession Door | EA |
| 4' x 6' Concession Door | EA |
| 4' x 8' Concession Door | EA |
| RV-Style Pull-Out Step (Steel) | EA |
| Aluminum Fold Down Step | EA |
| Aluminum Pull-Out Step | EA |
| Alumiinum Loop Step Stationary | EA |
| Keyed Locking Hasps for Rear Ramp | SET |
| Locking Bar for Side Access Door | EA |
| Keyed Locking Hasps for Side Door Locking Bar | SET |
| Upgrade to Stainless Steel Locking Bar for Barn Door | SET |
| Upgrade to Stainless Steel Locking Bars for Ramp | SET |
| Rear Door Air Curtain | EA |
| Pull Down Screen for Rear Door Opening | EA |
| Pop Out Tent Bed (60"h x 80"l Rough Opening) | EA |
| Keyless Paddle Handle Entry System for SAD | SET |
| EXTERIOR OPTIONS | |
| 24" Anodized Side & Rear Trim Panel | PBF |
| 24" Diamond Plate Side & Rear Trim Panel | PBF |
| .040 Skin Upgrade (Black, White, & Silver Only) | PBF |
| .050 Skin Upgrade (Black & White Only) | PBF |
| Upgrade to 36" Stone Guard from 24" | EA |
| Upgrade to 48" Stone Guard from 24" | EA |
| Two-Tone Color w/ 6" Anodized Divider | PKG |
| Two-Tone Color w/ 12" Anodized Divider | PKG |
| Two-Tone Color w/ 24" Anodized Divider | PKG |
| Anodized Nose Cone | PKG |
| INTERIOR OPTIONS | |
| White .030 Aluminum Side Walls, Bonded | PBF |
| White .030 Aluminum Side Walls, Screwed | PBF |
| White .030 Aluminum Ceiling, Bonded | PBF |
| White .030 Aluminum Ceiling, Screwed | PBF |
| White Vinyl Faced Luan Ceiling | PBF |
| Plywood Reinforced Walk-On Roof | PBF |

POPULAR ENCLOSED CARGO OPTIONS (cont.) UOM **INTERIOR OPTIONS (cont.)** Upgrade to White Vinyl Faces Luan Walls (From 3/8" Water Resistant) PBF 3/4" Foam Insualtion - Side Walls PBF 3/4" Foam Insualtion - Ceiling (Require Ceiling liner) PBF .030 Aluminum Cove (All Colors) PBF **Anodized Roof Coves** PBF Anodized Spring Cover EΑ Diamond Plate Spring Cover EΑ White .030 Spring Cover EΑ Partition Wall w/ 32" Access Door EΑ PBF Diamond Plate Kick Plate (12") Water Resistant Kick Plate (12") PBF PBF Extruded Aluminum Kick Plate (6") Carpet on Walls (Charcoal only, 3' Up on Walls, Calcualte 4' for V) PLF **FLOORING** Upgrade to 3/4" Water Resistant Decking (from 5/8" Water Resistant) **PBF** Upgrade to 3/4" Marine Grade Plywood (from 3/4" Water Resistant) PBF PBF Upgrade to Quad-Ply Flooring Additional Layer of 3/4" Water Resistant Decking **PBF** Upgrade to Extruded Aluminum Decking PLF Diamond Plate Floor Overlay (.045) PLF Checkerboard Floor Vinyl Overlay (Black & White) PLF Black Rubber Coin Flooring PLF Carpet Flooring (Charcoal) PLF PBF Upgrade to 3/4" Foam Insulated Floor 12" Diamond Plate Runner (Single Row) PLF PLF 12" Diamond Plate Runner (Double Row) 24" Diamond Plate Runner (Double Row) PLF TIRE/WHEEL ASSEMBLIES & ACCESSORIES Upgrade to 13" Aluminum Rims From 13" Silver Mod EΑ Upgrade to 15" Silver Mod From 13" Silver Mod EΑ Upgrade to 15" 225 Silver Mod From 15" 205 Silver Mod EΑ Upgrade to 15" Aluminum Rims From 15" Silver Mod EΑ Upgrade to 15" 225 Aluminum Rims From 15" Silver Mod 225 EΑ Upgrade to 16" Silver Mod From 15" 225 Silver Mod EΑ Upgrade to 16" Aluminum Rims From 16" Silver Mod EΑ Upgrade to Black Aluminum Rims from Aluminum (Same Size) EΑ Spare 13" Silver Mod (175/80R13) EΑ Spare 15" Silver Mod (205/75R15") EΑ Spare 13" Aluminum Rim (175/80R13) EΑ Spare 15" Aluminum Rim (205/75R15) EΑ Spare 15" Silver Mod Wheel (225/75R15) EΑ Spare 15" Aluminum (225/75R15) EΑ Spare 16" Silver Mod Wheel (235/80R16) EΑ

| POPULAR ENCLOSED CARGO OPTIONS (cont.) | | |
|---|------|--|
| TIRE/WHEEL ASSEMBLIES & ACCESSORIES (cont.) | | |
| Elevated Spare Tire Mount | EA | |
| Spare Tire Mount - Floor Level | EA | |
| Recessed Diamond Plate Spare Tire Well | EA | |
| AXLES | | |
| Upgrade from 1-3500# Ilder to 1-3500# Braked Axles | | |
| Upgrade from 1-3500# Ilder to 2 -3500# Braked Axles | | |
| Upgrade from 2-3500# Ilder to 2 -5200# Braked Axles (w/ Frame Upgrade; Requires Ramp Upgrade) | | |
| Upgrade from 2-5200# Braked to 2-6000# Braked | | |
| Upgrade from 2-5200# Torsion to 2-7000# Torsion | | |
| Spread Axle Upgrade w/Tapered Skirting (8.5 Wides) | PKG | |
| Upgrade to Surge Brakes (from compatable brake size) | | |
| TIE-DOWNS | | |
| Surface Mounted D-Rings | EA | |
| Heavy-Duty Recessed 5000# D-Rings | EA | |
| Heavy-Duty Recessed 6000# Swivel D-Rings (Zinc) | EA | |
| Heavy-Duty Recessed 6000# Swivel D-Rings (Stainless Steel) | EA | |
| Single Recessed Wheel Chock w/ (4) Surface Mount D-Rings | PKG | |
| Tandem Recessed Wheel Chocks w/ (8) Surface Mount D-Rings | PKG | |
| Single Recessed Wheel Chock w/ (4) 5000# HD-Rings | PKG | |
| Tandem Recessed Wheel Chocks w/ (8) 5000# HD-Rings | PKG | |
| Additional Recessed Wheel Chock | EA | |
| E-Track Surface Mounted (Floor) | PLF | |
| E-Track Surface Mounted (Wall) | PLF | |
| E-Track HD Recessed w/ Backing Plate (Floor) | PLF | |
| E-Track HD Recessed w/ Backing Plate (Walls) | PLF | |
| E-Track Aluminum Surface Mounted (Wall) | PLF | |
| E-Track Aluminum HD Recessed w/ Backing Plate (Floor) | PLF | |
| E-Track Aluminum HD Recessed w/ Backing Plate (Walls) | PLF | |
| Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings | PLF | |
| 12V LIGHTING & ELECTRICAL | | |
| LED Back Up Lights | SET | |
| Additional LED Brake Lights | SET | |
| Additional LED Marker Lights | EA | |
| Anodized Loading Lights (Over Spring) | EA | |
| Cold Weather HD Arctic Flex 7-Way Wire Harness | EA | |
| (2) 12V LED Load Lights (Double Lights w/ Single Switch, 950 Lumen) | PKG | |
| 12V LED Load Light (Single Light w/ Switch, 950 Lumen) | EA | |
| 12V LED Porch Light w/Wall Switch | EA | |
| Midship Turn Signals (LED) | PAIR | |
| Angled Backup Lights (Mounts on side of trailer) | PAIR | |
| 12v Electric Jack w/Battery | PKG | |
| Additional 12V LED Dome Light (460 lumens) | EA | |
| 12V Standard Wall Switch | EA | |
| LED Puck Light Package (Includes 8 recessed lights & wall switch)(requires ceiling liner) | SET | |

| 4010 | E4 |
|---|-----|
| 18" Recessed LED Dome Light (require ceiling liner) | EA |
| 12V Battery Trickle Charger | EA |
| Deep Cycle Battery & Box - Wired | EA |
| LED Strip Light w/ Housing Package (Per Foot, Per Section) | PLF |
| POPULAR ENCLOSED CARGO OPTIONS (cont.) | UOM |
| 12V LIGHTING & ELECTRICAL (cont.) | |
| Rear Canopy Loading Light System - 2013 Version (Not available w/Radius Roof) | PKG |
| Rear Canopy Loading Light System - 2015 Version (Not available w/Radius Roof) | PKG |
| 110V LIGHTING & ELECTRICAL 110V Package #1 - (Includes (1) 15 AMP Motobase Plug, (1) Wall switch, (1) Receptacle, (1) 4' LED Wraparound Light (no additions available w/ this package) | PKG |
| 110V Package #2 - (Includes -30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall switches, (1) Standard WallReceptacle, (1) GFI Wall | FNG |
| Receptacle (2) 4' LED Wraparound Lights | PKG |
| 110V Package #5 - (Includes -60AMP Breaker w/ Converter, (1) Motorbase Plug, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights, Deep Cycle Battery & Box | PKG |
| Upgrade to 50 AMP Breaker w/25' Shore Line | |
| 30 AMP Motorbase Plug (Replaces Shoreline) | |
| 30 AMP Power Converter | EA |
| 110V Interior Wall Switch | EA |
| 110V 3-Way Switch | EA |
| Interior GFI Receptacle | EA |
| Exterior GFI Receptacle | EA |
| 4' LED Light (Wraparound) | EA |
| 500W Recessed Quartz Light w/Housing | EA |
| 13,500 BTU Roof Mounted Air Conditioner (Requires 110 #2) | EA |
| Heat Strip for A/C Unit | EA |
| Brace & Wire Stub for Future A/C | EA |
| 16,000 BTU Furnace w/Deep Cycle Battery, Propane Tank (Cabinet Sold Separelty) | PKG |
| 35,000 BTU Furnace w/Deep Cycle Battery, Propane Tank (Cabinet Sold Separelty) | PKG |
| CABINETS | |
| 60" V-Nose Base, 2 Door | EA |
| 60" V-Nose Overhead, 2 Door | EA |
| 80" V-Nose Base, 2 Door | EA |
| 80" V-Nose Base, 4 Door | EA |
| 80" V-nose Overhead, 2 Door | EA |
| 84" V-Nose Base, 2 Door | EA |
| 84" V-Nose Base, 4 Door | EA |
| 84" V-Nose Overhead, 2 Door | EA |
| 99" V-Nose Base, 2 Door | EA |
| 99" V-Nose Base, 4 Door | EA |
| 99" V-Nose Overhead, 2 Door | EA |
| 99" V-Nose Base L-Shape Bench Cabinet, 28" Exten. | EA |
| 36" Wardrobe Cabinet (Single Full Height Door, 1 Shelf, Clothes Rod) | EA |
| 4' Straight Wall 2-Door Cabinet | EA |
| 6' Straight Wall 2-Door Cabinet | EA |
| 8' Straight Wall 4-Door Cabinet | EA |
| 8' Overhead Cabinet w/ 4 - Doors | EA |
| 4' Overhead Deluxe Cabinet 48"Lx18"Hx12"D - 2Door | EA |
| 62" Economy Overhead Cabinet - 1Door, 62"Lx18"Hx12"D | EA |
| 6' Wheel Well Cabinet 72"Lx62"Hx6 3/4"D, 2-Door w/Shelving | EA |

POPULAR ENCLOSED CARGO OPTIONS (cont.) UOM **AWNINGS** 12' Carefree Acrylic Fabric with Alumuaguard Awning EΑ 13' Carefree Acrylic Fabric with Alumuaguard Awning EΑ 14' Carefree Acrylic Fabric with Alumuaguard Awning EΑ 15' Carefree Acrylic Fabric with Alumuaguard Awning EΑ 16' Carefree Acrylic Fabric with Alumuaguard Awning EΑ 17' Carefree Acrylic Fabric with Alumuaguard Awning EΑ 18' Carefree Acrylic Fabric with Alumuaguard Awning EΑ 19' Carefree Acrylic Fabric with Alumuaguard Awning EΑ 20' Carefree Acrylic Fabric with Alumuaguard Awning EΑ 21' Carefree Acrylic Fabric with Alumuaguard Awning EΑ **VENTS & WINDOWS** Roof Vent (Extra) EΑ 12 Volt Power Vent EΑ 110 Volt Power Vent (Require 110V PKG #2) **PKG** Maxx Air Vent Cover EΑ Plastic Side Wall Vents **PAIR** Aluminum, Two-Way Directional Salem Vents **PAIR** 18" x 24" Radius Sliding Window EΑ 24" x 36" Radius Sliding Window EΑ 24" x 36" Radius Sliding Egress Window EΑ MISC OPTIONS, ACCESSORIES Ladder Racks EΑ Fold-Down Sofa/Sleeper EΑ Fold-Down Bunk Beds EΑ Fold-Down Dinette/Sleeper EΑ Stabilizer Jacks **PAIR** Scissor Jacks (Camber Style) **PAIR**

ENCLOSED CAR HAULERS 14' - 22'

STANDARD FEATURES

- Integrated All-Aluminum Box Tube
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist
- 3/4" Water Resistant Decking
- Polished Aluminum Fenders
- 24" Bright Stoneguard
- Flat Front w/ Cast Corners

- · White Luan Interior Walls
- 32"x72" Side Access Door w/Step Well
- 3 Interior LED Dome Lights w/ Switch
- Roof Vent
- Recessed LED Lights
- Tri-Frame Tongue, Intergrated Frame
- 12500# A-Frame Coupler w/ 2 5/16" Ball
- Recessed HD D-Rings
- Roof Vent

- HD Center Jack
- (2) 10,200# Safety Chains
- · Limited Lifetime Warranty



| STANDARD SPECIFICATIONS & | PRICING | | | | |
|---------------------------|------------------|------------------|------------------|------------------|------------------|
| TRAILER MODEL | MCH8.5x14-IF | MCH8.5x16-IF | MCH8.5x18-IF | MCH8.5x20-IF | MCH8.5x22-IF |
| Box WxLxH | 99"x14"x84" | 99"x16'x84" | 99"x18'x84" | 99"x20'x84" | 99"x22'x84" |
| Interior WxLxH | 96"x13'10"x82" | 96"x15'10"x82" | 96"x17'10"x82" | 96"x19'10"x82" | 96"x21'10"x82" |
| Overall WxLxH | 102"x18'x105" | 102"x20'x105" | 102"x22'x105" | 102"x24'x105" | 102"x26'x105" |
| Subframe Tubing | 2"x6" | 2"x6" | 2"x6" | 2"x6" | 2"x6" |
| Deck Height | 16" | 16" | 16" | 16" | 16" |
| Hitch Height | 15" | 15" | 15" | 15" | 15" |
| Rear Door Opening WxH | 89" x 81" |
| Axle(s) - Qty/Rating) | (2) 3500# Braked |
| Wheels | 15" T07 Aluminum |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 7250# | 7250# | 7250# | 7250# | 7250# |
| Curb Weight | 1950# | 2015# | 2285# | 2590# | 2710# |
| Payload | 5300# | 5235# | 4965# | 4660# | 4540# |
| BASE PRICE | | | | | |

OPTIONS & ACCESSORIES

| STRUCTURE | PRICE | UOM |
|---|-------|-----|
| 6" Extra Height | | PBF |
| Upgrade to 48" V-Nose Construction | | EA |
| INTERIOR | | |
| White Vinyl Faced Luan Ceiling | | PBF |
| AXLES | | |
| Upgrade from 2-3500# Braked to 2-5200# Braked | | PKG |
| Upgrade from 2-3500# Braked to 2-6000# Braked | | PKG |
| WHEELS | | |
| Elevated Spare Tire Mount | | EA |
| DOORS/WINDOWS/VENTS | | |
| 4' X 4' Escape Door | | EA |

(Expanded list of available options can be found in MCH & MEG option Section)

ENCLOSED CAR HAULERS 24' - 32'

STANDARD FEATURES

- Integrated All-Aluminum Box Tube
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist
- 3/4" Water Resistant Decking
- Polished Aluminum Fenders
- 24" Bright Stoneguard
- Flat Front w/ Cast Corners

- White Luan Interior Walls
- 32"x72" Side Access Door w/Step Well
- 3 Interior LED Dome Lights w/ Switch
- Roof Vent
- Recessed LED Lights
- Tri-Frame Tongue, Intergrated Frame
- 12500# A-Frame Coupler
- w/ 2 5/16" Ball
- Recessed HD D-Rings
- Roof Vent

- HD Center Jack
- (2) 10,200# Safety Chains
- · Limited Lifetime Warranty



| ONS & PRICING | | | | |
|------------------|---|---|---|---|
| MCH8.5x24-IF | MCH8.5x26-IF | MCH8.5x28-IF | MCH8.5x30-IF | MCH8.5x32-IF |
| 99"x24'x84" | 99"x26"x84" | 99"x28'x84" | 99"x30'x84" | 99"x32'x84" |
| 96"x23'10"x82" | 96"x25'10"x82" | 96"x27'10"x82" | 96"x29'10"x82" | 96"x31'10"x82" |
| 102"x28'x104.5" | 102"x30""x104.5" | 102"x32"x104.5" | 102"x34'x104.5" | 102"36'x104.5" |
| 2"x6" | 2"x8" | 2"x8" | 2"x8" | 2"x8" |
| 16" | 21.5" | 21.5" | 21.5" | 21.5" |
| 15" | 20.5" | 20.5" | 20.5" | 20.5" |
| 89" x 81" | 89" x 81" | 89" x 81" | 89" x 81" | 89" x 81" |
| (2) 5200# Braked | (2) 5200# Braked | (2) 5200# Braked | (2) 5200# Braked | (2) 5200# Braked |
| 15" T07 Aluminum | 15" T07 Aluminum | 15" T07 Aluminum | 15" T07 Aluminum | 15" T07 Aluminum |
| 225/75R15 | 225/75R15 | 225/75R15 | 225/75R15 | 225/75R15 |
| 9990# | 9990# | 9990# | 9990# | 9990# |
| 3400# | 3490# | 3950# | 4250# | 4505# |
| 6500# | 6410# | 6040# | 5740# | 5485# |
| | MCH8.5x24-IF 99"x24'x84" 96"x23'10"x82" 102"x28'x104.5" 2"x6" 16" 15" 89" x 81" (2) 5200# Braked 15" T07 Aluminum 225/75R15 9990# 3400# | MCH8.5x24-IF MCH8.5x26-IF 99"x24"x84" 99"x26"x84" 96"x23'10"x82" 96"x25'10"x82" 102"x28'x104.5" 102"x30"x104.5" 2"x6" 2"x8" 16" 21.5" 15" 20.5" 89" x 81" 89" x 81" (2) 5200# Braked (2) 5200# Braked 15" T07 Aluminum 15" T07 Aluminum 225/75R15 225/75R15 9990# 9990# 3400# 3490# | MCH8.5x24-IF MCH8.5x26-IF MCH8.5x28-IF 99"x24'x84" 99"x26"x84" 99"x28'x84" 96"x23'10"x82" 96"x25'10"x82" 96"x27'10"x82" 102"x28'x104.5" 102"x30"x104.5" 102"x32"x104.5" 2"x6" 2"x8" 2"x8" 16" 21.5" 21.5" 89" x 81" 89" x 81" 89" x 81" (2) 5200# Braked (2) 5200# Braked (2) 5200# Braked 15" T07 Aluminum 15" T07 Aluminum 15" T07 Aluminum 225/75R15 225/75R15 225/75R15 9990# 9990# 9990# 3400# 3490# 3950# | MCH8.5x24-IF MCH8.5x26-IF MCH8.5x28-IF MCH8.5x30-IF 99"x24'x84" 99"x26"x84" 99"x28'x84" 99"x30'x84" 96"x23'10"x82" 96"x27'10"x82" 96"x27'10"x82" 96"x29'10"x82" 102"x28'x104.5" 102"x30"x104.5" 102"x34'x104.5" 102"x34'x104.5" 2"x6" 2"x8" 2"x8" 2"x8" 16" 21.5" 21.5" 21.5" 15" 20.5" 20.5" 20.5" 89" x 81" 89" x 81" 89" x 81" 89" x 81" (2) 5200# Braked (2) 5200# Braked (2) 5200# Braked (2) 5200# Braked 15" T07 Aluminum 15" T07 Aluminum 15" T07 Aluminum 15" T07 Aluminum 225/75R15 225/75R15 225/75R15 225/75R15 9990# 9990# 9990# 9990# 3400# 3490# 3950# 4250# |

EΑ

BASE PRICE

OPTIONS & ACCESSORIES

| STRUCTURE | PRICE | UOM |
|---|-------|-----|
| 6" Extra Height | | PBF |
| Upgrade to 48" V-Nose Construction | | EA |
| INTERIOR | | |
| White Vinyl Faced Luan Ceiling | | PBF |
| AXLES | | |
| Upgrade from 2-3500# Braked to 2-5200# Braked | | PKG |
| Upgrade from 2-5200# Braked to 2-6000# Braked | | PKG |
| WHEELS | | |
| Elevated Spare Tire Mount | | EA |
| DOORS/WINDOWS/VENTS | | |

4' X 4' Escape Door (Expanded list of available options can be found in MCH & MEG option Section)

ENCLOSED GOOSENECKS [TANDEM AXLE] 24' - 30'

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- 2"x8" Subframe Tubing
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist
- 3/4" Water Resistant Decking
- Polished Aluminum Fender Flares
- · Manual Landing Gear

- · White Luan Interior Walls
- w/ T-Channel Trim
- 96" Tapered Gooseneck Attic
- 48" Beavertail Construction
- 32"x72" Side Access Door
- 3 Interior Dome Lights
- Roof Vent
- · Adjustable Gooseneck

Coupler w/ 2 5/16" Ball



• 7-Way Round Power Connection • Recessed HD D-Rings

• (2) 15000# Safety Chains



| STANDARD SPECIFICATION | NS & PRICING | | | |
|------------------------|-----------------|-----------------|-----------------|-----------------|
| TRAILER MODEL | MEG8.5x24 | MEG8.5x26 | MEG8.5x28 | MEG8.5x30 |
| Box WxLxH | 99"x16'x7' | 99"x18'x7' | 99"x20'x7' | 99"x22'x7' |
| Interior WxLxH | 96"x15'2"x6'10" | 96"x17'2"x6'10" | 96"x19'2"x6'10" | 96"x21'2"x6'10" |
| Overall WxLxH | 101"x24'x8'11 | 101"x26'x8'11 | 101"x28'x8'11 | 101"x30'x8'11 |
| Deck Height | 15" | 15" | 15" | 15" |
| Rear Door Opening | 91"x81" | 91"x81" | 91"x81" | 91"x81" |
| Axle(s) - Qty/Rating) | 2-5200# Braked | 2-5200# Braked | 2-5200# Braked | 2-5200# Braked |
| Wheels | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires | 225/75R15 | 225/75R15 | 225/75R15 | 225/75R15 |
| GVWR | 9990# | 9990# | 9990# | 9990# |
| Curb Weight | 4075# | 4305# | 4530# | 4770# |
| Payload | 5915# | 5685# | 5460# | 5220# |

OPTIONS & ACCESSORIES

| | OF HONS & ACCESSORIES | | |
|---|---|-----------------------|-----|
| ; | STRUCTURE | PRICE | UOM |
| (| 6" Extra Height | | PBF |
| (| Cast Polished Corners for Flat Front | | PKG |
| ı | INTERIOR | | |
| 1 | White Vinyl Faced Luan Ceiling | | PBF |
| ı | AXLES | | |
| | Upgrade from 2-5200# Braked to 2-6000# Braked | | PKG |
| | Upgrade from 2-5200# Braked to 2-7000# Braked | | PKG |
| ١ | WHEELS | | |
| | Upgrade to 225 15" Aluminum Rims From 15" Silver Mod | | EA |
| | Upgrade to 235 16" Aluminum Rims From 16" Silver Mod | | EA |
| , | Spare 15" Silver Mod (225/75R15 Tire) | | EA |
| - | DOORS/WINDOWS/VENTS | | |
| | 4' X 4' Escape Door | | EA |
| | (Expanded list of available options can be found in MCH | & MEG option Section) | |

ENCLOSED GOOSENECKS [TANDEM AXLE] 32' - 38'

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- _____
- 2"x8" Subframe Tubing
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist
- 3/4" Water Resistant Decking
- Polished Aluminum Fender Flares
- 7-Way Round Power Connection

- White Luan Interior Walls
 w/ T-Channel Trim
- 96" Tapered Gooseneck Attic
- 48" Beavertail Construction
- 32"x72" Side Access Door
- 3 Interior Dome Lights
- Roof Vent
- Adjustable Gooseneck
 Coupler w/ 2 5/16" Ball
- (2) 15000# Safety Chains
- Recessed LED Lights

- Recessed HD D-Rings
- Roof Vent
- · Manual Landing Gear
- · Limited Lifetime Warranty



| STANDARD SPECIFICATION | ONS & PRICING | | | |
|------------------------|-----------------|-----------------|-----------------|-----------------|
| TRAILER MODEL | MEG8.5x32 | MEG8.5x34 | MEG8.5x36 | MEG8.5x38 |
| Box WxLxH | 99"x24'x7' | 99"x26'x7' | 99"x28'x7' | 99"x30'x7' |
| Interior WxLxH | 96"x23'2"x6'10" | 96"x25'2"x6'10" | 96"x27'2"x6'10" | 96"x29'2"x6'10" |
| Overall WxLxH | 101"x32'x8'11 | 101"x34'x8'11 | 101"x36'x8'11 | 101"x38'x8'11 |
| Deck Height | 15" | 15" | 15" | 15" |
| Rear Door Opening | 91"x81" | 91"x81" | 91"x81" | 91"x81" |
| Axle(s) - Qty/Rating) | 2-5200# | 2-5200# | 2-5200# | 2-5200# |
| Wheels | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires | 225/75R15 | 225/75R15 | 225/75R15 | 225/75R15 |
| GVWR | 9990# | 9990# | 9990# | 9990# |
| Curb Weight | 4995# | 5225# | 5500# | 5695# |
| Payload | 4995# | 4765# | 4490# | 4295# |

BASE PRICE

| \mathbf{a} | | \sim | ı | 0 A | \sim | - | \circ | - | ES |
|--------------|---|--------------|---|------|--------|---|--------------|---|----|
| u | - | \mathbf{o} | | Or A | 1010 | | №1 0. | 1 | |

| STRUCTURE | PRICE | UOM |
|-----------------|-------|-----|
| 6" Extra Height | | PBF |

Cast Polished Corners for Flat Front

INTERIOR

White Vinyl Faced Luan Ceiling PBF

AXLES

Upgrade from 2-5200# Braked to 2-6000#

Braked

Upgrade from 2-5200# Braked to 2-7000#

Braked

WHEELS

Upgrade to 225 15" Aluminum Rims From 15" EA Silver Mod

Upgrade to 235 16" Aluminum Rims From 16"

EA
Silver Mod

Spare 15" Silver Mod (225/75R15 Tire)

DOORS/WINDOWS/VENTS

4' X 4' Escape Door EA

(Expanded list of available options can be found in MCH & MEG option Section)

ENCLOSED GOOSENECKS [TRI AXLE] 40 - 53

STANDARD FEATURES

- All-Aluminum Construction
- White Luan Interior Walls
- 16" O/C Wall & Roof Studs
- w/ T-Channel Trim
- 16" O/C Floor Crossmembers
- 96" Tapered Gooseneck Attic
- 2"x8" Subframe Tubing
- 48" Beavertail Construction
- Torsion Ride Suspension
- 32"x72" Side Access Door
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- 3 Interior Dome Lights
- Rear Ramp Door w/ Spring Assist
- Roof Vent
- 3/4" Water Resistant Decking
- Adjustable Gooseneck
- Polished Aluminum Fender Flares
- Coupler w/ 2 5/16" Ball

- Recessed LED Lights
- Recessed HD D-Rings
- · Roof Vent
- Manual Landing Gear



• 7-Way Round Power Connection

| STANDARD SPECIFIC | ATIONS & PRIC | ING | | | | | |
|-----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| TRAILER MODEL | MEG8.5x40 | MEG8.4x42 | MEG8.5x44 | MEG8.5x46 | MEG8.5x48 | MEG8.5x50 | MEG8.5x53 |
| Box WxLxH | 99" x 32'x 7' | 99" x 34'x 7' | 99" x 36'x 7' | 99" x 38'x 7' | 99" x 40'x 7' | 99" x 42'x 7' | 99" x 45'x 7' |
| Interior WxLxH | 96" x 31'2" x 6'10" | 96" x 33'2" x 6'10" | 96" x 35'2" x 6'10" | 96" x 37'2" x 6'10" | 96" x 39'2" x 6'10" | 96" x 41'2" x 6'10" | 96" x 44'2" x 6'10' |
| Overall WxLxH | 101" x 40' x 8'11" | 101" x 42' x 8'11" | 101" x 44' x 8'11" | 101" x 46' x 8'11" | 101" x 48' x 8'11" | 101" x 50' x 8'11" | 101" x 53' x 8'11" |
| Deck Height | 15" | 15" | 15" | 15" | 15" | 15" | 15" |
| Rear Door Opening WxH | 91" x 81" |
| Axle(s) - Qty/Rating) | 3 - 5200# Braked |
| Wheels | 15" Silver Mod |
| Tires | 225/75R15 |
| GVWR | 15600# | 15600# | 15600# | 15600# | 15600# | 15600# | 15600# |
| Curb Weight | 6205# | 6450# | 6695# | 7020# | 7350# | 7695# | 8000# |
| Payload | 9395# | 9150# | 8905# | 8580# | 8250# | 7905# | 7600# |
| BASE PRICE | | | | | | | |

| OPTIONS & ACCESSORIES STRUCTURE PRICE UOM 6" Extra Height PBF Cast Polished Corners for Flat Front PKG INTERIOR White Vinyl Faced Luan Ceiling PBF |
|---|
| 6" Extra Height PBF Cast Polished Corners for Flat Front PKG INTERIOR |
| Cast Polished Corners for Flat Front PKG INTERIOR |
| |
| White Vinyl Faced Luan Ceiling PBF |
| |
| AXLES |
| Upgrade from 3-5200# Braked to 2-7000# Braked PKG |
| Upgrade from 3-5200# Braked to 3-6000# Braked PKG |
| WHEELS |
| Upgrade to 225 15" Aluminum Rims From 15" Silver Mod EA |
| Upgrade to 235 16" Aluminum Rims From 16" Silver Mod EA |
| Spare 15" Silver Mod (225/75R15 Tire) |
| DOORS/WINDOWS/VENTS |
| 4' X 4' Escape Door EA |

| CONSTRUCTION OPTIONS | PRICE | UOM |
|---|-------|--------|
| Standard Flat-Front Construction | | EA |
| Cast Polished Corners for Flat-Front | | PKG |
| Upgrade to Radius Roof Construction (Up to 30') | | PBF |
| 2' Round Nose Construction w/4' Anodized Nosecone Panel | | PKG |
| Add Slope in V-Nose | | PKG |
| 6" Extra Height | | PBF |
| 12" Extra Height | | PBF |
| 18" Extra Height (Requires HD Ramp or Barn Door Upgrade) | | PBF |
| 24" Extra Height (Please call for Pricing) | | PBF |
| Height Decrease 6" | | PBF |
| Height Decrease 12" | | PBF |
| Additional Length in 2' Intervals (8.5 wide) | | Per 2' |
| Reverse Beavertail Construction on (7' wides & Up) | | EA |
| Upgrade to .090 Wall Studs (6.5 wide +) | | PBF |
| Ladder to Roof (Outside V-Nose) | | EA |
| 8' Platform Roof w/Ladder & Rail Kit | | PKG |
| Extend Tongue 16" (Car Haulers) | | PKG |
| Upgrade to Trussed Roof System (Not compatible w/Radius) | | PBF |
| Upgrade to 12V Hydraulic Landing Gear w/ Battery (Goosenecks - Single Tube Design, From MEG w/ Tandem Manual) | | EA |
| DOORS, RAMPS & COMPARTMENTS | | |
| 32" x 72" Side Access Door | | EA |
| Radius RV Door 32" x 72" w/Screen (Window Optional) | | EA |
| Upgrade to Radius RV Door 32" x 72" w/Screen (Window Optional) from STD Door 32"x72" | | EA |
| Upgrade to 32" x 72" Radius Side Access Door (from 32" x 72" Door) | | PKG |
| Upgrade to 36" Wide Side Access Door (from 32") | | EA |
| Upgrade to 48" Wide Side Access Door (from 32") | | EA |
| Diamond Plate Transition Flap | | EA |
| Tapered Front Ramp or Side Ramp (MCH&MEG's) | | EA |
| Barn Doors or Ramp on Side of Trailers (72"x74 1/2") | | EA |
| 30" x 30" Generator Door w/Salem Vent (Lockable) | | EA |
| 36" x 36" Generator Door w/Salem Vent (Lockable) | | EA |
| Generator Slide 16" | | EA |
| Generator Box 30"Hx30"Wx24"D (Door Optional) | | EA |
| Generator Box 36"Hx36"Wx24"D (Door Optional) | | EA |
| Upgrade to Insulated Generator Compartment | | EA |
| Propane Compartment 30"h x 30"w x 24" w/ Vented Non Locking Door | | EA |
| Propane Compartment 36"h x 36"w x 24" w/ Vented Non Locking Door | | EA |
| Fuel Door 14" x 14" w/Paddle Handle | | EA |
| Fuel Door 24" x 24" w/Paddle Handle | | EA |
| 4' x 4' Concession Door | | EA |
| 4' x 6' Concession Door | | EA |
| 4' x 8' Concession Door | | EA |
| RV-Style Pull-Out Step (Steel) | | EA |
| Aluminum Fold Down Step | | EA |
| Aluminum Pull-Out Step | | EA |
| | | |

| DOORS, RAMPS & COMPARTMENTS (cont.) | PRIOF | шом |
|---|-------|-----|
| | PRICE | UOM |
| Locking Bar for Side Access Door | | EA |
| Keyed Locking Hasps for Side Door Locking Bar | | SET |
| Upgrade to Stainless Steel Locking Bar for Barn Door | | SET |
| Upgrade to Stainless Steel Locking Bars for Ramp | | SET |
| Rear Door Air Curtain | | EA |
| Pull Down Screen for Rear Door Opening | | EA |
| Pop Out Tent Bed (60"h x 80"l Rough Opening) | | EA |
| Keyless Paddle Handle Entry System for SAD | | SET |
| 4' Diamond Plate Ramp Extension for Car Haulers | | SET |
| 6' Extruded Alum. Ramp Extension for Car Haulers | | SET |
| Barn Doors ilo of HD Rear Ramp (MEG/MCH) | | SET |
| 4' x 4' Escape Door | | EA |
| Elite Escape Door (6'W x 8'L Fold Up Door w/ Removable Fender) **Extends to 9'L when adding Spread Axle Upgrade** | | EA |
| EXTERIOR OPTIONS | | |
| 24" Anodized Side & Rear Trim Panel | | PBF |
| 24" Diamond Plate Side & Rear Trim Panel | | PBF |
| .040 Skin Upgrade (Call for Colors) | | PBF |
| .050 Skin Upgrade (Call for Colors) | | PBF |
| Upgrade to 36" Stone Guard from 24" | | EA |
| Upgrade to 48" Stone Guard from 24" | | EA |
| Two-Tone Color w/ 6" Anodized Divider | | PKG |
| Two-Tone Color w/ 12" Anodized Divider | | PKG |
| Two-Tone Color w/ 24" Anodized Divider | | PKG |
| Anodized Nose Cap | | PKG |
| INTERIOR OPTIONS | | |
| White .030 Aluminum Side Walls, Bonded | | PBF |
| White .030 Aluminum Side Walls, Screwed | | PBF |
| White .030 Aluminum Ceiling, Bonded | | PBF |
| White .030 Aluminum Ceiling, Screwed | | PBF |
| White Vinyl Faced Luan Ceiling | | PBF |
| Plywood Reinforced Walk-On Ceiling | | PBF |
| Upgrade to 3/8" Plywood Walls | | PBF |
| 3/4" Foam Insualtion - Side Walls | | PBF |
| 3/4" Foam Insualtion - Ceiling (Require Ceiling liner) | | PBF |
| .030 Aluminum Cove (All Colors) | | PBF |
| Anodized Roof Coves | | PBF |
| Anodized Spring Cover | | EA |
| Diamond Plate Spring Cover | | EA |
| White .030 Spring Cover | | EA |
| Partition Wall w/ 32" Access Door | | EA |
| Diamond Plate Kick Plate (12") | | PBF |
| Water Resistant Kickplate (12") | | PBF |
| Carpet on Walls (Charcoal only, 3' Up on Walls, Calcualte 4' for V) | | PLF |

| FLOORING Upgrade to 2/4" Marine Crade Physicad (from 2/4" Wester Registent) | PRICE UOM |
|--|------------|
| Upgrade to 3/4" Marine Grade Plywood (from 3/4" Water Resistant) | PBF |
| Upgrade to Quad-Ply Flooring | PBF |
| Additional Layer of 3/4" Water Resistant Decking | PBF |
| Jograde to Extruded Aluminum Decking | PLF |
| Diamond Plate Floor Overlay | PLF |
| Checkerboard Floor Vinyl Overlay (Black & White) Black Marble Vinyl Flooring | PLF |
| Black Rubber Coin Flooring | PLF |
| Carpet Flooring (Charcoal) | PLF |
| 2" Diamond Plate Runner (Single Row) | PLF |
| 2" Diamond Plate Runner (Double Row) | PLF PLF |
| 24" Diamond Plate Runner (Double Row) | PLF |
| TIRE/WHEEL ASSEMBLIES & ACCESSORIES | PLF |
| Jpgrade to 15" 225 Silver Mod From 15" 205's | EA |
| Jpgrade to 15" Aluminum Rims From 15" Silver | EA |
| Jpgrade to 15" 225's Aluminum Rims From 15" Silver Mod 225 | EA |
| Jpgrade to 16" Aluminum Rims From 16" Silver Mod | EA |
| Jpgrade to Black Aluminum Rims from Aluminum (Same Size) | EA |
| Spare 15" Silver Mod (205/75R15") | EA |
| pare 15" Aluminum Rim (205/75R15) | EA |
| pare 15" Silver Mod Wheel (225/75R15) | EA |
| pare 15" Aluminum (225/75R15) | EA |
| Spare 16" Silver Mod Wheel (235/80R16) | EA |
| Spare 16" Aluminum (235/80R16) | EA |
| Elevated Spare Tire Mount | EA |
| Spare Tire Mount - Floor Level | EA |
| Recessed Diamond Plate Spare Tire Well | EA |
| Peluxe 8' Tire Rack (Foldable) | EA |
| XLES | |
| Spread Axle Upgrade w/Tapered Skirting (8.5 Wides) | PKG |
| lpgrade from 2-3500# Braked to 3-3500# Braked Axles | PKG |
| lpgrade from 2-3500# Braked to 2-5200# Braked Axles | PKG |
| lpgrade from 2-5200# Braked to 2-6000# Braked Axles | PKG |
| lpgrade from 2-5200# Braked to 3-5200# Braked Axles | PKG |
| Ipgrade from 2-5200# Torsion to 2-7000# Torsion Axles | |
| Ipgrade from 3-5200# Braked to 3-6000# Braked Axles | PKG |
| • | PKG |
| Ipgrade from 3-5200# Braked to 2-7000# Braked Axles | PKG |
| lpgrade from 3-5200# Braked to 3-7000# Braked Axles | PKG |
| lpgrade from 3-5200# Braked to 3-8000# Braked Axles | PKG |
| lpgrade to Surge Brakes (from compatable brake size) | PKG |
| Jpgrade from 2-3500# Braked to 2-6000# Braked Axles | PKG |
| TE DOWNS | |
| | ΓΛ |
| Surface Mounted D-Rings | EA |
| Surface Mounted D-Rings Additional Heavy-Duty Recessed D-Rings | EA EA |

| DODIII AD ENCLOSED CAD HAIII ED & COOSENECK ODTIONS (conf.) | |
|---|-----|
| Tandem Wheel Chocks w/ 8 HD-Rings | PKG |
| Single Wheel Chock w/ 4 HD-Rings | PKG |
| Tandem Wheel Chocks w/ 8 D-Rings | PKG |
| Single Wheel Chock w/ 4 D-Rings | PKG |
| Heavy-Duty Recessed 6000# Swivel D-Rings (Stainless Steel) | EA |

| POPULAR ENCLOSED CAR HAULER & GOOSENECK OPTIONS (C | | |
|---|-------|------|
| TIE DOWNS (cont.) | PRICE | UOM |
| Additional Recessed Wheel Chock | | EA |
| E-Track Surface Mounted (Floor) | | PLF |
| E-Track Surface Mounted (Wall) | | PLF |
| E-Track HD Recessed w/Backing Plate (Floor) | | PLF |
| E-Track HD with Backing Plate (Walls) | | PLF |
| E-Track Aluminum Surface Mounted (Wall) | | PLF |
| E-Track Aluminum HD Recessed w/ Backing Plate (Floor) | | PLF |
| E-Track Aluminum HD Recessed w/ Backing Plate (Walls) | | PLF |
| Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings 12V LIGHTING & ELECTRICAL | | PLF |
| LED Back Up Lights | | SET |
| Additional LED Brake Lights | | SET |
| Additional LED Marker Lights | | EA |
| Anodized Loading Lights (Over Spring) | | EA |
| Cold Weather HD Arctic Flex 7-Way Wire Harness | | EA |
| (2) 12V LED Load Lights (Double Lights w/ Single Switch, 950 Lumen) | | PKG |
| 12V LED Load Light (Single Light w/ Switch, 950 Lumen) | | EA |
| LED Loading Light Package for Side of Trailer (1 Light w/Switch, 950 lumens, & Housing) | | PKG |
| 12V LED Porch Light w/Wall Switch | | EA |
| Midship Turn Signals (LED) | | PAIR |
| Angled Backup Lights (Mounts on side of trailer) | | PAIR |
| 12v Electric Jack w/Battery | | PKG |
| Additional 12V LED Dome Light (460 lumens) | | EA |
| 12V Standard Wall Switch | | EA |
| LED Puck Light Package (Includes 8 recessed lights & wall switch)(requires ceiling liner) | | SET |
| 18" Recessed LED Dome Light (require ceiling liner) | | EA |
| 12V Battery Trickle Charger | | EA |
| Deep Cycle Battery & Box - Wired | | EA |
| LED Strip Light w/ Housing Package (Per Foot, Per Section) | | PLF |
| Rear Canopy Loading Light System - 2013 Version (Not available w/Radius Roof) | | PKG |
| Rear Canopy Loading Light System - 2015 Version (Not available w/Radius Roof) 110V LIGHTING & ELECTRICAL | | PKG |
| 110V Package #1 - (Includes (1) 15 AMP Motobase Plug, (1) Wall switch, (1) Receptacle, (1) 4' LED Wraparound Light (no additions available v | w/ | |
| this package) | (V) | PKG |
| 110V Package #2 - (Includes -30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall switches, (1) Standard WallReceptacle, (1) GFI Wall | | |
| Receptacle (2) 4' LED Wraparound Lights 110V Package #5 - (Includes -60AMP Breaker w/ Converter, (1) Motorbase Plug, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) | | PKG |
| USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights, Deep Cycle Battery & Box | | PKG |
| Upgrade to 50 AMP Breaker w/25' Shore Line | | |
| 30 AMP Moto base Plug (Replaces Shoreline) | | |
| 30 AMP Power Converter | | EA |
| 110V Interior Wall Switch | | EA |

| 110V 3-Way Switch | EA |
|---------------------------|----|
| Interior GFI Receptacle | EA |
| Exterior GFI Receptacle | EA |
| 4' LED Light (Wraparound) | EA |

| 10V LIGHTING & ELECTRICAL (cont.) | PRICE | UOM |
|--|-------|--------|
| 00W Recessed Quartz Light w/Housing | | EA |
| 3,500 BTU Roof Mounted Air Conditioner (Requires 110 #2) | | EA |
| leat Strip for A/C Unit | | EA |
| Brace & Wire Stub for Future A/C | | EA |
| 6,000 BTU Furnace w/Deep Cycle Battery, Propane Tank (Cabinet Sold Separelty) | | PKG |
| 15,000 BTU Furnace w/Deep Cycle Battery, Propane Tank (Cabinet Sold Separelty) CABINETS | | PKG |
| 19" V-Nose Base, 2 Door | | _^ |
| 19" V-Nose Base, 4 Door | | EA |
| 19" V-Nose Overhead, 2 Door | | EA |
| | | EA |
| 19" V-Nose Base L-Shape Bench Cabinet, 18" Exten. | | EA |
| 16" Wardrobe Cabinet (Single Full Height Door, 1 Shelf, Clothes Rod) | | EA |
| ' Straight Wall 2-Door Cabinet | | EA |
| b' Straight Wall 2-Door Cabinet | | EA |
| d' Straight Wall 4-Door Cabinet | | EA |
| b' Overhead Cabinet w/ 4 - Doors | | EA |
| l' Overhead Deluxe Cabinet 48"Lx18"Hx12"D - 2Door | | EA |
| 2" Economy Overhead Cabinet - 1Door, 62"Lx18"Hx12"D | | EA |
| S' Wheel Well Cabinet 72"Lx62"Hx6 3/4"D, 2-Door w/Shelving | | EA |
| Clothing Rod for Cabinets | | PLF |
| Coat Rack Package (47' Slide Track w/ (6) Adjustable Hooks) | | PKG |
| AWNINGS (**may require additional height or smaller door for installtion) | | |
| 2' Carefree Acrylic Fabric with Alumuaguard Awning | | EA |
| 3' Carefree Acrylic Fabric with Alumuaguard Awning | | EA |
| 4' Carefree Acrylic Fabric with Alumuaguard Awning | | EA |
| 5' Carefree Acrylic Fabric with Alumuaguard Awning | | EA |
| 6' Carefree Acrylic Fabric with Alumuaguard Awning | | EA |
| 7' Carefree Acrylic Fabric with Alumuaguard Awning | | EA |
| 8' Carefree Acrylic Fabric with Alumuaguard Awning | | EA |
| 9' Carefree Acrylic Fabric with Alumuaguard Awning | | EA |
| '0' Carefree Acrylic Fabric with Alumuaguard Awning | | EA |
| 21' Carefree Acrylic Fabric with Alumuaguard Awning | | EA |
| /ENTS & WINDOWS | | |
| Roof Vent (Extra) | | EA |
| 2 Volt Power Vent | | EA |
| 10 Volt Power Vent (Require 110V PKG #2) | | EA |
| Maxx Air Vent Cover | | EA |
| Plastic Side Wall Vents | | PAIR |
| | | PAIR |
| Numinum, Two-Way Directional Salem Vents | | 1 7111 |

| MISC. OPTIONS & ACCESSORIES | PRICE | UOM |
|---|-------|------|
| Ladder Racks | | EA |
| Fold-Down Sofa/Sleeper | | |
| Fold-Down Bunk Beds | | EA |
| | | EA |
| Fold-Down Dinette/Sleeper | | EA |
| Stabilizer Jacks | | PAIR |
| Scissor Jacks (Camper Style) | | PAIR |
| HD Bogey Wheels | | PAIR |
| SPECIAL PACKAGES | | |
| Midnight Package (Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24") | | PBF |
| Kicker Stereo Package (Includes (6) Speakers, AMP & Subwoofer, with Clairion Face Unit w/ Blue Tooth Capabilities.) | | PKG |

ENCLOSED SNOW [INLINE] 7-Wide

STANDARD FEATURES

• All-Aluminum Construction

• 16" O/C Wall & Roof Studs

• 24" O/C Floor Crossmembers

• 2"x5" Subframe Tubing

Torsion Ride Suspension

Torsion Mac Ouspension

• Smooth .030" Bonded Side Panels

• One-Piece Aluminum Roof

• Rear Ramp Door w/ Spring Assist

• Front Ramp Door w/ Spring Assist

• 3/4" Water Resistant Decking

• Polished Aluminum Fenders

• Full Length Slide Track w/ D-Rings

• 24" Bright Stoneguard

• White Luan Walls w/ 12" WR Kickplate

• 3 Interior Dome Lights

Roof Vent

· Recessed LED Lights

• Tri-Frame Tongue

• 8000# A-Frame Coupler w/ 2" Ball

• 1500# Wheel Jack

• (2) 7800# Safety Chains

• 32"x66" Side Access Door



· Limited Lifetime Warranty

| STANDARD SPECIFICATIONS | & PRICING | | | | |
|-------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| TRAILER MODEL | MES7x12 | MES7x14 | MES7x16 | MES7x18 | MES7x22 |
| Box WxLxH | 7'x12'x78" | 7'x14'x78" | 7'x16'x78" | 7'x18'x78" | 7'x22'x78" |
| Interior WxLxH | 81"x11'10x76" | 81"x13'10x76" | 81"x15'10x76" | 81"x17'10x76" | 81"x21'10x76" |
| Overall WxLxH | 101"x18'9"x8'7" | 101"x20'9"x8'7" | 101"x22'9"x8'7" | 101"x24'9"x8'7" | 101"x28'9"x8'7" |
| Deck Height | 21" | 21" | 21" | 21" | 21" |
| Hitch Height | 16" | 16" | 16" | 16" | 16" |
| Rear Door Opening WxH | 74" x 72 1/4" |
| Front Door OpeningWxH | 55" x 72" |
| Axle(s) - Qty/Rating) | 1-3500# | 2-3500# Braked | 2-3500# Braked | 2-3500# Braked | 2-3500# Braked |
| Wheels | 15" Silver Mods |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 2990# | 6000# | 6000# | 6000# | 6000# |
| Curb Weight | 1450# | 1700# | 1850# | 2000# | 2175# |
| Payload | 1540# | 4300# | 4150# | 4000# | 3825# |
| Power Connection | 4-Way Flat | 7-Way Round | 7-Way Round | 7-Way Round | 7-Way Round |

BASE PRICE

| | | \sim | IC | 9 A | \mathbf{c} | \sim E | CC | OB | п=ο |
|---|-----|--------|-----------|-----|--------------|----------|----|----|------|
| U | FII | UI | 40 | & A | U | ᅜᆮ | | UR | 11−~ |

| CONSTRUCTION OPTIONS | PRICE | UOM |
|----------------------|-------|-----|
| 6" Extra Height | | PBF |

EXTERIOR

Two-Tone Color w/6" Anodized Divider PKG

INTERIOR

Upgrade to White Vinyl Faced Ceiling PBF

DOORS/WINDOWS/VENTS

Upgrade to 32" x 72" Side Access Door
(From 32x66)

EA

14" x 14" Deluxe Locking Fuel Door

EA

(Expanded list of available options can be found in MES option Section)

ENCLOSED SNOW [INLINE] 7.5-Wide

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x5" Subframe Tubing
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist
- Front Ramp Door w/ Spring Assist
- 3/4" Water Resistant Decking
- Polished Aluminum Fenders
- 24" Bright Stoneguard

- Full Length Slide Track w/ D-Rings
- White Luan Walls w/ 12" WR Kickplate
- 3 Interior Dome Lights
- Roof Vent
- Recessed LED Lights
- Tri-Frame Tongue
- 8000# A-Frame Coupler w/ 2" Ball
- 1500# Wheel Jack
- (2) 7800# Safety Chains
- 32"x66" Side Access Door
- · Limited Lifetime Warranty



| 3 | | | | | |
|------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| STANDARD SPECIFICATION | S & PRICING | | | | |
| TRAILER MODEL | MES7.5x12 | MES7.5x14 | MES7.5x16 | MES7.5x18 | MES7.5x22 |
| Box WxLXH | 7'6"x12'x78" | 7'6"x14'x78" | 7'6"x16'x78" | 7'6"x18'x78" | 7'6"x22'x78" |
| Interior WxLxH | 87"x11'10x76" | 87"x13'10x76" | 87"x15'10x76" | 87"x17'10x76" | 87"x21'10x76" |
| Overall WxLXH | 101"x18'8"x8'7" | 101"x20'8"x8'7" | 101"x22'8"x8'7" | 101"x24'8"x8'7" | 101"x28'8"x8'7" |
| Deck Height | 21" | 21" | 21" | 21" | 21" |
| Hitch Height | 16" | 18" | 18" | 18" | 18" |
| Rear Door Opening WxH | 74" x 72 1/4" |
| Front Door Opening WxH | 55" x 72" |
| Axle(s) - Qty/Rating) | 1-3500# Idler | 2-3500# Braked | 2-3500# Braked | 2-3500# Braked | 2-3500# Braked |
| Wheels | 15" Silver Mods |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 2990# | 6000# | 6000# | 6000# | 6000# |
| Curb Weight | 1525# | 1775# | 1855# | 1935# | 2100# |
| Payload | 1375# | 4225# | 4145# | 4065# | 3900# |
| Power Connection | 4-Way Flat | 7-Way Round | 7-Way Round | 7-Way Round | 7-Way Round |
| BASE PRICE | | | | | |

EΑ

| CONSTRUCTION OPTIONS | PRICE | UOM |
|--|-------|-----|
| 6" Extra Height | | PBF |
| EXTERIOR | | |
| Two-Tone Color w/6" Anodized Divider | | PKG |
| INTERIOR | | |
| Upgrade to White Vinyl Faced Ceiling | | PBF |
| DOORS/WINDOWS/VENTS | | |
| Upgrade to 32" x 72" Side Access Door (From 32x66) | | EA |

(Expanded list of available options can be found in MES option Section)

OPTIONS & ACCESSORIES

14" x 14" Deluxe Locking Fuel Door

ENCLOSED SNOW [DECKOVER] DURALITE

STANDARD FEATURES

• All-Aluminum Construction

• 52" V-Nose

• 16" O/C Wall & Roof Studs

• Full Length Slide Track w/ D-Rings

• 24" O/C Floor Crossmembers

• 12" Bright Stoneguard

• 2"x3" Subframe Tubing (2"x5" 18' +)

· Recessed LED Lights

• Torsion Ride Suspension

• Tri-Frame Tongue

• Smooth .030" Bonded Side Panels

• 6000# Straight Coupler w/ 2" Ball (12' & 14')

• One-Piece Aluminum Roof

• 8000# A-Frame Coupler w/ 2" Ball (18' & 22')

• Rear Ramp Door w/ Spring Assist

• 1500# Wheel Jack

• Front Ramp Door w/ Spring Assist

• (2) 7800# Safety Chains

• 5/8" Water Resistant Decking

• 32"x58" Side Access Door

• 12" Water Resistant Kickplate

• 4-Year Limited Warranty



| STANDARD SPECIFICATION | NS & PRICING | | | |
|------------------------|----------------|----------------|----------------|----------------|
| TRAILER MODEL | MES101x12DL | MES101x14DL | MES101x18DL | MES101x22DL |
| Box WxLxH | 101"x12'x72" | 101"x14'x72" | 101"x18'x72" | 101"x22'x72" |
| Interior WxLXH | 98"x11'10"x70" | 98"x13'10"x70" | 98"x17'10"x70" | 98"x21'10"x70" |
| Overall WxLXH | 101"x17'5"x89" | 101"x19'5"x89" | 101"x23'5"x89" | 101"x27'5"x89" |
| Deck Height | 27" | 27" | 27" | 27" |
| Hitch Height | 19" | 19" | 23" | 23" |
| Rear Door Opening | 93"x68" | 93"x68" | 93"x68" | 93"x68" |
| Front Door Opening | Optional | Optional | Optional | Optional |
| Axle(s) - Qty/Rating) | 1-3500# Idler | 2-2200# Braked | 2-3500# Braked | 2-3500# Braked |
| Wheels | 12" E Rated | 12" E Rated | 13" Silver Mod | 13" Silver Mod |
| Tires | ST145R12E | ST145R12E | ST175/80R13 | ST175/80R13 |
| GVWR | 2990# | 4400# | 6000# | 6000# |
| Curb Weight | 1295# | 1600# | TBD | TBD |
| Payload | 1605# | 2800# | TBD | TBD |
| Power Connection | 4-Way Flat | 7-Way Round | 7-Way Round | 7-Way Round |

| CONSTRUCTION OPTIONS | PRICE | UOM |
|---|-------|-----|
| 6" Extra Height | | PBF |
| INTERIOR | | |
| Upgrade to White Vinyl Faced Luan Walls | | PBF |
| DOORS/WINDOWS/VENTS | | |
| 26" x 58" Side Access Door | | EA |
| 14" x 14" Deluxe Locking Fuel Door | | EA |

(Expanded list of available options can be found in MES option Section)

OPTIONS & ACCESSORIES

ENCLOSED SNOW [DECKOVER] 6.5-Height

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x5" Subframe Tubing
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring AssistFront Ramp Door w/ Spring Assist
- 3/4" Water Resistant Decking
- White Luan Walls w/ 12" WR Kickplate

- Full Length Slide Track w/ D-Rings
- 24" Bright Stoneguard
- 3 Interior Dome Lights
- Roof Vent
- Recessed LED Lights
- Tri-Frame Tongue
- 8000# A-Frame Coupler w/ 2" Ball
- 1500# Wheel Jack
- (2) 7800# Safety Chains
- 32"x66" Side Access Door
- · Limited Lifetime Warranty



| STANDARD SPECIFICATION | NS & PRICING | | | |
|------------------------|-----------------|-----------------|-----------------|-----------------|
| TRAILER MODEL | MES101x12 (6.5) | MES101x14 (6.5) | MES101x20 (6.5) | MES101x22 (6.5) |
| Box WxLxH | 101"x12'x78" | 101"x14'x78" | 101"x20'x78" | 101"x22'x78" |
| Interior WxLxH | 98"x11'10"x76" | 98"x13'10"x76" | 98"x19'10"x76" | 98"x21'10"x76" |
| Overall WxLxH | 101"x18'5"x8'8" | 101"x20'5"x8'8" | 101"x26'5"x8'8" | 101"x28'5"x8'8" |
| Deck Height | 27" | 27" | 27" | 27" |
| Hitch Height | 23" | 23" | 23" | 23" |
| Rear Door Opening WxH | 91" x 72" | 91" x 72" | 91" x 72" | 91" x 72" |
| Front Door Opening WxH | 58" x 72" | 58" x 72" | 58" x 72" | 58" x 72" |
| Axle(s) - Qty/Rating) | 1-3500# | 2-2200# | 2-3500# | 2-3500# |
| Wheels | 12" E Rated | 12" E Rated | 13" Silver Mod | 13" Silver Mod |
| Tires | ST145R12E | ST145R12E | 175/80R13 | 175/80R13 |
| GVWR | 2990# | 4400# | 6000# | 6000# |
| Curb Weight | 1360# | 1665# | 2010# | 2240# |
| Payload | 1540# | 2735# | 3990# | 3760# |
| Power Connection | 4-Way Flat | 7-Way Round | 7-Way Round | 7-Way Round |

| OPTIONS & ACCESSORIES | | |
|--|----------------|-----|
| | PRICE | UOM |
| Upgrade to 15" Silver Mod Wheels (from 13") | | EA |
| EXTERIOR | | |
| Two-Tone Color w/6" Anodized Divider | | PKG |
| INTERIOR | | |
| Upgrade to White Vinyl Faced Ceiling | | PBF |
| DOORS/WINDOWS/VENTS | | |
| Upgrade to 32" X /2" Side Access Door (From | | EA |
| 14" x 14" Deluxe Locking Fuel Door | | EA |
| (Expanded list of available options can be found in MES of | ption Section) | |

| SPECIAL PACKAGES Boondocker Package - Snow Trailers: Includes Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp with Spring Assist (72° opening), & 6"CP Kidsplate Extreme Weather Package - Deckover Snow Trailers: Includes Upgrade to Insulated Walls and Calling, 110 Package £2, 69 AMP Converter with Brakes Box, Estation Modelage Play, 35,000 BTU Limraco, Sarley KI (Fire Estinguisher, CO2 Detactor, & Snoke Alamm, Marrine Grade Batter, 120° V-Nose Wing Around Calline and Verled Battery Row and (1) 400 Minestury Propers Trailers: Loudes Upgrade to White Virry Walls & Calling, Fram Insulated Walls and Celling, 110 Package £2, 60 AMP Converter of Science Package. Includes 120° V-Nose Wing Around Calline from Converted Package. 100 Ample Converted Popars Tailer. PKG Discrete Calline Package - Upgrade for Extreme Weather Package, Includes 4" Flex Piping w 1000 Aluminum Surround (60°) and 46" Cablinet Mid-Deck Frame Package - Upgrade for Extreme Weather Package, Includes 4" Flex Piping w 1000 Aluminum Surround (60°) and 46" Cablinet Mid-Deck Frame Package - Upgrade for Extreme Weather Package, Includes 4" Flex Piping w 1000 Aluminum Surround (60°) and 48" Cablinet Mid-Deck Frame Package - Deckover Enclosed Trailers 20" and Over - Includes 6" Additional Height, 15" Tire Upgrade, Mid-dack with Interal Ramp Callinet Package - Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24" Track Mell System (Add to Models w Extreme Weather Package) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnaco, 40° Understung PKG Propare Tank, Marine Grade Grade Battery wi Box, & 4" Base Cabinet Track Mell System Add to Models we Extreme Weather Package) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnaco, 40° Understung PKG Popare Tank, Marine Grade Grade Battery wi Box, & 4" Base Cabinet Track Mell System Add to Individe Aluminum Branch Calling Aluminum Duct Work Tracts, 35,000 BTU Furnace, 20° Tongue-Mounted PKG Popare Tank, Marine Grade Grade Bat | POPULAR ENCLOSED SNOW OPTIONS | PRICE | UOM |
|--|---|-------|--------|
| Extreme Weather Package - Deckover Snow Trailers: Includes Upgrade to Insulated Walls and Ceiling, 110 Package #2, 60 AMP Conventer will Deckover Snow Trailers: Includes Upgrade to Insulated Walls and Ceiling, 110 Package #2, 60 AMP Conventer will Deckover Snow Trailers: Includes Upgrade to White Ving Walls & Ceiling, 110 Package #2, 60 AMP Conventer Walls and Ceiling, 110 Package #2, 60 AMP Conventer Walls and Ceiling Includes Upgrade to White Ving Walls & Ceiling, 100 Package #2, 60 AMP Conventer will be ceiling, 110 Package #2, 60 AMP Conventer will be ceiling, 110 Package #2, 60 AMP Conventer will be ceiling. 110 Package #2, 60 AMP Co | SPECIAL PACKAGES | | |
| w Breater Box, Extence MootBase Plug, 35,000 BTJ Furnace, Safety Kit [Fire Extinguisher, CO2 Detector, & Smoke Alarm), Marine Grade Battery, 207 V-Nose Wirap Acund Calainer Wurnace Compartment and Verted Battery Rox and (1) 40° Understung Propose Tank Extreme Weather Package - Indine Snow Traiters: includes Upgrade to White Viriny Walls & Celling, Foan Insulated Walls and Caling, 110 Package 25, 00 MM2 Condrient Westered Rose Lecter Motel Battery Box and (1) 20° Torque-Mounted Propana Tank Ducted Cabinet Package - Upgrade for Extreme Weather Package, Includes 4" Flex Piping w,030 Aluminum Surround (80") and 48" Cabinet PKG Mid-Dack Frame Package - Deckover Enclosed Trailers 20" and Over - Includes 6" Additional Height, 15" Tire Upgrade, Mid-deck with Interal Ramp Design Midnight Package - Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24" PBF Track Melt System (Add to Models w Extreme Weather Package) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, Marine Gade Grade Battery w Box, & 4 Base Cabinet Track Melt System (Add to Deckover Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40° Hoderstung Pppane Tank, Marine Grade Grade Battery w Box, & 4 Base Cabinet Track Melt System (Add to Deckover Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40° Hongre-Mounted Pppane Tank, Marine Grade Grade Battery w Box, & 4 Base Cabinet Track Melt System (Add to Inline Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 20° Hongre-Mounted Pppane Tank, Marine Grade Grade Battery w Box, & 4 Base Cabinet CONSTRUCTION OPTIONS Upgrade to Radius Roof Construction (Up to 30") PBF Additional Length in Z Intervals (7 wide) PBF Height Decrease 6" PBF Height Decrease 10" Height Decr | 0 10 1 10 1 10 1 | | PBF |
| Mid-Deck Frame Package - Deckover Enclosed Trailers 20' and Over - Includes 6' Additional Height, 15' Tire Upgrade, Mid-deck with Interal Ramp Design Midnight Package - Includes 15' Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12'' & Bottom Trim 24'' PBF Track Melt System (Add to Models w Extreme Weather Package) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung PKG Furnace, Marine Grade Grade Battery w Box, & 4' Base Cabinet Track Melt System (Add to Deckow Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung PKG Propane Tank, Marine Grade Grade Battery w Box, & 4' Base Cabinet Track Melt System (Add to Inlam Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung PKG Propane Tank, Marine Grade Grade Battery w Box, & 4' Base Cabinet Track Melt System (Add to Inlam Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung PKG Propane Tank, Marine Grade Grade Battery w Box, & 4' Base Cabinet Track Melt System (Add to Inlam Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung PKG Propane Tank, Marine Grade Grade Battery w Box, & 4' Base Cabinet Track Melt System (Add to Inlam Models) - PKG Propane Tank, Marine Grade Grade Battery w Box, & 4' Base Cabinet Track Melt System (Add to Inlam Models) PKG PKG Add Sloye in V-Nose PKG | w/ Breaker Box, Exterior MotoBase Plug, 35,000 BTU Furnace, Safety Kit (Fire Extinguisher, CO2 Detector, & Smoke Alarm), Marine Grade Battery, 120" V-Nose Wrap Around Cabinet w/Furnace Compartment and Vented Battery Box and (1) 40# Underslung Propane Tank Extreme Weather Package - Inline Snow Trailers: Includes Upgrade to White Vinyl Walls & Ceiling, Foam Insulated Insulated Walls and Ceiling, 110 Package #2, 60 AMP Converter w/ Breaker Box, Exterior MotoBase Plug, 35,000 BTU Furnace, Safety Kit (Fire Extinguisher, CO2 Detector & Smoke Alarm), Marine Grade Battery, 120" V-Nose Wrap Around Cabinet w/Furnace Compartment and Vented Battery Box and (1) | | |
| Ramp Design Midnight Package - Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24" PBF Track Melt System (Add to Models w Extreme Weather Package) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Funnace, Marine Grade Grade Battery w Box, & 4" Bass Cabinet Track Melt System (Add to Deckover Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung PKG Propane Tank, Marine Grade Grade Battery wi Box, & 4" Bass Cabinet Track Melt System (Add to Inlie Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung PKG Propane Tank, Manne Grade Grade Battery wi Box, & 4" Bass Cabinet Track Melt System (Add to Inlie Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung PKG Propane Tank, Manne Grade Grade Battery wi Box, & 4" Bass Cabinet Track Melt System (Add to Inlie Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung PKG PKG PKG PKG PKG PKG PKG PKG | Ducted Cabinet Package - Upgrade for Extreme Weather Package. Includes 4" Flex Piping w.030 Aluminum Surround (60") and 48" Cabinet | | PKG |
| Track Melt System (Add to Models w/ Extreme Weather Package) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU PKS Furnace, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet Track Melt System (Add to Deckover Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40 ⊌ Underslung PKG Propane Tank, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet Track Melt System (Add to Inline Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 20 ₱ Tongue-Mounted PKG Propane Tank, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet Track Melt System (Add to Inline Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 20 ₱ Tongue-Mounted PKG Propane Tank, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet Track Melt System (Add to Inline Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 20 ₱ Tongue-Mounted PKG Petra Holpht Pkg Gatter Melt Melt System (Add to Caster State Sta | | | PKG |
| Furnace, Marine Grade Grade Battery wt Box, & 4 Base Cabinet PKG Track Melt System (Add to Deckover Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung PKG Propane Tark, Marine Grade Grade Battery wt Box, & 4 Base Cabinet PKG Propane Tark, Marine Grade Grade Battery wt Box, & 4 Base Cabinet PKG CONSTRUCTION OPTIONS PBF Upgrade to Radius Roof Construction (Up to 30') PBF Add Slope in V-Nose PKG 6* Extra Height PBF 12* Extra Height PBF Height Decrease 6" PBF Height Decrease 12" PBF Additional Length in 2' Intervals (7 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' 2 Sife' Coupler Upgrade EA Add Showing Beavertail (MES 101' Models) PKG Add Beavertail Wr Extra High Door (6.5 wide +, 16'+) EA Reverse Beavertail Construction on (7' wides & Up) EA Upgrade to 16' Olo Floor Crossmembers PBF Upgrade to 16' Olo Floor Crossmembers PBF Upgrade to 16 | Midnight Package - Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24" | | PBF |
| Propane Tank, Marine Grade Grade Battery wl Box, & 4' Base Cabinet Track Met System (Add to Inline Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Fumace, 20# Tongue-Mounted Propane Tank, Marine Grade Grade Battery w' Box, & 4' Base Cabinet CONSTRUCTION OPTIONS Upgrade to Radius Roof Construction (Up to 30') PBF 40d Slope in V-Nose PKG 6' Extra Height PBF 12' Extra Height PBF Height Decrease 6' PBF Height Decrease 12' PBF Additional Length in 2' Intervals (7 wide) PBF Additional Length in 2' Intervals (7.5 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' 2 5/16' Coupler Upgrade EA Add Showing Beavertail (MES 101' Models) PKG Add Seavertail W Extra High Door (6.5 wide + 16' +) EA Reverse Beavertail Construction on (7' wides & Up) EA Upgrade to 16' O/C Floor Crossmembers PBF Upgrade to 16' O/C Floor Crossmembers PBF Upgrade to 16' O/C Floor Crossmembers PBF Upgrade to 16' O/C Floor Crossover's & MES DL's) EA 32" x 58" Side Access Door EA | Furnace, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet | | |
| CONSTRUCTION OPTIONS Upgrade to Radius Roof Construction (Up to 30') PBF Add Slope in V-Nose PKB 6" Extra Height PBF 12" Extra Height PBF Height Decrease 6" PBF Height Decrease 12" PBF Additional Length in 2' Intervals (7 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' Add Showing Beavertail (MES 101" Models) PK Add Savertail WE Extra High Door (6.5 wide +, 16'+) EA Reverse Beavertail Construction on (7' wides & Up) EA 5.2K Axle Frame Upgrade for MES Models PBF Upgrade to 16" O/C Floor Crossmembers PBF Upgrade to 7 Ussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS EA 23" x 58" Side Access Door EA 32" x 56" Side Access Door EA 42" x 72" Side Access Door EA <td< td=""><td>Propane Tank, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet Track Melt System (Add to Inline Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 20# Tongue-Mounted</td><td></td><td></td></td<> | Propane Tank, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet Track Melt System (Add to Inline Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 20# Tongue-Mounted | | |
| Upgrade to Radius Roof Construction (Up to 30') PBF Add Slope in V-Nose PKG 6" Extra Height PBF 12" Extra Height PBF Height Decrease 6" PBF Height Decrease 12" PBF Height Decrease 12" PBF Additional Length in 2" Intervals (7 wide) PBF Additional Length in 2" Intervals (8.5 wide) Per 2" Additional Length in 2" Intervals (8.5 wide) Per 2" 2 6/16" Coupler Upgrade EA Add Showing Beavertail (MES 101" Models) PKG Add Beavertail W. Extra High Door (6.5 wide +, 16' +) EA Reverse Beavertail Construction on (7' wides & Up) EA 5.2K Axle Frame Upgrade for MES Models PBF Upgrade to .090 Wall Studs (6.5 wide +) PBF Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS EA 2" x 58" Side Access Door EA 32" x 66" Side Access Door EA 40 upgrade to 32" x 72" Radius Side Access Door (From 32" x 66" or 72" Door) PKG Radius RV Door 32" x 72" w/Screen (Window Optional) | | | |
| Add Slope in V-Nose PKG 6° Extra Height PBF 12" Extra Height PBF Height Decrease 6" PBF Height Decrease 12" PBF Additional Length in 2' Intervals (7 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' Additional Length in 2' Intervals (8.5 wide) Per 2' Add Showing Beavertail (MES 101" Models) EA Add Showing Beavertail (MES 101" Models) EA Add Beavertail W- Extra High Door (6.5 wide +, 16" +) EA S2/EX Axle Frame Upgrade for MES Models PBF Upgrade to 16" O/C Floor Crossmembers PBF Upgrade to 5" used Kof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS EA 2" x 58" Side Access Door (Crossover's & MES DL's) EA 32" x 58" Side Access Door EA 32" x 72" Side Access Door EA 12" x 72" Side Access Door EA 12" x 72" Side Access Door EA 12" x 72" Side Access Door (from 32" x 66" or 72" Door) PKG | | | PBF |
| 12" Extra Height PBF Height Decrease 6" PBF Height Decrease 12" PBF Additonal Length in 2' Intervals (7 wide) Per 2' Additonal Length in 2' Intervals (8.5 wide) Per 2' Additonal Length in 2' Intervals (8.5 wide) Per 2' Add Showing Beavertail (MES 101" Models) PKG Add Showing Beavertail w/ Extra High Door (6.5 wide +, 16'+) EA Reverse Beavertail Construction on (7' wides & Up) EA 5.2K Axle Frame Upgrade for MES Models PBF Upgrade to 16" O/C Floor Crossmembers PBF Upgrade to 0.90 Wall Studs (6.5 wide +) PBF Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS EA 28" x 58" Side Access Door (Crossover's & MES DL's) EA 32" x 58" Side Access Door EA 32" x 72" Side Access Door EA 40 Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) PKG Radius RV Door 32" x 72" w/Screen (Window Optional) EA | | | PKG |
| Height Decrease 6° PBF Height Decrease 12° PBF Additonal Length in 2' Intervals (7 wide) Per 2' Additonal Length in 2' Intervals (7.5 wide) Per 2' Additonal Length in 2' Intervals (8.5 wide) Per 2' Add Showing Beavertail (MES 101" Models) EA Add Showing Beavertail (MES 101" Models) PKG Add Beavertail w/ Extra High Door (6.5 wide +, 16' +) EA Reverse Beavertail Construction on (7' wides & Up) EA 5.2K Axle Frame Upgrade for MES Models PBF Upgrade to 16" O/C Floor Crossmembers PBF Upgrade to 7 russed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS EA 32" x 58" Side Access Door (Crossover's & MES DL's) EA 32" x 58" Side Access Door EA 32" x 72" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) PKG Radius RV Door 32" x 72" w/Screen (Window Optional) EA | 6" Extra Height | | PBF |
| Height Decrease 6° PBF Height Decrease 12° PBF Additonal Length in 2' Intervals (7 wide) Per 2' Additonal Length in 2' Intervals (7.5 wide) Per 2' Additonal Length in 2' Intervals (8.5 wide) Per 2' Additonal Length in 2' Intervals (8.5 wide) Per 2' 2 5/16° Coupler Upgrade EA Add Showing Beavertail (MES 101° Models) PKG Add Beavertail w/ Extra High Door (6.5 wide +, 16' +) EA Reverse Beavertail Construction on (7' wides & Up) EA 5.2K Axle Frame Upgrade for MES Models PBF Upgrade to 16" O/C Floor Crossmembers PBF Upgrade to 7 ussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS EA 32" x 58" Side Access Door (Crossover's & MES DL's) EA 32" x 58" Side Access Door EA 32" x 72" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) PKG Radius RV Door 32" x 72" w/Screen (Window Optional) EA | 12" Extra Height | | PBF |
| Additonal Length in 2' Intervals (7 wide) Per 2' Additonal Length in 2' Intervals (8.5 wide) Per 2' Additonal Length in 2' Intervals (8.5 wide) Per 2' 2 5/16" Coupler Upgrade EA Add Showing Beavertail (MES 101" Models) PKG Add Beavertail w/ Extra High Door (6.5 wide +, 16'+) EA Reverse Beavertail Construction on (7' wides & Up) EA 5.2K Axle Frame Upgrade for MES Models PBF Upgrade to 16" O/C Floor Crossmembers PBF Upgrade to .090 Wall Studs (6.5 wide +) PBF Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS EA 26" x 58" Side Access Door (Crossover's & MES DL's) EA 32" x 66" Side Access Door EA 32" x 66" Side Access Door EA 40 Upgrade to 32" x 72" Side Access Door (from 32" x 66" or 72" Door) PKG Radius RV Door 32" x 72" w/Screen (Window Optional) EA | Height Decrease 6" | | PBF |
| Additonal Length in 2' Intervals (7.5 wide) Per 2' Additonal Length in 2' Intervals (8.5 wide) Per 2' 2 5/16" Coupler Upgrade EA Add Showing Beavertail (MES 101" Models) PKG Add Beavertail w/ Extra High Door (6.5 wide +, 16' +) EA Reverse Beavertail Construction on (7' wides & Up) EA 5.2K Axle Frame Upgrade for MES Models PBF Upgrade to 16" O/C Floor Crossmembers PBF Upgrade to 0.90 Wall Studs (6.5 wide +) PBF Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS EA 26" x 58" Side Access Door (Crossover's & MES DL's) EA 32" x 58" Side Access Door (Crossover's & MES DL's) EA 32" x 72" Side Access Door EA 40 Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) PKG Radius RV Door 32" x 72" w/Screen (Window Optional) EA | Height Decrease 12" | | PBF |
| Additonal Length in 2' Intervals (8.5 wide) 2 5/16" Coupler Upgrade EA Add Showing Beavertail (MES 101" Models) Add Beavertail w/ Extra High Door (6.5 wide +, 16' +) EA Reverse Beavertail Construction on (7' wides & Up) 5.2K Axle Frame Upgrade for MES Models PBF Upgrade to 16" O/C Floor Crossmembers PBF Upgrade to 16" O/C Floor Crossmembers PBF Upgrade to 100 Wall Studs (6.5 wide +) PBF Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS 26" x 58" Side Access Door (Crossover's & MES DL's) 32" x 58" Side Access Door EA 32" x 72" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) | Additional Length in 2' Intervals (7 wide) | | Per 2' |
| 2 5/16" Coupler Upgrade Add Showing Beavertail (MES 101" Models) PKG Add Beavertail w/ Extra High Door (6.5 wide +, 16' +) EA Reverse Beavertail Construction on (7' wides & Up) EA 5.2K Axle Frame Upgrade for MES Models PBF Upgrade to 16" O/C Floor Crossmembers PBF Upgrade to .090 Wall Studs (6.5 wide +) PBF Upgrade to .090 Wall Studs (6.5 wide +) PBF Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS 26" x 58" Side Access Door (Crossover's & MES DL's) 32" x 58" Side Access Door EA 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) | Additional Length in 2' Intervals (7.5 wide) | | Per 2' |
| Add Showing Beavertail (MES 101" Models) Add Beavertail w/ Extra High Door (6.5 wide +, 16' +) EA Reverse Beavertail Construction on (7' wides & Up) 5.2K Axle Frame Upgrade for MES Models Upgrade to 16" O/C Floor Crossmembers Upgrade to .090 Wall Studs (6.5 wide +) Upgrade to .090 Wall Studs (6.5 wide +) PBF Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS 26" x 58" Side Access Door (Crossover's & MES DL's) 32" x 58" Side Access Door EA 32" x 56" Side Access Door EA 32" x 72" Side Access Door EA 32" x 72" Side Access Door EA 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) | Additional Length in 2' Intervals (8.5 wide) | | Per 2' |
| Add Beavertail w/ Extra High Door (6.5 wide +, 16' +) Reverse Beavertail Construction on (7' wides & Up) 5.2K Axle Frame Upgrade for MES Models Upgrade to 16" O/C Floor Crossmembers Upgrade to .090 Wall Studs (6.5 wide +) Upgrade to .090 Wall Studs (6.5 wide +) PBF Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS 26" x 58" Side Access Door (Crossover's & MES DL's) A32" x 58" Side Access Door EA 32" x 56" Side Access Door EA 32" x 72" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) | 2 5/16" Coupler Upgrade | | EA |
| Reverse Beavertail Construction on (7' wides & Up) 5.2K Axle Frame Upgrade for MES Models Upgrade to 16" O/C Floor Crossmembers Upgrade to .090 Wall Studs (6.5 wide +) Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS 26" x 58" Side Access Door (Crossover's & MES DL's) 32" x 56" Side Access Door EA 32" x 75" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) EA | Add Showing Beavertail (MES 101" Models) | | PKG |
| 5.2K Axle Frame Upgrade for MES Models Upgrade to 16" O/C Floor Crossmembers Upgrade to .090 Wall Studs (6.5 wide +) Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS 26" x 58" Side Access Door (Crossover's & MES DL's) 32" x 58" Side Access Door EA 32" x 66" Side Access Door EA 32" x 72" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) EA EBF DEF DOORS, RAMPS & COMPARTMENTS EA EA EA EA EA EA EA EA EA E | Add Beavertail w/ Extra High Door (6.5 wide +, 16' +) | | EA |
| Upgrade to 16" O/C Floor Crossmembers Upgrade to .090 Wall Studs (6.5 wide +) Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS 26" x 58" Side Access Door (Crossover's & MES DL's) 26" x 58" Side Access Door EA 32" x 66" Side Access Door EA 32" x 72" Side Access Door Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) PKG Radius RV Door 32" x 72" w/Screen (Window Optional) | Reverse Beavertail Construction on (7' wides & Up) | | EA |
| Upgrade to .090 Wall Studs (6.5 wide +) Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS 26" x 58" Side Access Door (Crossover's & MES DL's) EA 32" x 58" Side Access Door EA 32" x 66" Side Access Door EA 32" x 72" Side Access Door Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) EA | 5.2K Axle Frame Upgrade for MES Models | | PBF |
| Upgrade to Trussed Roof System (Not compatible w/Radius) PBF DOORS, RAMPS & COMPARTMENTS 26" x 58" Side Access Door (Crossover's & MES DL's) 26" x 58" Side Access Door EA 32" x 66" Side Access Door EA 32" x 72" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) EA | Upgrade to 16" O/C Floor Crossmembers | | PBF |
| DOORS, RAMPS & COMPARTMENTS 26" x 58" Side Access Door (Crossover's & MES DL's) EA 32" x 58" Side Access Door EA 32" x 72" Side Access Door EA 32" x 72" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) PKG Radius RV Door 32" x 72" w/Screen (Window Optional) | Upgrade to .090 Wall Studs (6.5 wide +) | | PBF |
| 26" x 58" Side Access Door (Crossover's & MES DL's) EA 32" x 58" Side Access Door EA 32" x 66" Side Access Door EA 32" x 72" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) EA | Upgrade to Trussed Roof System (Not compatible w/Radius) | | PBF |
| 32" x 58" Side Access Door 32" x 66" Side Access Door EA 32" x 72" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) PKG Radius RV Door 32" x 72" w/Screen (Window Optional) EA | DOORS, RAMPS & COMPARTMENTS | | |
| 32" x 66" Side Access Door 32" x 72" Side Access Door EA Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) EA | 26" x 58" Side Access Door (Crossover's & MES DL's) | | EA |
| 32" x 72" Side Access Door Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) PKG Radius RV Door 32" x 72" w/Screen (Window Optional) EA | 32" x 58" Side Access Door | | EA |
| Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) Radius RV Door 32" x 72" w/Screen (Window Optional) EA | 32" x 66" Side Access Door | | EA |
| Radius RV Door 32" x 72" w/Screen (Window Optional) | 32" x 72" Side Access Door | | EA |
| | Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door) | | PKG |
| Upgrade to 36" Wide Side Access Door (from 32") | Radius RV Door 32" x 72" w/Screen (Window Optional) | | EA |
| | Upgrade to 36" Wide Side Access Door (from 32") | | EA |

| POPULAR ENCLOSED SNOW OPTIONS (cont.) | PRICE | UOM |
|--|-------|-----|
| DOORS, RAMPS & COMPARTMENTS (cont.) | | |
| Upgrade to 48" Wide Side Access Door (from 32") | | EA |
| Add Step Well for Side Access Door | | EA |
| Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp) | | EA |
| Spring Assist Front Ramp | | EA |
| Fuel Door 14" x 14" w/Paddle Handle | | EA |
| Fuel Door 24" x 24" w/Paddle Handle | | EA |
| RV-Style Pull-Out Step (Steel) | | EA |
| Aluminum Pull-Out Step | | EA |
| Alluminum Fold Down Step | | EA |
| Aluminum Loop Step Stationary | | EA |
| Keyed Locking Hasps for Rear Ramp | | SET |
| Locking Bar for Side Access Door | | EA |
| Keyed Locking Hasps for Side Door Locking Bar | | SET |
| Upgrade to Stainless Steel Locking Barr for Barn Door | | SET |
| Upgrade to 48" Stainless Locking Bars for Ramp | | SET |
| Rear Door Air Curtain | | EA |
| Split-Style Rear Access Doors w/ Glass Windows | | PKG |
| Keyless Paddle Handle Entry System for SAD | | SET |
| EXTERIOR OPTIONS | | |
| 24" Anodized Side & Rear Trim Panel | | PBF |
| 24" Diamond Plate Side & Rear Trim Panel | | PBF |
| .040 Skin Upgrade (Call for Colors) | | PBF |
| .050 Skin Upgrade (Call for Colors) | | PBF |
| Upgrade to 36" Stone Guard from 24" | | EA |
| Upgrade to 48" Stone Guard from 24" | | EA |
| Two-Tone Color w/ 6" Anodized Divider | | PKG |
| Two-Tone Color w/ 12" Anodized Divider | | PKG |
| Two-Tone Color w/ 24" Anodized Divider | | PKG |
| Anodized Nose Cap | | PKG |
| INTERIOR OPTIONS | | |
| White .030 Aluminum Side Walls, Bonded | | PBF |
| White .030 Aluminum Side Walls, Screwed | | PBF |
| White .030 Aluminum Ceiling, Bonded | | PBF |
| White .030 Aluminum Ceiling, Screwed | | PBF |
| White Vinyl Faced Luan Ceiling | | PBF |
| White Vinyl Faced Luan Walls | | PBF |
| Upgrade to 3/8" Plywood Walls | | PBF |
| 3/4" Foam Insualtion - Side Walls | | PBF |
| 3/4" Foam Insualtion - Ceiling (Require Ceiling liner) | | PBF |
| .030 Aluminum Cove (All Colors) | | PBF |
| Anodized Roof Coves | | PBF |
| Anodized Spring Cover | | EA |
| Diamond Plate Spring Cover | | EA |
| White .030 Spring Cover | | EA |
| Diamond Plate Kick Plate (12") | | PBF |

| Upgrade to 3/4" Marine Grade Plywood (from 3/4" Water Resistant) | | PBF |
|--|-------|------------|
| Upgrade to Quad-Ply Flooring | | PBF |
| POPULAR ENCLOSED SNOW OPTIONS (cont.) | PRICE | UOM |
| TRACK MATS & SKI GUIDES | | |
| Ski Guides 12' Box Only | | SET |
| Ski Guides 14' Box Only | | SET |
| Ski Guides 16' Box Only | | SET |
| Ski Guides 18' Box Only | | SET |
| Ski Guides 20' & 22' Box Only | | SET |
| Ski Guides - Front Ramp | | SET |
| Ski Guides - Rear Ramp | | SET |
| Track Mats 12' Box only | | SET |
| Track Mats 14' Box only | | SET |
| Track Mats 16' Box only | | SET |
| Track Mats 18' Box only | | SET |
| Track Mats 20' Box only | | SET |
| Track Mats 22' Box only Track Mats - Front Ramp | | SET SET |
| Track Mats - Rear Ramp | | SET |
| Paddle Grabbers - (Set of 6 Pieces) | | SET |
| TIRE/WHEEL ASSEMBLIES & ACCESSORIES | | OLI |
| Upgrade to 13" Tires from 12" Tires | | EA |
| Upgrade to 15" Tires from 12" Tires | | EA |
| Upgrade to 13" Aluminum Rims From 13" Silver | | EA |
| Upgrade to 15" Silver Mod From 13" Silver Mod | | EA |
| Upgrade to 15" 225 Silver Mod From 15" 205's | | EA |
| Upgrade to 15" Aluminum Rims From 15" Silver Mod | | EA |
| Upgrade to Black Aluminum Rims from Aluminum (Same Size) | | EA |
| Spare 12" Silver Mod (145/R12E) | | EA |
| Spare 13" Silver Mod (175/R8013") | | EA |
| Spare 15" Silver Mod (205/75R15") | | EA |
| Spare 13" Aluminum Rim (175R13") T07 | | EA |
| Spare 15" Aluminum Rim (205/75R15) T07 | | EA |
| Spare 15" Silver Mod Wheel (225/75R15) | | EA |
| Spare 15" Aluminum (225/75R15) | | EA |
| Elevated Spare Tire Mount | | EA |
| Spare Tire Mount - Floor Level | | EA |
| Recessed Diamond Plate Spare Tire Well | | EA |
| AXLES | | |
| Upgrade from 1-3500 Idler to 2-2200# Braked Axles | | PKG |
| Upgrade from 1-3500# lider to 1-3500# Braked Axles | | PKG |
| Upgrade from 1-3500# Ilder to 2 -3500# Braked Axles | | PKG |
| Upgrade from 2-2200 Braked to 2-3500# Braked Axles Required MES Frame Upgrade for 9990CVM/P | | PKG PBF |
| Required MES Frame Upgrade for 9990GVWR Upgrade from 2-3500 Braked to 3-3500# Braked Axles | | PKG |
| Upgrade from 2-3500 Braked to 2-5200# Braked Axles w/ Frame Upgrade | | PKG |
| Upgrade to Surge Brakes (from compatable brake size) | | PKG |
| opgrade to odige brakes (nom compatable brake size) | | 1110 |

| POPULAR ENCLOSED SNOW OPTIONS (cont.) | PRICE | UOM |
|---|-------|------|
| TIE-DOWNS | | |
| Additional Sliding D-Rings (for Slide Track) | | EA |
| Surface Mounted D-Rings | | EA |
| Heavy-Duty Recessed D-Rings | | EA |
| Heavy-Duty Recessed 6000# Swivel D-Rings (Zinc) | | EA |
| Heavy-Duty Recessed 6000# Swivel D-Rings (Stainless Steel) | | EA |
| Single Wheel Chock w/ 4 D-Rings | | PKG |
| andem Wheel Chocks w/ 8 D-Rings | | PKG |
| Single Wheel Chock w/ 4 HD-Rings | | PKG |
| andem Wheel Chocks w/ 8 HD-Rings | | PKG |
| Additional Recessed Wheel Chock | | EA |
| Additional Row of Recessed Slide Track (Per Row) | | PLF |
| E-Track Surface Mounted (Floor) | | PLF |
| E-Track Surface Mounted (Wall) | | PLF |
| E-Track HD Recessed w/Backing Plate (Floor) | | PLF |
| E-Track HD with Backing Plate (Walls) | | PLF |
| E-Track Aluminum Surface Mounted (Wall) | | PLF |
| E-Track Aluminum HD Recessed w/ Backing Plate (Floor) | | PLF |
| E-Track Aluminum HD Recessed w/ Backing Plate (Walls) | | PLF |
| Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings 2V LIGHTING & ELECTRICAL | | PLF |
| ED Back Up Lights | | SET |
| Additional LED Brake Lights | | SET |
| Additional LED Marker Lights | | EA |
| Anodized Loading Lights (Over Spring) | | EA |
| Cold Weather HD Arctic Flex 7-Way Wire Harness | | EA |
| 2) 12V LED Load Lights (Double Lights w/ Single Switch, 950 Lumen) | | PKG |
| 2V LED Load Light (Single Light w/ Switch, 950 Lumen) | | EA |
| .ED Loading Light Package for Side of Trailer (1 Light w/Switch, 950 lumens, & Housing) | | PKG |
| 2V LED Porch Light w/Wall Switch | | EA |
| Aidship Turn Signals (LED) | | PAIR |
| Angled Backup Lights (Mounts on side of trailer) | | PAIR |
| 2v Electric Jack w/Battery | | PKG |
| Additional 12V LED Dome Light (460 lumens) | | EA |
| 2V Standard Wall Switch | | EA |
| ED Puck Light Package (Includes 8 recessed lights & wall switch)(requires ceiling liner) | | SET |
| 8" Recessed LED Dome Light (require ceiling liner) | | EA |
| 2V Battery Trickle Charger | | EA |
| Deep Cycle Battery & Box - Wired | | EA |
| ED Strip Light w/ Housing Package (Per Foot, Per Section) | | PLF |
| Rear Canopy Loading Light System - 2013 Version (Not available w/Radius Roof) | | DVC |
| | | PKG |

| POPULAR ENCLOSED SNOW OPTIONS (cont.) | UOM |
|---|------|
| 110V LIGHTING & ELECTRICAL | |
| 110V Package #1 - (Includes (1) 15 AMP Motobase Plug, (1) Wall switch, (1) Receptacle, (1) 4' LED Wraparound Light (no additions available w/ | |
| this package) | PKG |
| 110V Package #2 - (Includes -30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall switches, (1) Standard WallReceptacle, (1) GFI Wall Receptacle (2) 4' LED Wraparound Lights | DICO |
| Receptacle (2) 4 LED Wilaparound Lights | PKG |
| 110V Package #5 - (Includes -60AMP Breaker w/ Converter, (1) Motorbase Plug, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights, Deep Cycle Battery & Box | PKG |
| Upgrade to 50 AMP Breaker w/25' Shore Line | EA |
| 30 AMP Motorbase Plug (Replaces Shoreline) | EA |
| 30 AMP Power Converter | EA |
| 110V Interior Wall Switch | EA |
| 110V 3-Way Switch | EA |
| Interior GFI Receptacle | EA |
| Exterior GFI Receptacle | EA |
| 4' LED Light (Wraparound) | EA |
| 500W Recessed Quartz Light w/Housing | EA |
| 13,500 BTU Roof Mounted Air Conditioner (Requires 110 #2) | EA |
| Heat Strip for A/C Unit | EA |
| Brace & Wire Stub for Future A/C | EA |
| 16,000 BTU Furnace w/Deep Cycle Battery, Propane Tank (Cabinet Sold Separelty) | PKG |
| 35,000 BTU Furnace w/Deep Cycle Battery, Propane Tank (Cabinet Sold Separelty) CABINETS | PKG |
| 4' Straight Wall 2-Door Cabinet | EA |
| 6' Straight Wall 2-Door Cabinet | EA |
| 8' Straight Wall 4-Door Cabinet | EA |
| 8' Overhead Cabinet w/ 4 - Doors | EA |
| 4' Overhead Deluxe Cabinet 48"Lx18"Hx12"D - 2Door | EA |
| 62" Economy Overhead Cabinet - 1Door, 62"Lx18"Hx12"D | EA |
| 60" Angled Base Cabinet (Snow Trailer V-Nose) | EA |
| AWNINGS | |
| 12' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 13' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 14' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 15' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 16' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 17' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 18' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 19' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 20' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 21' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| VENTS & WINDOWS | |
| Roof Vent (Extra) | EA |
| 12 Volt Power Vent | EA |
| 110 Volt Power Vent (Require 110V PKG #2) | EA |

| Maxx Air Vent Cover | | EA |
|--|-------|------|
| Plastic Side Wall Vents | | PAIR |
| Aluminum, Two-Way Directional Salem Vents | | PAIR |
| 18" x 24" Radius Sliding Window | | EA |
| 24" x 36" Radius Sliding Window | | EA |
| 24" x 36" Radius Sliding Egress Window | | EA |
| POPULAR ENCLOSED SNOW OPTIONS (cont.) | PRICE | UOM |
| MISC. OPTIONS & ACCESSORIES | | |
| Fold-Down Sofa/Sleeper | | EA |
| Fold-Down Bunk Beds | | EA |
| Fold-Down Dinette/Sleeper | | EA |
| Stabilizer Jacks | | PAIR |
| Scissor Jacks (Camper Style) | | PAIR |
| Fold-Down Aluminum Work Bench or Sitting Bench | | EA |
| 30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Control Panel w/Guage (Requires Marine Grade Battery) | | PKG |
| Stay Dry Package (8' Slide Channel Installed in Roof w/ 8 Sliding Hooks) | | PKG |
| Basic Stereo Package - Includes (4) Boss Speakers | | PKG |
| EXTREME WEATHER PACKAGE - ADD-ONS | | |
| Kicker Stereo Package (Includes (6) Speakers, AMP & Subwoofer, with Clairion Face Unit w/ Blue Tooth Capabilities.) | | PKG |
| Boot Warmer Package | | PKG |

ENCLOSED SNOW IALL-SPORT PEAK VALUE!

STANDARD FEATURES

- All-Aluminum Construction, 2" x 5" Main Frame
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- Dexter Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist w/FTH Flap
- Front Ramp Door w/ Spring Assist
- 3/4" Water Resistant Decking
- 4x Recessed D-Rings
- Polished Aluminum Fender Flares

- 48" Beavertail Construction
- White Luan Interior Walls & Ceiling
- · Recessed LED Exterior Lights
- 3 Interior Dome Lights w/ Switch
- Drive-Over Fender Kit
- Roof Vent
- 12500# A-Frame Coupler w/ 2 5/16" Ball
- 32"x72" Side Access Door
- Tri-Frame Tongue
- 24" Bright Stoneguard
- HD Center Jack



• Limited Lifetime Warranty



| STANDARD SPECIFICATIONS | | | | |
|-------------------------|------------------|------------------|------------------|------------------|
| TRAILER MODEL | MCH8.5X16AS-PV | MCH8.5X18AS-PV | MCH8.5X22AS-PV | MCH8.5X24AS-PV |
| Box WxLxH | 99"x16'x84" | 99"x18'x84" | 99"x22'x84" | 99"x24'x84" |
| nterior WxLxH | 96"x15'10"x6'10" | 96"x17'10"x6'10" | 96"x21'10"x6'10" | 96"x23'10"x6'10" |
| Overall WxLxH | 102"x23'9"x9'4" | 102"x25'9"x9'4" | 102"x29'9"x9'4" | 102"x31'9"x9'4" |
| Deck Height | 18" | 18" | 18" | 18" |
| Rear Door Opening | 89"x81" | 89"x81" | 89"x81" | 89"x81" |
| Axle(s) - Qty/Rating) | 2-3500# Braked | 2-3500# Braked | 2-3500# Braked | 2-3500# Braked |
| Wheels | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires | 205/75R15 | 205/75R15 | 205/75R15 | 205/75R15 |
| GVWR | 7000# | 7000# | 7000# | 7000# |
| Curb Weight | TBD | TBD | TBD | TBD |
| Payload | TBD | TBD | TBD | TBD |
| Hitch Height | 15" | 15" | 15" | 15" |

| DOORS/WINDOWS/VENTS | PRICE | UOM |
|-----------------------------|--|--|
| 4' X 4' Escape Door | | EA |
| AXLE & FRAME UPGRADE | | |
| Upgrade to 2-5200# axles w/ | | EA |
| UPGRADE AVAILABLE) | | |
| | 4' X 4' Escape Door AXLE & FRAME UPGRADE Upgrade to 2-5200# axles w/ Frame Upgrade (ONLY | 4' X 4' Escape Door AXLE & FRAME UPGRADE Upgrade to 2-5200# axles w/ Frame Upgrade (ONLY |

ALL-SPORT CAR HAULERS

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist
- Front Ramp Door w/ Spring Assist
- w/ New FTH Flap System

- 3/4" Water Resistant Decking
- Polished Aluminum Fender Flares
- 48" Beavertail Construction
- White Luan Interior Walls & Ceiling
- Recessed LED Lights
- 3 Interior Dome Lights
- Drive-Over Fender Kit
- Roof Vent
- - 12500# A-Frame Coupler w/ 2 5/16" Ball

- 32"x72" Side Access Door w/ Step Well
- Tri-Frame Tongue
- Recessed HD D-Rings
- Roof Vent
- 24" Bright Stoneguard

- HD Center Jack
- 5000# Wheel Jack
- (2) 7800# Safety Chains
- Limited Lifetime Warranty



| STANDARD SPECIFIC | STANDARD SPECIFICATIONS & PRICING | | | | | | | | |
|-----------------------|-----------------------------------|-----------------|-----------------|-----------------|------------------|------------------|------------------|--|--|
| TRAILER MODEL | MCH8.5x16AS | MCH8.5x18AS | MCH8.5x20AS | MCH8.5x22AS | MCH8.5x24AS | MCH8.5x28AS | MCH8.5x32AS | | |
| Box WxLxH | 99"x78"x16' | 99"x78"x18' | 99"x78"x20' | 99"x78"x22' | 99"x78"x24' | 99"x78"28' | 99"x78"x32' | | |
| Interior WxLxH | 96"x76"x15'10" | 96"x76"x17'10" | 96"x76"x19'10" | 96"x76"x21'10" | 96"x76"x23'10" | 96"x76"x27'10" | 96"x76"x31'10" | | |
| Overall WxLxH | 102"x23'9"x8'8" | 102"x25'9"x8'8" | 102"x27'9"x8'8" | 102"x29'9"x8'8" | 102"x31'9"x8'10" | 102"x35'9"x8'10" | 102"x39'9"x8'10" | | |
| Subframe Tubing | 2" x 6" | 2" x 6" | 2" x 6" | 2" x 6" | 2" x 8" | 2"{ x 8" | 2" x 8" | | |
| Deck Height | 18" | 18" | 18" | 18" | 20" | 20" | 20" | | |
| Hitch Height | 15" | 15" | 15" | 15" | 17" | 17" | 17" | | |
| Rear Door Opening WxH | 89" x 75" | 89" x 75" | 89" x 75" | 89" x 75" | 89" x 75" | 89" x 75" | 89" x 75" | | |
| Front Door Opening | 55" x 72" | 55" x 72" | 55" x 72" | 55" x 72" | 55" x 72" | 55" x 72" | 55" x 72" | | |
| Axle(s) - Qty/Rating) | 2-5200# Braked | 2-5200# Braked | 2-5200# Braked | 2-5200# Braked | 2-5200# Braked | 2-5200# Braked | 2-5200# Braked | | |
| Wheels | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | | |
| Tires | 225/75R15 | 225/75R15 | 225/75R15 | 225/75R15 | 225/75R15 | 225/75R15 | 225/75R15 | | |
| GVWR | 9900# | 9900# | 9900# | 9900# | 9900# | 9900# | 9900# | | |
| Curb Weight | 2415# | 2850# | 2900# | 2950# | 3050# | 3250# | TBD | | |
| Payload | 7485# | 7050# | 7000# | 6950# | 6850# | 6650# | TBD | | |
| BASE PRICE | | | | | | | | | |

| OPTIONS & ACCESSORIES | | |
|---|----------|-----|
| STRUCTURE | PRICE | UOM |
| 6" Extra Height | | PBF |
| 12" Extra Height | | PBF |
| AXLES | | |
| Upgrade from 2-5200# Braked to 2-6000# Braked | | PKG |
| Upgrade from 2-5200# Braked to 2-7000# Braked | | PKG |
| WHEELS | | |
| Upgrade to 225 15" Aluminum Rims From 15" Silver Mod | | EA |
| Upgrade to 235 16" Aluminum Rims From 16" Silver Mod | | EA |
| DOORS/WINDOWS/VENTS | | |
| 4' X 4' Escape Door | | EA |
| Fuel Door 14" x 14" w/Paddle Handle | | EA |
| Fold-Down Aluminum Step (for All Sports) | | EA |
| (Expanded list of available options can be found in the All Sport & MEG-EW option S | Section) | |

| POPULAR ALL-SPORT & MEG-EW OPTIONS | PRICE | UOM |
|---|-------|--------|
| SPECIAL PACKAGES | | |
| Boondocker Package - Snow Trailers: Includes (Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp with Spring Assist (72" opening), or Package - Snow Trailers: Includes (Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp with Spring Assist (72" opening), or Package - Snow Trailers: Includes (Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp with Spring Assist (72" opening), or Package - Snow Trailers: Includes (Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp with Spring Assist (72" opening), or Package - Snow Trailers: Includes (Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp with Spring Assist (72" opening), or Package - Snow Trailers: Includes (Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp with Spring Assist (72" opening), or Package - Snow Trailers: Includes (Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp with Spring Assist (72" opening), or Package - Snow Trailers: Includes (Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp with Spring Assist (72" opening), or Package - Snow Trailers: Include - | §. | PBF |
| 6" DP Kickplate Extreme Weather Package (All-Sport Car Haulers) - Includes Upgrade to Foam Insulated Insulated Walls and Ceiling, 110 Package #2, 60 AMP Converter w/ Breaker Box, Exterior MotoBase Plug, 35,000 BTU Furnace, Safety Kit (Fire Extinguisher, CO2 Detector & Smoke Alarm), Marine Grade Battery, 120" V-Nose Wrap Around Cabinet w/Furnace Compartment and Vented Battery Box and (1) 20# Tongue-Mounted | | PKG |
| Propane Tank.) Ducted Cabinet Package - Upgrade for Extreme Weather Package. Includes 4" Flex Piping w.030 Aluminum Surround (60") and 48" Cabinet | | PKG |
| Midnight Package - (Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24") | | PBF |
| Track Melt System (Add to Models w/ Extreme Weather Package on All-Sports & MEG-EW's) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, Marine Grade Grade Battery w/ Box, 30# Propane Tank Upgrade& 4' Base Cabinet | | PKG |
| Track Melt System (Add to All-Sport Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 20# Tongue-Mounted Propane Tank, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet CONSTRUCTION OPTIONS | | PKG |
| Upgrade to Radius Roof Construction (Up to 30') | | PBF |
| Add Slope in V-Nose | | PKG |
| · | | PBF |
| " Extra Height 12" Extra Height | | PBF |
| 18" Extra Height (Requires HD Ramp or Barn Door Upgrade) | | PBF |
| Height Decrease 6" | | PBF |
| Height Decrease 12" | | PBF |
| Additional Length in 2' Intervals (8.5 wide) | | Per 2' |
| Reverse Beavertail Construction on (7' wides & Up) | | EA |
| Jpgrade to .090 Wall Studs (6.5 wide +) | | PBF |
| Jpgrade to Trussed Roof System (Not compatible w/Radius) | | PBF |
| Jpgrade to 12V Hydraulic Landing Gear w/ Battery (Goosenecks - Single Tube Design, From MEG w/ Tandem Manual) | | EA |
| DOORS, RAMPS & COMPARTMENTS | | LA |
| 22" x 72" Side Access Door | | EA |
| Radius RV Door 32" x 72" w/Screen (Window Optional) | | EA |
| Jpgrade to Radius RV Door 32" x 72" w/Screen (Window Optional) from STD Door 32"x72" | | EA |
| Jpgrade to 32" x 72" Radius Side Access Door (from Standard Door) | | EA |
| Jpgrade to 36" Wide Side Access Door (from 32") | | EA |
| Jpgrade to 48" Wide Side Access Door (from 32") | | EA |
| 30" x 30" Generator Door w/Salem Vent (Lockable) | | EA |
| 36" x 36" Generator Door w/Salem Vent (Lockable) | | EA |
| Generator Slide 16" | | EA |
| Generator Box 30"Hx30"Wx24"D (Door Optional) | | EA |
| Generator Box 36"Hx36"Wx24"D (Door Optional) | | EA |
| Jpgrade to Insulated Generator Compartment | | EA |
| Propane Compartment 30"h x 30"w x 24" w/ Vented Non Locking Door | | EA |
| Propane Compartment 36"h x 36"w x 24" w/ Vented Non Locking Door | | EA |
| Fuel Door 14" x 14" w/Paddle Handle | | EA |
| Fuel Door 24" x 24" w/Paddle Handle | | EA |
| 4' x 4' Escape Door | | EA |
| 6' x 8' Elite Escape Door w/Removable Fender | | EA |
| RV-Style Pull-Out Step (Steel) | | EA |
| Aluminum Pull-Out Step | | EA |

| POPULAR ALL-SPORT & MEG-EW OPTIONS (cont.) | PRICE | UOM |
|--|-------|-----|
| DOORS, RAMPS & COMPARTMENTS (cont.) | | |
| Aluminum Fold-Down Step | | EA |
| Keyed Locking Hasps for Rear Ramp | | SET |
| Locking Bar for Side Access Door | | EA |
| Keyed Locking Hasps for Side Door Locking Bar | | SET |
| Upgrade to Stainless Steel Locking Barr for Barn Door | | SET |
| Upgrade to 48" Stainless Locking Bars for Ramp | | SET |
| Rear Door Air Curtain | | EA |
| Split-Style Rear Access Doors w/ Glass Windows | | PKG |
| Keyless Paddle Handle Entry System for SAD | | SET |
| 24" Anodized Side & Rear Trim Panel | | PBF |
| 24" Diamond Plate Side & Rear Trim Panel | | PBF |
| .040 Skin Upgrade (Call for Colors) | | PBF |
| .050 Skin Upgrade (Call for Colors) | | PBF |
| Upgrade to 36" Stone Guard from 24" | | EA |
| Upgrade to 48" Stone Guard from 24" | | EA |
| Two-Tone Color w/ 6" Anodized Divider | | PKG |
| Two-Tone Color w/ 12" Anodized Divider | | PKG |
| Two-Tone Color w/ 24" Anodized Divider | | PKG |
| Anodized Nose Cap | | PKG |
| INTERIOR OPTIONS | | |
| White .030 Aluminum Side Walls, Bonded | | PBF |
| White .030 Aluminum Side Walls, Screwed | | PBF |
| White .030 Aluminum Ceiling, Bonded | | PBF |
| White .030 Aluminum Ceiling, Screwed | | PBF |
| Plywood Reinforced Walk-On Ceiling | | PBF |
| Upgrade to 3/8" Plywood Walls | | PBF |
| 3/4" Foam Insualtion - Side Walls | | PBF |
| 3/4" Foam Insualtion - Ceiling (Require Ceiling liner) | | PBF |
| .030 Aluminum Cove (All Colors) | | PBF |
| Anodized Roof Coves | | PBF |
| Anodized Spring Cover | | EA |
| Diamond Plate Spring Cover | | EA |
| White .030 Spring Cover | | EA |
| Partition Wall w/ 32" Access Door | | EA |
| Diamond Plate Kick Plate (12") | | PBF |
| Water Resistant Kickplate (12") | | PBF |
| FLOORING | | |
| Upgrade to 3/4" Marine Grade Plywood (from 3/4" Water Resistant) | | PBF |
| Upgrade to Quad-Ply Flooring | | PBF |
| TIRE/WHEEL ASSEMBLIES & ACCESSORIES | | |
| Upgrade to 15" 225's Aluminum Rims (from 15" SM 225) | | EA |
| Upgrade to 16" Aluminum Rims (from 16" SM) | | EA |
| Upgrade to Black Aluminum Rims from Aluminum (Same Size) | | EA |
| Spare 15" Silver Mod Wheel (225/75R15) | | EA |

| POPULAR ALL-SPORT & MEG-EW OPTIONS (cont.) | UOM |
|---|-----|
| TIRE/WHEEL ASSEMBLIES & ACCESSORIES (cont.) | |
| Spare 15" Aluminum Spoke (225/75R15) | EA |
| Spare 16" Silver Mod Wheel (235/80R16) | EA |
| Spare 16" Aluminum Spoke (235/80R16) | EA |
| Elevated Spare Tire Mount | EA |
| Spare Tire Mount - Floor Level | EA |
| Recessed Diamond Plate Spare Tire Well | EA |
| AXLES | |
| Spread Axle Upgrade w/Tapered Skirting (8.5 Wides) | PKG |
| Upgrade from 2-5200# Braked to 2-6000# Braked Axles | PKG |
| Upgrade from 2-5200# Braked to 3-5200# Braked Axles | PKG |
| Upgrade from 2-5200# Torsion to 2-7000# Torsion Axles | PKG |
| Upgrade from 3-5200# Braked to 3-6000# Braked Axles | PKG |
| Upgrade from 3-5200# Braked to 2-7000# Braked Axles | PKG |
| Upgrade from 3-5200# Braked to 3-7000# Braked Axles | PKG |
| Upgrade from 3-5200# Braked to 3-8000# Braked Axles | PKG |
| Upgrade to Surge Brakes (from compatable brake size) | PKG |
| TIE-DOWNS | |
| Recessed Slide Track (Per Row) | PLF |
| Sliding D-Rings (for Slide Track) | EA |
| Surface Mounted D-Rings | EA |
| Additional Heavy-Duty Recessed D-Rings | EA |
| Heavy-Duty Recessed 6000# Swivel D-Rings (Zinc) | EA |
| Heavy-Duty Recessed 6000# Swivel D-Rings (Stainless Steel) | EA |
| Single Wheel Chock w/ 4 D-Rings | PKG |
| Tandem Wheel Chocks w/ 8 D-Rings | PKG |
| Single Wheel Chock w/ 4 HD-Rings | PKG |
| Tandem Wheel Chocks w/ 8 HD-Rings | PKG |
| Additional Recessed Wheel Chock | EA |
| E-Track Surface Mounted (Floor) | PLF |
| E-Track Surface Mounted (Wall) | PLF |
| E-Track HD Recessed w/Backing Plate (Floor) | PLF |
| E-Track HD with Backing Plate (Walls) | PLF |
| E-Track Aluminum Surface Mounted (Wall) | PLF |
| E-Track Aluminum HD Recessed w/ Backing Plate (Floor) | PLF |
| E-Track Aluminum HD Recessed w/ Backing Plate (Walls) | PLF |
| Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings 12V LIGHTING & ELECTRICAL | PLF |
| LED Back Up Lights | SET |
| Additional LED Brake Lights | SET |
| Additional LED Marker Lights | EA |
| Anodized Loading Lights (Over Spring) | EA |
| Cold Weather HD Arctic Flex 7-Way Wire Harness | EA |
| (2) 12V LED Load Lights (Double Lights w/ Single Switch, 950 Lumen) | PKG |
| 12V LED Load Light (Single Light w/ Switch, 950 Lumen) | EA |

| LED Loading Lig 12V LED Porch Midship Turn Sig | Light w/Wall Swit | ide of Trailer (1 Ligh tch | nt w/Switch, 950 lur | nens, & Housing) | | | | PKG EA PAIR |
|--|---------------------------|-------------------------------|-----------------------|---|--------------------------|-------------------------|---------------|-------------------|
| POPUL | AR ENC | LOSED S | NOW OP | TIONS (cor | nt.) | | | UOM |
| 12V LIGHTING 8 | | | | | , | | | |
| Angled Backup L | ights (Mounts on | side of trailer) | | | | | | PAIR |
| 12v Electric Jack | - | , | | | | | | PKG |
| Additional 12V L | ED Dome Light (4 | 460 lumens) | | | | | | EA |
| 12V Standard W | all Switch | | | | | | | EA |
| LED Puck Light F | Package (Include | s 8 recessed lights | & wall switch)(requ | uires ceiling liner) | | | | SET |
| 18" Recessed LE | ED Dome Light (r | equire ceiling liner) | | | | | | EA |
| 12V Battery Trick | de Charger | | | | | | | EA |
| Deep Cycle Batte | ery & Box - Wired | I | | | | | | EA |
| LED Strip Light v | v/ Housing Packa | age (Per Foot, Per S | ection) | | | | | PLF |
| Rear Canopy Lo | oading Light Sys | stem - 2013 Version | n (Not available w/F | Radius Roof) | | | | PKG |
| Rear Canopy Lo | oading Light Sys | stem - 2015 Versior | n (Not available w/F | Radius Roof) | | | | PKG |
| 110V LIGHTING | | | | | | | | |
| 110V Package # package) | 11 - (Includes (1) | 15 AMP Motobase F | Plug, (1) Wall switch | h, (1) Receptacle, (1) 4' | LED Wraparound Ligi | nt (no additions availa | ble w/ this | PKG |
| | 12 - (Includes -30 | AMP Breaker, (1) 2 | 5' Shore Line, (2) 3 | 3 -Way Wall switches, (1 |) Standard WallRecep | otacle, (1) GFI Wall Re | eceptacle (2) | |
| 4' LED Wraparou | • | | | | | | | PKG |
| _ | | | | ase Plug, (2) 3 -Way Wa ep Cycle Battery & Box | all switches, (1) Standa | ard Wall Receptacle, (| (1) USB Wall | PKG |
| | | | - | | 10.51 | | | FNG |
| Upgrade | to | 50 | AMP | Breaker | w/25' | Shore | Line | |
| 30 AMP Motorba | • • • | es Shoreline) | | | | | | 5 4 |
| 30 AMP Power C | | | | | | | | EA |
| 110V Interior Wa | | | | | | | | EA |
| 110V 3-Way Swi | | | | | | | | EA |
| Interior GFI Rece | • | | | | | | | EA |
| Exterior GFI Rec | ' | | | | | | | EA |
| 4' LED Light (Wr | . , | | | | | | | EA |
| | Quartz Light w/F | _ | | | | | | EA |
| | | nditioner (Requires | 110 #2) | | | | | EA |
| Heat Strip for A/0 | | | | | | | | EA |
| Brace & Wire Stu | | | | | | | | EA |
| | | cle Battery, Propane | | | | | | PKG |
| 35,000 BTU Furr CABINETS | nace w/Deep Cyc | cle Battery, Propane | Tank (Cabinet Sol | d Separelty) | | | | PKG |
| 4' Straight Wall 2 | 2-Door Cabinet | | | | | | | EA |
| 6' Straight Wall 2 | | | | | | | | EA |
| 8' Straight Wall 4 | | | | | | | | EA |
| - | oinet w/ 4 - Doors | | | | | | | EA |
| | | x18"Hx12"D - 2Doo | r | | | | | EA |
| | | · 1Door, 62"Lx18"H> | | | | | | EA |
| 60" Angled Base | | | .,_ 0 | | | | | EA |
| AWNINGS | Cabinet (Onew | 114101 V-14035) | | | | | | LA |
| | vlic Fahric with Al | lumuaguard Awning | | | | | | EA |
| | | | | | | | | EA |
| 10 Calellee ACI | yiic i abiic Willi Al | lumuaguard Awning | | | | | | LA |

| 14' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
|---|------------|
| 15' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 16' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| POPULAR ALL-SPORT & MEG-EW OPTIONS (cont.) | UOM |
| AWNINGS (cont.) | |
| 17' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 18' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 19' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 20' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| 21' Carefree Acrylic Fabric with Alumuaguard Awning | EA |
| VENTS & WINDOWS | |
| Roof Vent (Extra) | EA |
| 12 Volt Power Vent | EA |
| 110 Volt Power Vent (Require 110V PKG #2) | EA |
| Maxx Air Vent Cover | EA |
| Plastic Side Wall Vents | PAIR |
| Aluminum, Two-Way Directional Salem Vents | PAIR |
| 18" x 24" Radius Sliding Window | EA |
| 24" x 36" Radius Sliding Window | EA |
| 24" x 36" Radius Sliding Egress Window | EA |
| MISC. OPTIONS & ACCESSORIES | |
| Fold-Down Sofa/Sleeper | EA |
| Fold-Down Bunk Beds | EA |
| Fold-Down Dinette/Sleeper | EA |
| Stabilizer Jacks | PAIR |
| Scissor Jacks (Camper Style) | PAIR |
| Fold-Down Aluminum Work Bench or Sitting Bench | EA |
| 30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Control Panel w/Guage (Requires Marine Grade Battery) Stay Dry Package (8' Slide Channel Installed in Roof w/ 8 Sliding Hooks) | PKG PKG |
| Basic Stereo Package - Includes (4) Boss Speakers | PKG |
| EXTREME WEATHER PACKAGE ADD-ONS | |
| Kicker Stereo Package (Includes (6) Speakers, AMP & Subwoofer, with Clairion Face Unit w/ Blue Tooth Capabilities.) | PKG |
| Boot Warmer Package | PKG |
| Upgrade to 1-30# Propane Tank from Standard 20# Tank, w/Heavy-Duty Mount | PKG |
| Upgrade to 2-30# Propane Tank from Standard 20# Tank, w/Heavy-Duty Mount | PKG |
| Upgrade to 2-30# Propane Tanks (for MEG -EW) | PKG |

CROSSOVER SNOW 60" WIDE & 101" WIDES

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x5" Subframe Tubing
- Torsion Ride Suspension
- Screwless .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist
- 19"x58" Front Access Door
- 5/8" Water Resistant Decking

- Full Length Slide Track w/ Ski Tie Down Bars (12' & 14' Models)
- Full Length Slide Track w/ Sliding D-Rings (16'+ Models)
- 12" Plywood Kickplate
- Interior Dome Light
- Louver Vents
- Recessed LED Lights
- Wishbone Tongue w/ Straight Coupler
- Round Radius Diamond Plate Nose
- 1200# Wheel Jack
- (2) 5000# Safety Chains
- · Limited 4-Year Warranty



| TRAILER MODEL | MFS60x12CROSSOVER | MFS101x12CROSSOVER | MFS101x14CROSSOVER | MFS101x16CROSSOVER | MFS101x20CROSSOVER |
|----------------------------|-------------------|--------------------|--------------------|--------------------|--------------------|
| Box WxLxH | 60"x12'x66" | 101"x12'x66" | 101"x14'x66" | 101"x16'x66" | 101"x20'x66" |
| Interior WxLxH | 57"x11'10"x64" | 98"x11'10"x64" | 98"x13'10"x64" | 98"x15'10"x64" | 98"x19'10"x64" |
| Overall WxLxH | 80"x16'2"x85" | 102"x7'8"x16'2" | 102"x7'8"x18'2" | 102"x7'8"x20'2" | 102"x7'8"x24'2" |
| Deck Height | 20" | 25" | 26" | 26" | 26" |
| Hitch Height | 16" | 23" | 24" | 24" | 24" |
| Rear Door Opening | 55" x 62" | 93" x 62" | 93" x 62" | 93" x 62" | 93" x 62" |
| Coupler Rating / Ball Size | 3500#/2" Ball | 3500#/2" Ball | 6000#/2" Ball | 6000#/2" Ball | 6000#/2" Ball |
| Axle(s) - Qty/Rating) | 1-2200# Idler | 1-3500# | 2-2200# Braked | 2-2200# Braked | 2-2200# Braked |
| Wheels | 13" Silver Mod | 12" E-Rated | 12" E-Rated | 12" E-Rated | 12" E-Rated |
| Tires | 175/75R13 | ST145/R12E | ST145/R12E | ST145/R12E | ST145/R12E |
| GVWR | 2200# | 2990# | 4400# | 4400# | 4400# |
| Curb Weight | 600# | 1058# | TBD | TBD | 1740# |
| Payload | 1600# | 1932# | TBD | TBD | 2660# |
| Power Connection | 4-Way Flat | 4-Way Flat | 7-Way Round | 7-Way Round | 7-Way Round |

| OPTIONS & ACCESSORIES | | | | | |
|--|-------|-----|--|---------|-----|
| CONSTRUCTION | PRICE | UOM | ACCESSORIES | PRICE | UOM |
| Upgrade to 22', Includes Tadnem 3k Axles & | | PKG | Ski Guides (See MES op | otions) | |
| 13" Rubber | | | Track Mats (See MES or | otions) | |
| Tapered Ramp Extrusion ilo of Flap | | EA | Paddle Grabbers (Set of | 6) | SET |
| WHEELS | | | DOORS | | |
| Upgrade to 13" Tires from 12" Tires | | EA | 26" X 58" Side Access D | oor | EA |
| Spare 12" Silver Mod (145/R12E) | | EA | 14" X 14" FUEI DOOF w/Paddle Handle | | EA |
| Spare 13" Silver Mod (175/80R15) | | EA | EXTERIOR | | |
| Tongue Mounted Spare Mount (Bolt-On) | | EA | Two-Tone w/6" Anodized Divider | d | PKG |

CROSSOVER SNOW 7 & 7.5 WIDES

STANDARD FEATURES

- All-Aluminum Construction
- Full Length Slide Track w/ Sliding D-Rings
- 16" O/C Wall & Roof Studs
- Screwed .030" Bonded Side Panels (7x16 SA is Screwless)
- 24" O/C Floor Crossmembers
- Interior Dome Light
- 2"x4" Subframe Tubing (2"x5" 18'+)
- Louver Vents
- Torsion Ride Suspension
- Recessed LED Lights
- Screwless .030" Bonded Side Panels
- Wishbone Tongue w/ Straight Coupler
- One-Piece Aluminum Roof

- Round Radius Diamond Plate Nose
- Rear Ramp Door w/ Spring Assist
- 1200# Wheel Jack
- 19"x58" Front Access Door
- (2) 5000# Safety Chains
- 5/8" Water Resistant Decking
- · Limited 4-Year Warranty
- 12" Plywood Kickplate



| STANDARD SPECIFICATIONS & PRICING | | | |
|-----------------------------------|------------------|--------------------|--------------------|
| TRAILER MODEL | MFS7x16CROSSOVER | MFS7.5x16CROSSOVER | MFS7.5x22CROSSOVER |
| Box WxLxH | 84"x16'x66" | 90"x16'x66" | 90"x22'x66" |
| Interior WxLxH | 81"x15'10"x64" | 87"x15'10"x64" | 87"x21'10"x64" |
| Overall WxLxH | 102"x20'2"x84" | 102"x20'2"x84" | 102"x26'2"x84" |
| Deck Height | 19" | 19" | 19" |
| Hitch Height | 15" | 15" | 15" |
| Rear Door Opening | 76" x 62" | 82" x 62" | 82" x 62" |
| Coupler Rating / Ball Size | 6000#/2" Ball | 6000#/2" Ball | 6000#/2" Ball |
| Axle(s) - Qty/Rating) | 1-3500# Idler | 2-2200# Braked | 2-3500# Braked |
| Wheels | 15" Silver Mods. | 15" Silver Mods. | 15" Silver Mods. |
| Tires | ST205/75R15 | ST205/75R15 | ST205/75R15 |
| GVWR | 2990# | 4400# | 6000# |
| Curb Weight | 1455# | 1390# | TBD |
| Payload | 1535# | 3010# | TBD |
| Power Connection | 4-Way Flat | 7-Way Round | 7-Way Round |
| BASE PRICE | | | |

| OPTIONS & ACCESSORIES | | | | | |
|--|-------|-----|------------------------------------|-------|-----|
| CONSTRUCTION | PRICE | UOM | DOORS | PRICE | UOM |
| Crossover Side x Side Package - Includes (17" Extra Height, Reinforced Wall Studs, 78" Rear Opening) 7.5 Wide models only | | PBF | 26" X 58" Side Access Door | | EA |
| WHEELS | | | 14" X 14" FUEI DOOF | | EA |
| Spare 15" Silver Mod (205/75R15) | | EA | EXTERIOR | | |
| Upgrade to 15" Aluminum Rims From 15" Silver Mod | | EA | Two-Tone w/6" Anodized Divider | | PKG |
| Tongue Mounted Spare Mount (Bolt-On) | | EA | Tapered Ramp Extrusion ilo of Flap | | EA |
| ACCESSORIES | | | | | |
| Ski Guides (See MES options) | | | | | |
| Track Mats (See MES options) | | | | | |
| Paddle Grabbers (Set of 6) | \$18 | SET | | | |

OPEN SNOW [TILT] Single Place

STANDARD FEATURES

- All-Aluminum Construction
- Full Length Slide Track Tie Down System
- 24" O/C Crossmembers
- Straight Pull Tongue
- Torsion Ride Suspension
- 3500# Straight Coupler w/ 2" Ball
- 1/2" Marine Tech Decking
- (2) 5000# Safety Chains
- Recessed LED Marker Lights
- Limited 1-Year Warranty
- 4-Way Flat Power Connection

| STANDARD SPECIFICATIONS & PRICING | | | |
|------------------------------------|------------------------|------------------------|------------------------|
| TRAILER MODEL | MFS52x10 | MFS52x11 | MFS52x12 |
| Deck WxL | 52"x10' | 52"x11' | 52"x12' |
| Overall WxL | 72"x13'10" | 72"x14'10" | 80"x15'10" |
| Subframe Tubing | 2"x3" | 2"x3" | 2"x3" |
| Deck Height | 16" | 16" | 16" |
| Hitch Height | 12" | 12" | 12" |
| Axle(s) - Qty/Rating) | 1-2200# | 1-2200# | 1-2200# |
| Wheels | 12" E-Rated Silver Mod | 12" E-Rated Silver Mod | 12" E-Rated Silver Mod |
| Tires | ST145/R12E | ST145/R12E | ST145/R12E |
| GVWR | 2200# | 2200# | 2200# |
| Curb Weight | 380# | 400# | 435# |
| Payload | 1820# | 1800# | 1765# |
| Rolled Rear Edge Loading Protector | Standard | Standard | Standard |
| BASE DDICE | | | |

| OPTIONS & ACCESSORIES | | | | | | | |
|---|-------|-----|---------------------------------------|-------|-----|--|--|
| CONSTRUCTION | PRICE | UOM | ACCESSORIES | PRICE | UOM | | |
| Upgrade to Wishbone Tongue | | EA | 1200# Wheel Jack | | EA | | |
| Rolled Rear Edge Protector | | EA | Single Prop Tilt Assist | | EA | | |
| AXLES | | EA | 4' Stow-Away Ramp | | EA | | |
| Upgrade from 1 - 2200# Idler to 1 - 3500# Idler | | EA | Ski Guides (10') | | Set | | |
| WHEELS | | | Ski Guides (12') | | Set | | |
| Upgrade to 13" Tires from 12" Tires | | EA | Track Mats (6') | | Set | | |
| Upgrade to 15" Tires from 12" Tires (Includes Drop Hitch) | | EA | Paddle Grabbers (Set of 6) | | Set | | |
| Spare 12" Silver Mod (145/R12E) | | EA | 60" Diamond Plate Salt Shield | | Set | | |
| Spare 13" Silver Mod (175/80R15) | | EA | 101" Diamond Plate Salt Shield | | Set | | |
| Spare 15" Silver Mod (205/75R15) | | EA | Additional D-Rings for Slide Track | | EA | | |

OPEN SNOW [TILT] Two Place

STANDARD FEATURES

• All-Aluminum Construction

• 4-Way Flat Power Connection

• 24" O/C Crossmembers

• Adjustable Tie Down System w/ Ski Tie Down Bars

• Torsion Ride Suspension

• Wishbone Tongue

• 1/2" Marine Tech Decking

• 3500# Straight Coupler w/ 2" Ball

Recessed LED Marker Lights

• (2) 5000# Safety Chains

Anti-Rattle Tilt System

• Limited 1-Year Warranty



| STANDARD SPECIFICATIONS | | |
|-------------------------|------------------------|------------------------|
| May 30 - June 20, 2016 | MFS101x10P | MFS101x12P |
| Deck WxL | 101"x10' | 101"x12' |
| Overall WxL | 101"x13'8" | 101"x15'8" |
| Subframe Tubing | 2"x4" | 2"x4" |
| Deck Height | 25" | 25" |
| Hitch Height | 21" | 21" |
| Axle(s) - Qty/Rating) | 1-2200# | 1-3500# |
| Wheels | 12" E-Rated Silver Mod | 12" E-Rated Silver Mod |
| Tires | ST145/R12E | ST145/R12E |
| GVWR | 2200# | 2990# |
| Curb Weight | 440# | 500# |
| Payload | 1760# | 2490# |
| Power Connection | Standard | Standard |
| BASE PRICE | | |

| OPTIONS & ACCESSORIES | | | | | | | |
|-------------------------------|-------|-----|--------------------------------|-------|-----|--|--|
| AXLES | PRICE | UOM | ACCESSORIES | PRICE | UOM | | |
| Upgrade from 1 - 2200# Idler | | EA | 1200# Wheel Jack | | EA | | |
| to 1 - 3500# Idler | | | Single Prop Tilt Assist System | | EA | | |
| WHEELS | | | Ski Guides (10') | | SET | | |
| Upgrade to 13" Tires from 12" | | EA | Ski Guides (12') | | SET | | |
| Upgrade to 15" Tires from 12" | | EA | 101" Diamond Plate Salt | | EA | | |
| Spare 12" Silver Mod | | EA | Shield | | | | |
| (145/R12E) | | | Upgrade to Full length | | PBF | | |
| Tongue Mounted Spare | | EA | Slide Track: (2) rows | | | | |
| Mount (Bolt-On) | | | FLOORING | | | | |
| | | | Upgrade to 5/8" Marine | | PBF | | |
| | | | Grade Decking | | | | |

OPEN SNOW | DRIVE ON/OFF |

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- Torsion Ride Suspension
- 1/2" Marine Tech Decking
- 4' Stowaway Ramp w/ Super Guides
- Recessed LED Marker Lights
- 1200# Wheel Jack
- Straight Pull w/Underwings
- 6000# Straight Cou
- (2) 5000# Safety Chains



w/ (1) Sliding D-Ring & (1) Ski Tie Down Bar Per Machine

• Limited 4-Year Warranty



| STANDARD SPECIFICATIONS | | | | | | | | |
|-------------------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Trailer Model | MFS101x12LV | MFS101x14LV | MFS101x14LV-BR | MFS101x16LV | MFS101x18LV | MFS101x20LV | MFS101x22LV | MFS101x24LV |
| Deck WxL | 101"x12' | 101"x14' | 101"x14' | 101"x16' | 101"x18' | 101"x20' | 101"x22' | 101"x24' |
| Overall WxL | 101"x18' | 101"x20' | 101"x20' | 101"x22' | 101"x24' | 101"x24' | 101"x26' | 101"x28' |
| Subframe Tubing | 2"x3" | 2"x4" | 2"x4" | 2"x4" | 2"x5" | 2"x5" | 2"x5" | 2"x5" |
| Deck Height | 25" | 27" | 27" | 27" | 27" | 27" | 27" | 27" |
| Hitch Height | 22" | 22" | 22" | 22" | 22" | 22" | 22" | 22" |
| Axle(s) - Qty/Rating) | 1-3500#, Idler | 2-2200#, Idler | 2-2200#, Braked |
| Wheels | 12" Silver Mod | 13" Silver Mod | 13" Silver Mod | 13" Silver Mod | 13" Silver Mod | 13" Silver Mod | 13" Silver Mod | 15" Silver Mod |
| Tires | ST145R14E | 175/80R13 | 175/80R13 | 175/80R13 | 175/80R13 | 175/80R13 | 175/80R13 | 205/75R15 |
| GVWR | 2200# | 2990# | 4400# | 4400# | 4400# | 4400# | 4400# | 4400# |
| Curb Weight | 575# | 815# | 815# | 870# | TBD | 1120# | 1120# | 1120# |
| Payload | 1625# | 2175# | 3585# | 3530# | TBD | 3280# | 3280# | 3280# |
| Power Connection | 4-Way Flat | 4-Way Flat | 7-Way Round |
| Rolled Rear Edge Load | Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |

| OPTIONS & ACCESSORIES | | | | |
|----------------------------------|----|---------------------------------------|-------|-----|
| WHEELS | | ACCESSORIES | PRICE | UOM |
| Upgrade to 13" Tires from 12" | EA | *NEW* Deluxe Drive On/Off Salt Shield | | EA |
| Upgrade to 15" Tires from 12" | EA | Ski Tie Down Bars ilo Sliding D-Rings | | EA |
| Upgrade to 15" Tires from 13" | EA | Paddle Grabbers (Set of 6) | | SET |
| Upgrade to 15" Alum. Rims | EA | Upgrade to UTV/ATV Ramp Kit | | SET |
| Spare 12" Silver Mod (145/R12E) | EA | | | |
| Spare 13" Silver Mod (175/80R13) | EA | | | |
| Spare 15" Silver Mod (205/75R15) | EA | | | |
| Tongue Mounted Spare Mount | EA | | | |

SPECIALTY [SPORT DECK]

** Freight Rebate

STANDARD FEATURES

- All-Aluminum Construction
- 5/8" Marine Tech Plywood Decking
- 10' 6" Telescoping Ramp
- 1000# Ramp Capacity
- Ski-Guides on Ramp
- Full Length Slide Track Tie-Down System
- Removable Headache Rack
- *NEW* Sliding Leg System (Fits Most Truck Sizes)

- Recessed LED Lights
- New Leg Design
- Super Guides For Ramp
- Sliding Sides System
- Limited 1-Year Warranty



| STANDARD SPECIFICATIONS & PRICING | |
|-----------------------------------|---------------|
| TRAILER MODEL | MSD |
| DECK WxL | 101"X8' |
| OVERALL WxL | 101"X102" |
| RAMP WxL | 52 1/4"X10'4" |
| CURB WEIGHT | 400# |
| PAYLOAD CAPACITY | 2000# |

| POPULAR OPTION | S | | | | |
|-----------------------------|-------|-----|-------------------------------------|-----------------------------|------|
| ACCESSORIES | PRICE | UOM | CONSTRUCTION OPTIONS | PRICE | UOM |
| Shim Kit (F-150 High Sides) | | PKG | Powder Coated Pkg | | PKG |
| Super Clamps 2 | | EA | (inc. Powder Coated Sides, Headache | e Rack, and Polished Rear T | ube) |
| Super Clamps Rear | | EA | Beavertail Upgrade | | EA |
| Super Guides For Deck | | SET | Upgrade to Quad Ply Floor | | PKG |
| | | | ATV Side Load Safety Kit | | EA |
| | | | Custom 7' Deck | | EA |

STANDARD FEATURES

- All-Aluminum Construction
- Fits Inside Wheel Base Width 46" and Larger
- 10' 6" Telescoping Ramps
- 1800# Ramp Capacity
- (4) Welded Deck Hooks
- (2) Front Welded Machine Tie Down Points
- Limited 4-Year Warranty



| STANDARD SPECIFICATIONS & PRICING | |
|-----------------------------------|----------------------|
| TRAILER MODEL | Stand Alone UTV Rack |
| Deck WxL | 71" x 116" |
| Base WxL | 56" x 71" |
| Ramp WxL | 18" x 10'6" |
| Curb Weight | 290# |
| Payload Capacity | 2000# |
| BASE PRICE | |

Powdercoating Package

8' Box Price

TRUCK BEDS

** Freight Rebate

STANDARD FEATURES

- All-Aluminum Construction
- Extruded Aluminum Decking
- Integrated Headboard w/ Accessory Track
- Perimeter Rub Rail w/ Stake Pockets
- Recessed LED Marker Lights
- Fully Enclosed Wiring System
- Limited Lifetime Warranty



| STANDARD SPECIFICATIONS & PRICING | | | | | | | | |
|-----------------------------------|-------------|------------|-------------|------------|-------------|-------------|--------------|--------------|
| TRAILER MODEL | AL08407 | AL08485 | AL09785 | AL10185 | AL09795 | AL10195 | AL09712 | AL10112 |
| Deck WxL | 81"x81 | 81"x99 | 92 1/2"x99" | 96 1/2x99" | 92 1/2x111" | 96 1/2x111" | 92 1/2"x143" | 96 1/2"x143" |
| Overall WxL | 85 1/2"x84" | 85.5"x102" | 97"x102 | 101"x102 | 97"x114 | 101"x114" | 97"x146" | 101"x146" |
| Curb Weight | 262# | 292# | 297# | 304# | 355# | 365# | 457# | 472# |
| D. 4.05 DD105 | | | | | | | | |

| OPTIONS & ACCESSORIES | | | | | |
|-------------------------------|-------|-----|--|-------|------|
| CONSTRUCTION | PRICE | UOM | CONSTRUCTION CONT. | PRICE | UOM |
| Aluminum Side Boards 16"x84" | | Set | Fender Kit | | Set |
| Aluminum Side Boards 16"x102" | | Set | 12" O/C Crossmembers for 7' & 8.5' Beds | | PKG |
| Aluminum Side Boards 16"x114" | | Set | 12" O/C Crossmembers for 9.5' & 12' Beds | | PKG |
| Aluminum Side Boards 16"x144" | | Set | Upgrade to 4" Long Sills | | Set |
| Aluminum Tail Boards 16"x84" | | Ea | 4 Extra Lights in Headboard | | Set |
| Aluminum Tail Boards 16"x102" | | Ea | Sliding Cargo Stops for Headboard | | Pair |
| Aluminum Tail Boards 16"x114" | | Ea | 6"x8" Light Brackets | | Pair |
| Aluminum Tail Boards 16"x144" | | Ea | 24" Strobe Light Mounting Bracket | | Ea |
| Aluminum Side Boards 8"x84" | | Set | Angle Light Brackets | | Pair |
| Aluminum Side Boards 8"x102" | | Set | Heavy Duty Rub Rail Kit | | Set |
| Aluminum Side Boards 8"x114" | | Set | Gooseneck Hatch w/Cover | | Ea |
| Aluminum Side Boards 8"x144" | | Set | | | |
| Aluminum Tail Boards 8"x84" | | Ea | | | |
| Aluminum Tail Boards 8"x102" | | Ea | | | |
| Aluminum Tail Boards 8"x114" | | Ea | | | |
| Aluminum Tail Boards 8"x144" | | Ea | | | |
| 12" Extruded Aluminum Apron | | Ea | | | |

ICE SHACKS

STANDARD FEATURES

- All-Aluminum Construction
- Smooth .030" Exterior Side Panels
- 5/8" Water Resistant Decking
- · Custom Rolled Steel Skis
- 24" O/C Crossmembers
- Spring-Loaded Tow Hitch
- 2"x3" Subframe Tubing
- Limited 1-Year Warranty



| STANDARD SPECIFICATIONS & PRICING | | | | | | | |
|-----------------------------------|-----------------|-----------------|------------------|------------------|--|--|--|
| TRAILER MODEL | 4x6 | 5x8 | 6x10 | 8x12 | | | |
| Deck WxL | 46" x 5'10" | 58" x 7'10" | 70" x 9'10" | 94" x 11'10" | | | |
| Deck Height | 9" | 9" | 9" | 9" | | | |
| 12"x40" Ice Shack Windows | 3 | 3 | 5 | 5 | | | |
| Overall WxLxH | 48" x 6'2" x 7' | 60" x 8'2" x 7' | 72" x 10'2" x 7' | 96" x 12'2" x 7' | | | |
| Curb Weight | TBD | TBD | TBD | TBD | | | |

| OPTIONS & ACCESSORIES | | |
|--|-------|-----|
| INTERIOR | PRICE | UOM |
| Upgrade to 3/8" Plywood Walls | | PBF |
| Upgrade to White Vinyl Faced Luan Side Walls w/Divider Bar | | PBF |
| White Vinyl Faced Luan Ceiling | | PBF |
| 12" Diamond Plate Kickplate | | PBF |
| 3/4" Foam Insulated Side Walls | | PBF |
| 3/4" Foam Insulated Ceiling | | PBF |
| ACCESSORIES | | |
| 14" x 14" Fishing Hole | | EA |
| Additional Roof Vent | | EA |
| 18" x 24" Radius Sliding Windows | | EA |
| 62" Economy Overhead Cabinet - 1-Door, 62"Lx18"Hx12"D | | EA |
| Fold-Down Dinette Table | | EA |
| Fold-Down Sofa/Sleeper | | EA |
| Fold-Down Bunk Beds | | EA |
| Fold-Down Dinette/Sleeper | | EA |

