DIAMOND C

TANDEM AXLE

6GT | RU | 14TUT | RMD | 16EDU | 9RLS | RGL | 32STA | 8RBT | RHD | 47MD

Faith. Vision. Progress.

See the difference.

FAMILY OWNED

We operate based on traditional family morals, including honesty, respect, and pure integrity.

SINCE 1985

We maintain our position as an industry leader, and promise only the best quality, value, and customer service.

FROM HUMBLE BEGINNINGS

For over three decades we have maintained our standard of excellence and innovation, while keeping our roots deep in traditional values and progressing with tomorrow's technology.

CT 322
DEERE

Gooseneck Package Available

3 YEAR WARRANTY

ASSURANCE

We stand behind our product.
Diamond C Trailers come with
a 3 year structure warranty.

More of what you want.

Structural Framing for
Long Term Durability

Several Top Rail Choices including permanently sealed balled-end pipe, angle iron, or square tube

Multiple Ramp & Ramp Gate Options to choose from on each model

Tongue Reinforcements

Gravel Guard

All Tongues Wrapped to Front Fender Brace

New Tires on Silver Mod Wheels

All Rubber-Mounted LED Lights

Fender Gussets Double as a Step

Molded 7-Way Plug and Wire to Wire Electrical Connections Sealed with Shrink Tube

Weatherproof and TOUGH, NO flimsy crimp connectors.

NEW HOLLAND

FLEETneck
BY DIAMOND C

DIAMOND C
6GT

Paint

STANDARD COLORS

BLACK

GRAY

SILVER

WHITE

BLUE

RED

TAN

MOCHA

SPECIAL COLORS

KELLY GREEN

KUBOTA ORANGE

CAT YELLOW

CUSTOM

Premium PPG Paint Colors

Road-tested PPG polyurethanes provide a long-lasting, rugged, and beautiful finish.

Wheels

SILVER (standard)

BLACK
(Available in 5, 6, & 8 Lug)

TWO TONE ALUMINUM
(Available in 5, 6, & 8 Lug)

Genuine Dexter E-Z Lube Axles

For optimal tire wear and longevity, we use only Cambered Axles.

Please contact your authorized Diamond C dealer for questions, additional options, or additional specifications.

For more info, visit us online at *www.diamondc.com*

LOCKABLE
WEEDEATER BOX

TRACTOR RAMP GATE

BLACK WHEELS

ALUMINUM
TONGUE BOX

14GA DIAMOND
PLATE FENDER

ADJUSTABLE COUPLER

6GT

All-Around Tandem Axle Utility

Standard Features

- **LENGTH/WIDTH** - Length: 12', 14', 16', 18', 20' Width: 83"
- **GVWR** - 7,000 lb
- **AXLES** - 2 - 3,500 lb E-Z Lube, 1 Electric Brake
- **COUPLER** - 2" 7,000 lb Sleeve-Lock
- **CROSS-MEMBERS** - 2" Square Tube (11ga) on 24" Centers
- **FRAME** - 4" Channel
- **JACK** - 2,000 lb Flip-Jack
- **RAMPS/RAMP GATE** - Optional
- **TONGUE** - 4" Channel, Full Wrap
- **TOP RAIL** - 2-3/8" Pipe, 2" x 2" x 3/16" Angle or 2" Sq. Tube

Featured Options

- 10" Tongue Box
- 48" Bi-Fold, Spring Assisted Ramp Gate
- Side Load Bi-Fold Gate

RU

Ranger Tandem Axle Utility

Standard Features

- **LENGTH/WIDTH** - 10', 12', 14', 16', 18', 20' Width: 60", 77", 83"
- **GVWR** - 7,000 lb
- **AXLES** - 2 - 3,500 lb E-Z Lube, 1 Electric Brake
- **COUPLER** - 2" 7,000 lb Sleeve-Lock
- **CROSS-MEMBERS** - 3" x 2" x 3/16" Angle Iron on 24" Centers
- **FRAME** - 3" x 2" x 3/16" Angle Iron
- **JACK** - 2,000 lb Top-Wind
- **RAMPS/RAMP GATE** - Optional
- **TONGUE** - 4" Channel, Full Wrap
- **TOP RAIL** - 2" x 2" x 1/8" Angle Iron

Featured Options

- 48" Side Slide-In Ramps
- 4" Channel From Upgrade
- 2-3/8" Pipe Top Rail

14TUT

Texas Utility

Standard Features

- **LENGTH/WIDTH** - Length: 14', 16', 18', 20', 22', 24' Width: 82"
- **GVWR** - 9,890 lb
- **AXLES** - 2 - 5,200 lb E-Z Lube, 1 Electric Brake
- **COUPLER** - 2-5/16" 12,500 lb Sleeve-Lock
- **CROSS-MEMBERS** - 2" Square Tube (11 ga) on 16" Centers
- **FRAME** - 4" Channel
- **JACK** - 7,000 lb Drop-Leg
- **RAMPS/RAMP GATE** - Optional
- **TONGUE** - 5" Channel, Full Wrap
- **TOP RAIL** - 2-3/8" Pipe, 3" x 2" x 3/16" Angle or 2" Sq. Tube

Featured Options

- 24" Diamond Plate Dovetail
- 48" Tractor Gate
- Regular Height Expanded Metal Sides

RMD

Ranger Medium Duty Utility

Standard Features

- **LENGTH/WIDTH** - Length: 16', 18', 20' Width: 82"
- **GVWR** - 9,890 lb
- **AXLES** - 2 - 5,200 lb E-Z Lube, 1 Electric Brake
- **COUPLER** - 2-5/16" 12,000 lb Sleeve-Lock
- **CROSS-MEMBERS** - 2" Square Tube (11ga) on 16" Centers
- **FRAME** - 4" Channel
- **JACK** - 7,000 lb Drop-Leg
- **RAMPS/RAMP GATE** - Optional
- **TONGUE** - 5" Channel, Full Wrap
- **TOP RAIL** - 3" x 2" x 3/16" Angle Iron

Featured Options

- 60" Slide-In Ramps
- 1/2" D-Ring Tie-Downs
- 2-3/8" Pipe Top Rail

16EDU

Extreme Duty Utility

Standard Features

- **LENGTH/WIDTH** - Length: 16', 18', 20', 22', 24' Width: 82"
- **GVWR** - 14,900 - 24,000 lb
- **AXLES** - 2 - 7,000 lb E-Z Lube, "Nev-R-Adjust" Electric Brakes
- **COUPLER** - 2-5/16" 15,000 lb Adjustable Cast
- **CROSS-MEMBERS** - 3" Channel on 16" Centers
- **FRAME** - 6" Channel
- **JACK** - 12,000 lb Drop-Leg
- **RAMPS/RAMP GATE** - Optional
- **TONGUE** - 6" Channel, Full Wrap
- **TOP RAIL** - 2-7/8" Pipe

Featured Options

- 24,000 lb GVWR Package
- Gooseneck Package
- 60" Flip-Knee Ramps

RHD

Ranger Heavy Duty Utility

Standard Features

- **LENGTH/WIDTH** - Length: 16', 18', 20', 22', 24' Width: 82"
- **GVWR** - 14,000 lb
- **AXLES** - 2 - 7,000 lb E-Z Lube, "Nev-R-Adjust" Electric Brakes
- **COUPLER** - 2-5/16" 15,000 lb Adjustable Cast
- **CROSS-MEMBERS** - 3" Channel on 16" Centers
- **FRAME** - 5" Channel
- **JACK** - 7,000 lb Flip-Jack
- **RAMPS/RAMP GATE** - Optional
- **TONGUE** - 6" Channel, Full Wrap
- **TOP RAIL** - 3" x 2" x 3/16" Angle Iron

Featured Options

- Gooseneck Package
- 12,000 lb Drop-Leg Jack
- 2-7/8" Pipe Top Rail

47MD

Mid-Deck Tandem Utility

Standard Features

- **LENGTH/WIDTH** - Length: 16', 18', 20', 22', 24' Width: 98"
- **GVWR** - 7,000 - 9,890 lb
- **AXLES** - 2 - 3,500 lb E-Z Lube, 1 Electric Brake
- **COUPLER** - 2" 8,000 lb Sleeve-Lock
- **CROSS-MEMBERS** - 3" Channel on 16" Centers
- **FRAME** - 5" Channel
- **JACK** - 7,000 lb Drop-Leg
- **RAMPS/RAMP GATE** - Optional
- **TONGUE** - 5" Channel, Full Wrap
- **TOP RAIL** - 2" Square Tube

Featured Options

- 9,890 lb GVWR Package
- 60" Bi-Fold Ramp Gate
- 24" Diamond Plate Dovetail

9RLS

Tandem Axle Landscape

Standard Features

- **LENGTH/WIDTH** - 10', 12', 14', 16', 18', 20' Width: 83"
- **GVWR** - 7,000 - 9,890 lb
- **AXLES** - 2 - 3,500 lb E-Z Lube, 1 Electric Brake
- **COUPLER** - 2" 8,000 lb Cast
- **CROSS-MEMBERS** - 3" x 2" x 3/16" Angle Iron on 24" Centers
- **FRAME** - 3" x 2" x 3/16" Angle Iron
- **JACK** - 2,000 lb Flip-Jack
- **RAMPS/RAMP GATE** - 48" Spring Assisted, Reinforced
- **TONGUE** - 4" Channel, Full Wrap
- **TOP RAIL** - 3" x 2" x 3/16" Angle Iron

Featured Options

- 9,890 lb GVWR Package
- 48" Weedeater Racks
- 48" Tractor Ramp Gate

RGL

Ranger Tandem Axle Landscape

Standard Features

- **LENGTH/WIDTH** - Length: 12', 14', 16' Width: 83"
- **GVWR** - 7,000 lb
- **AXLES** - 2 - 3,500 lb E-Z Lube, 1 Electric Brake
- **COUPLER** - 2" 7,000 lb Sleeve-Lock
- **CROSS-MEMBERS** - 3" x 2" x 3/16" Angle Iron on 24" Centers
- **FRAME** - 3" x 2" x 3/16" Angle Iron
- **JACK** - 2,000 lb Top-Wind
- **RAMPS/RAMP GATE** - 48" Straight
- **TONGUE** - 4" Channel, Full Wrap
- **TOP RAIL** - 2" x 2" x 3/16" Angle Iron

Featured Options

- 7,000 lb Drop-Leg Jack
- 48" Weedeater Racks
- 2nd Electric Brake

32STA

Solid-Side Tandem Axle Utility

Standard Features

- **LENGTH/WIDTH** - Length: 12', 14', 16', 18' Width: 83"
- **GVWR** - 7,000 lb
- **AXLES** - 2 - 3,500 lb E-Z Lube, 1 Electric Brake
- **COUPLER** - 2" 7,000 lb Sleeve-Lock
- **CROSS-MEMBERS** - 3" x 2" x 3/16" Angle Iron on 24" Centers
- **FRAME** - 12 ga x 15" Integral Sides
- **JACK** - 2,000 lb Flip-Jack
- **RAMPS/RAMP GATE** - Optional
- **TONGUE** - 4" Channel, Full Wrap
- **TOP RAIL** - Integral w/Sides

Featured Options

- 7,000 Drop-Leg Jack
- Lockable Steel Tongue Box
- 48" Ramp Gate

8RBT

Roustabout Tandem Axle Utility

Standard Features

- **LENGTH/WIDTH** - Length: 12', 14', 16', 18' Width: 83"
- **GVWR** - 7,000 - 9,890 lb
- **AXLES** - 2 - 3,500 lb E-Z Lube, 1 Electric Brake
- **COUPLER** - 2" 8,000 lb Sleeve-Lock
- **CROSS-MEMBERS** - 3" x 2" x 3/16" Angle Iron on 24" Centers
- **FRAME** - 3" x 2" x 3/16" Angle Iron
- **JACK** - 2,000 lb Flip-Jack
- **RAMPS/RAMP GATE** - 48" Straight, Reinforced, Spring-Assisted
- **TONGUE** - 4" Channel, Full Wrap
- **TOP RAIL** - 2" Square Tube

Featured Options

- 9,890 lb GVWR Package
- Lockable Steel Tongue Box
- 48" Tractor Ramp Gate

DIAMOND C

SEE THE DIFFERENCE

BROTANDEM v0318

© Diamond C Trailer Mfg., Road Clipper Enterprises. All illustrations and specifications contained in this brochure are based on the latest product information available at the time of printing. Specifications, standard features, options, components, and colors are subject to change without notice. Some features may be subject to availability, delays, or discontinuance. Trailers shown with optional equipment. Please contact your authorized Diamond C dealer for specifics.

www.diamondc.com