

SNOWDOGG® SNOW PLOWS



Redesigned MDII / VMDII
Plows for 1/2 Ton Trucks

SnowDogg Illuminator
Heated LED Plow Lights

NOTHING WORKS LIKE A DOGG™



SNOW PLOW SPECIFICATIONS

	X	X		TO			1				K	10		1	5	7
	MODEL	WIDTH	BLADE HEIGHT	MATERIAL	THICKNESS	ANGLE CYLINDERS	LIFT CYLINDER	KINGPIN SIZE	WIDTH AT ANGLE	RIBS	SPRINGS	TRIP STYLE	CUTTING EDGE	WEIGHT ¹	DEFLECTOR	SHOES
						Medium l	Duty Plov	vs (p	g. 16-17	")						
	MD68II*	80"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	69.2"	6	2	Full	3/8" x 6"	380 lb	Std.	Cast
ľ	MD75II*	90"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	78"	8	2	Full	3/8" x 6"	400 lb	Std.	Cast
ľ	MD80II*	96"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	83"	10	2	Full	1/2" x 6"	439 lb	Std.	Cast
L						Heavy l	Duty Plov	vs (p	g. 6-7)							5
ŀ	ID75II	90"	29"	SS	.105"	1½" x 12"	2" x 6"	11/8"	78"	9	4	Full	3/8" x 6"	680 lb	Std.	Cast 5
Ŀ	HD80II	96"	29"	SS	.105"	1½" x 12"	2" x 6"	11/8"	83"	9	4	Full	3/8" x 6"	700 lb	Std.	Cast
i						Medium [Outy V Pl	ow (p	g. 18-19	9)						
<mark>ا</mark>	/MD75II*	90"	26"/33"	SS	.075"	1½" x 1¾" x 12"		1"	78"	6	4	Edge	3/8" x 6"	700 lb	Std.	Opt.
						Commerci				9)						
	X75II	90"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	78"	9	4	Full	1/2" x 6"	745 lb	Std.	Cast
	X80II	96"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	83"	9	4	Full	1/2" x 6"	765 lb	Std.	Cast
	X85II	102"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	88.3"	9	4	Full	1/2" x 6"	785 lb	Std.	Cast
E	X90II	108"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	93.5"	9	4	Full	1/2" x 6"	805 lb	Std.	Cast
ı						Commercial Dut			,,		-11)					-
	E75II	90"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	78"	8	4		3/8"" x 6"	705 lb	Std.	Cast
-	E80II	96"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	83"	8	4	Edge	1/2" x 6"	772 lb	Std.	Cast
	TE90II	108"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	94"	8	4	Edge	1/2" x 6"	812 lb	Std.	Cast
ı	WEGEN	40011	0011/0711	00	4051	Commercial			., .			F.1	4/011 011	070 "	01.1	0.1
	/XF85II	102"	29"/37"	SS	.105"	1½" x 1¾" x 12"	2" x 6"	1"	88"	8	4	Edge	1/2" x 6"	978 lb	Std.	Opt.
١,	/XF95II	114"	29"/37"	SS	.105"	1½" x 1¾" x 12"	2" x 6"	1"	99"	8	4	Edge	1/2" x 6"	998 lb	Std.	Opt.
Ĭ,	/D010	00 100	0011	00	1051	Expandable		,	_		1	Eall	1/0 0	1001 lb	C+al	Cook
1	(P810	96"-120"	29"	SS	.105"	1½" x 12"	2" x 6"	11/8"	104"	9	4	Full	1/2" x 6"	1021 lb	Std.	Cast
,	/UT65	78"	25"/31"	SS	.075"	1½" x 1¾" x 8"	Plows (p	9. 14. 11/8"	-13) 60"	6	2	Edge	1/4" x 5"	400 lb	N/A	Opt.
	MUT60	72"	24"	SS	.075"	2" x 1½"	1½" x 6"	1/8	63"	6	2	Full	1/4" x 5"	310 lb	Opt.	Cast
-	MUT68	80"	24"	SS	.075	2" x 1½"	1½" x 6"	- ' 1"	69"	6	2	Full	3/8" x 6"	360 lb	Opt.	Cast
	110100	00	21	00	.070		Municipa					i dii	0/0 K 0	000 15	Opt.	Ouot
₫ (CM90*	108"	31"	SS	.105"	2" x 12"	2" x 6"	11//8"	92"	10 ²	6	Full	5/8" x 6"	1044 lb	Std.	Cast
2	CM100	120"	31"	SS	.105"	2" x 12"	2" x 6"	11/8"	104"	10 ²	6	Full	5/8" x 6"	1084 lb	Std.	Cast
in a	CM110*	132"	31"	SS	.105"	2" x 12"	2" x 6"	11/8"	116"	10 ²	6	Full	5/8" x 6"	1124 lb	Std.	Cast
		-					eer Plows									9
	SKTE75	90"	31"	SS	.105"	1½" x 12"	N/A	11/16"	78"	8	4	Edge	1/2" x 6"	781 lb	Std.	Cast
€	SKTE80	96"	31"	SS	.105"	1½" x 12"	N/A	11/16"	83"	8	4	Edge	1/2" x 6"	848 lb	Std.	Cast
1	SKTE90	108"	31"	SS	.105"	1½" x 12"	N/A	11/16"	94"	8	4	Edge	1/2" x 6"	888 lb	Std.	Cast
00	¹ Weight I	Vot Includir	ng Truck Mo	ount, 4	10-80lbs	s. Typical Weight; 22	? Are Diagor	nal								
1	The second second	The second second	The second line of the second li	The same of the same of	The second second	AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUM	THE RESERVE TO SERVE THE PARTY OF THE PARTY									

^{*} NEW Products

WINTER DOESN'T



KEEP BANKER'S HOURS.

TWO WAYS TO LIGHT UP THE NIGHT:

THE ALL NEW

ILLUMINATOR"
HEATED LED LIGHTS



Brilliant Wide-Angle LEDs

Over twice as bright as traditi

Over twice as bright as traditional halogens.

Active Defrosting Technology™

Prevents streaky defrosting so 100% of the light shines through.

Long Lasting Power

Go years without changing a bulb.

IMPROVED

HX HIGH INTENSITY HALOGENS





Powerful Halogens

Won't ice up in frigid conditions.

High Intensity Bulbs

Our brightest halogen bulbs ever.

Optimized Internal Reflectors

For focused high and low beams.

Dual-Post Captive Bolt Design

Vibration resistant for years of use.

Need More Light?

Check Page 30 for the All New Illuminated LED Guides



REDEFINE WHAT

NEW RapidLinkTM Attachment System Works with all existing MD/VMD truck mounts.



Center-mounted drop foot props up your plow with the pull of a handle.



A single foot pedal connects your plow to your truck.



Hydraulically powered "Jack Switch" makes lining up your plow and vehicle easy.


Components You Can Rely On



From the municipal style chain lift to the fully enclosed hydraulic power unit, you're ready to handle whatever winter throws at you.



1/4" grade 50 steel construction. Powerful lift cylinders. Over-sized 1-1/2" angle cylinders.



Optimized hose routing with fully enclosed 2 HP hydraulic power unit, SAE standard cartridge valves and hefty 3/8" rubber hoses.



ALL NEW MOII / WMDII:

YOUR 1/2 TON TRUCK CAN DO

Clean, Even Scrape



The *patent pending* Floating A-FrameTM features a sliding-pin connection so the plow contours the ground for a clean, efficient scrape.



Floating A-Frame™ promotes balanced cutting edge wear

Intuitive In-Cab Controller



The backlit one-handed controller puts all plow functions in the palm of your hand. Simple to use even with gloves on.



On V-plows one button press lets you effortlessly control the V, scoop, and angle functions.





Full Size Features with Half the WeightWeight optimized for 1/2 ton trucks or SUVs (even with no plow prep).

Floating A-Frame™

Contour the road for clean scraping and even cutting edge wear.

304 Stainless Steel Moldboard & 3/8" Steel Cutting Edge* An investment that will last.

Six 3/16" Laser-Cut Steel Ribs and a Full-Length Cross Tube Provides maximum strength and stability across the length of the plow.

Full Trip Action

Two stress-optimized trip springs protect from hidden curbs and obstacles.

Patent Pending Floating A-Frame RapidLink Mount *1/2" Steel Cutting Edge on MD80

INCLUDED ACCESSORIES

Contoured Poly Snow Deflector

Cast Plow Shoes

Wire Reinforced Blade Guides

In-Cab Controller Single hand operation.






1/2 Ton Trucks, Jeeps, and SUVs



Available Sizes

80", 90", 96<mark>"</mark>



NEW

RapidLink[™] Attachment System Mount and dismount the plow in a minute or less. See page 6 for details.



Municipal Style Chain Lift Stack high and adjust easily.



Fully Enclosed Hydraulic Power Unit

Gain easy access via large maintenance panel.





Full Size Features with Half the Weight Weight optimized for lighter trucks.

Floating A-Frame™

Contour the road for clean scraping and even cutting edge wear.

304 Stainless Steel Moldboard & 3/8" Steel Cutting Edge An investment that will last.

Eight Laser-Cut Steel Ribs and Four Full-Length Cross TubesProvides maximum strength and stability across the length of the plow.

Double Acting Angle CylindersBack drag with confidence, even in tight spaces.

Trip Edge DesignEach wing has a 6" trip edge that protects from hidden curbs and obstacles.

Patent Pending Floating A-Frame RapidLink Mount

INCLUDED ACCESSORIES

Contoured Poly Snow Deflector Wire Reinforced Blade Guides

In-Cab Controller Single hand operation.





V Plow Versatility for Lighter Trucks


1/2 Ton Trucks with Plow Prep, 3/4 Ton and Heavier Trucks



RapidLink[™] Attachment System Mount and dismount the plow in a minute or less. See page 6 for details.



Municipal Style Chain Lift Stack high and adjust easily.



Fully Enclosed Hydraulic Power Unit Gain easy access via large maintenance panel.



HARD WORK

Quick Mount II+™



Integrated swing down feet (no need for a jack).



Dual foot pedals for easy pin actuation.



Hydraulically powered "Jack Switch" makes lining up your plow and vehicle easy.

Components You Can Rely On



From the municipal style chain lift to the fully enclosed hydraulic power unit, you're ready to handle whatever winter throws at you.



Powerful 2" lift cylinders, and over-sized 1-1/2" angle cylinders.



Optimized hose routing with fully enclosed 2 HP hydraulic power unit, SAE standard cartridge valves and hefty 3/8" rubber hoses.



DEMANDS RELIABLE FEATURES.

HDII | EXII | TEII | VXFII

Clean, Even Scrape



The *patent pending* Floating A-Frame[™] features a sliding-pin connection so the plow contours the ground for a clean, efficient scrape.



Floating A-Frame[™] promotes balanced cutting edge wear.

Intuitive In-Cab Controller



The backlit one-handed controller puts all plow functions in the palm of your hand. Simple to use even with gloves on.



On V-plows one button press lets you effortlessly control the V, scoop, and angle functions.





Quick Mount II+™ with Jack Switch

No need for a jack with integrated, swing down feet.

Floating A-Frame[™] Contour the road for clean scraping and even cutting edge wear.

Municipal Style Chain Lift Stack high and adjust easily.

Fully Enclosed Hydraulic Power Unit Gain easy access via large maintenance panel.

304 Stainless Steel Moldboard & 3/8" Steel Cutting Edge An investment that will last.

INCLUDED ACCESSORIES

Heavy Duty Shock Kit

Contoured Poly Snow Deflector

Cast Shoes

Wire Reinforced Blade Guides

Backlit Controller Single hand operation.





Heavy Duty Full Trip Plow, Weight Optimized for Lighter Trucks

1/2 Ton Trucks with Plow Prep, 3/4 Ton and Heavier Trucks



Available Sizes 90", 96",



Uses plow's hydraulics to fine-tune lift frame height for smooth mounting alignment with truck.



Optional Wings - Part No. | 16021510

Add a full 2' of width to your plow with the HD Series Plow Wing Kit. Wings rotate behind plow for easy stowage, no lifting required. Pin shears upon impact to protect from damage.





Quick Mount II+™ with Jack Switch

No need for a jack with integrated, swing down feet.

Floating A-Frame[™] Contour the road for clean scraping and even cutting edge wear.

Municipal Style Chain Lift Stack high and adjust easily.

Fully Enclosed Hydraulic Power Unit Gain easy access via large maintenance panel.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge An investment that will last.

INCLUDED ACCESSORIES

Heavy Duty Shock Kit

Contoured Poly Snow Deflector

Cast Shoes

Wire Reinforced Blade Guides

Backlit Controller Single hand operation.





Commercial Duty Full Trip Plow

3/4 Ton Trucks with Plow Prep, 1 Ton and Heavier Trucks




Jack Switch

Uses plow's hydraulics to fine-tune lift frame height for smooth mounting alignment with truck.



Optional Wings - Part No. | 16021610

Add a full 2' of width to your plow with the EX Series Plow Wing Kit. Wings rotate behind plow for easy stowage, no lifting required. Pin shears upon impact to protect from damage.





Trip Edge Design

Allows for plowing over obstacles. Great for gravel, dirt, or uneven roads.

Quick Mount II+™ with Jack Switch

No need for a jack with integrated, swing down feet.

Floating A-Frame™

Contour the road for clean scraping and even cutting edge wear.

Municipal Style Chain Lift Stack high and adjust easily.

Fully Enclosed Hydraulic Power Unit Gain easy access via large maintenance panel.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge* An investment that will last.

Central Hydraulic-Operated Lift Frame Available

*3/8" Steel Cutting Edge on TE75II

INCLUDED ACCESSORIES


Contoured Poly Snow Deflector

Cast Shoes

Wire Reinforced Blade Guides


Backlit Controller Single hand operation.





Jack Switch

Uses plow's hydraulics to fine-tune lift frame height for smooth mounting alignment with truck.









Trip Edge Design

Allows for plowing over obstacles. Great for gravel, dirt, or uneven roads.

Standard Double Acting Angle Cylinders Back drag with ease.

Quick Mount II+™ with Jack SwitchNo need for a jack with integrated, swing down feet.

Floating A-Frame[™] Contour the road for clean scraping and even cutting edge wear.

Municipal Style Chain Lift Stack high and adjust easily.

Fully Enclosed Hydraulic Power Unit Gain easy access via large maintenance panel.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge An investment that will last.

INCLUDED ACCESSORIES

Contoured Poly Snow Deflector

Wire Reinforced Blade Guides

Backlit Controller

Switch from V to scoop or angled positions with one button, or maintain independent wing control for finer adjustments.





Commercial Duty V Plow

3/4 Ton Trucks with Plow Prep, 1 Ton Trucks and Up



Jack Switch

Uses plow's hydraulics to fine-tune lift frame height for smooth mounting alignment with truck.



Optional Wings - Part No. I 16021712 Add a full 2' of width to your plow with the VXF Series Plow Wing Kit.





Hydraulically Expanding WingsAdd a full 24" to your plowing width (8'-10').

Wings Adjust on the Fly Slim down width for easy transport between jobs.

Tubular A-Frame Invest in a stout, long-lasting design.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge Built with high-end materials and components for longevity.

Scoop Position Even at 10', wings scoop forward.

Central Hydraulic-Operated Lift Frame Available

INCLUDED ACCESSORIES

Contoured Belted Rubber Snow Deflector

Cast Shoes

Wire Reinforced Blade Guides

In-Cab Controller





Heavy Duty Lift Arm and CylinderLift arm with heavy duty 2" x 6" lift cylinder and 35° travel provides exceptional snow stacking.



Optional Shock Kit - Part No. | 16101550 Helps prevent excessive tripping, cushioning the trip action and return. Protects plow components and features drill-free installation.





31" High / 108" or 120" or 132" Wide Moldboard Makes the CM a powerful snow mover for commercial and municipal applications.

8 Vertical and 2 Diagonal Ribs

Create robust strength to handle heavy, wet snow.

304 Stainless Steel Moldboard & 5/8" Steel Cutting Edge An investment that will last.

6 Stress-Optimized Trip SpringsProvide up to 85° of smooth full-moldboard trip action.

INCLUDED ACCESSORIES

Heavy Duty Belted Rubber Snow Deflector

Wire Reinforced Blade Guides

Cast Plow Shoes

Adjustable/Removable Jack Stand

Controller





2" x 12" Angle CylinderDelivers greater angling force than standard cylinders.



Heavy Duty Lift Arm and Cylinder Lift arm with heavy duty 2" x 6" lift cylinder

Lift arm with heavy duty 2" x 6" lift cylinder and 35° travel provides exceptional snow stacking.





Weight Optimized for UTVsGet the power of a SnowDogg® professional plow that will fit most full-size UTVs.

Fast-Acting Hydraulic Power Unit Hydraulic angle, lift, and wing control for UTV plows.

304 Stainless Steel Moldboard & 3/8" Steel Cutting Edge An investment that will last.

Narrow Width at Angle Available at a minimum of 63" with blade at angle.

Full Trip (MUT) or Trip Edge (VUT) Design
Feel confident, even when you can't see what's below the snow.

VUT SPECIFIC FEATURES

Double Acting Angle CylindersBack drag with ease.

Flared Wings
Throw snow powerfully.

Narrow Width at "V" position VUT65 has a 60" width in "V" position for narrow sidewalks.



Hydraulically-Controlled Plows Specifically Designed for UTV Applications

Ideal for Sidewalks, Parks, and Campuses

INCLUDED ACCESSORIES

Wire Reinforced Blade Guides

ControllerSingle hand operation.



Power Unit / Hydraulics

Equipped with full size SAE cartridge valves, oversized rubber hoses, and integral valve manifold.



Angle Cylinders

Standard 1-1/2" x 8" double acting angle cylinders allow for real back dragging.





Universal Skid Steer Mount Easily mount to any skid steer.

Hydraulic Angle CylindersWork with skid steers' existing hydraulic lines for responsive maneuverability.

Trip Edge DesignTo respond to hidden divots and obstacles.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge An investment that will last.

INCLUDED ACCESSORIES

Contoured Poly Snow Deflector Wire Reinforced Blade Guides Cast Plow Shoes

Skid Steer Plows with Hydraulic Angling and Trip Edges


Universal Skid Steer Mount

Available Sizes 90", **96"**, **108"**





1-1/2" x 12" Angle CylindersProvide greater angling force than standard cylinders.




Optional Wings - Part No. I 16021310 Add a full 2' of width to your plow with the TE Series Plow Wing Kit.



SNOWDOGG® AUTHORIZED ACCESSORIES

Cutting Edges



Rubber Deflectors



Part No.	Description
16120157	Deflector, 90" Rubber
16120159	Deflector, 96" Rubber
16120161	Deflector, 102" Rubber
16120163	Deflector, 108" Rubber
16120164	Deflector, 120" Rubber
16120171*	Deflector, VXF85, Rubber
16120173*	Deflector, VXF95, Rubber

*V-plows need two deflectors

Back Drag Edges



Part No.	Description
16124010	Back Drag Edge, MD68
16124020	Back Drag Edge, 7.5' MD/HD/EX
16124030	Back Drag Edge, 8' MD/HD/EX
16124040	Back Drag Edge, 8.5' EX85
16124050	Back Drag Edge, 9' EX90

Maintenance



Part No.	Description				
16109020	Emergency Kit for				
10109020	Straight Blade Plow				
16109030	Emergency Kit for				
10109030	V-Plow				
16150010	Hydraulic Fluid,				
10100010	12 QTS Case				

NEW Illuminated LED Guides





- Patented light-up design makes it easier to see your equipment in low visibility conditions
- Includes wiring harness that is 12 ft per side with a pre-terminated male bullet connector and ring terminal to connect to the LED guides
- Unique, eye-catching look helps your truck stand out from the competition
- Easy wiring and installation that only requires a few basic tools
- Compatible with most snow plows and truck bumpers

Part No.	Description				
1308124	24 Inch Illuminated LED Snow Plow Blade Guides				
1308128	28 Inch Illuminated LED Snow Plow Blade Guides				
1308136	36 Inch Illuminated LED Snow Plow Blade Guides				
1308126	Horizontal Adapter Kit for 1/2" Base with Hardware (Required for SnowDogg plows with Illuminated LED Guides)				













Our Corporate Family of Companies





Founded in 1946, Buyers Products is a fully integrated manufacturer and a leader in the truck equipment industry. Our engineering, manufacturing and assembly operations take place in the USA, under the Buyers family of companies. Buyers Products' mission is to improve our Customers' profitability and productivity while enhancing the quality of our products and services.











History Buyers Products Company founded by Sam Ruven

and Bessie Kleinman as a distributor components.

Tracom

1992 Buyers acquired Trailer Components Manufacturing (Tracom)
for CNC precision
machining and tooling,
as well as state-of-the-art welding.



corporaté headquarters to a brand new 235,000 sq. ft. state-of-the-art office and distribution



2007 Buyers began manufacturing the SnowDogg stainless steel snowplow at our Mentor, Ohio facility.



Buyers acquired an additional 500,000 sq.ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing.





2016 Buyers establishes a 22,000 sq ft Engineering Tech Center in Mentor, Ohio. It's multi-use lab. design, training and prototyping space is dedicated to the research and development of

innovative product.

Buyers launches new website with business partner portal, to make online ordering and account maintenance easy for customers.



solutions

Buyers

Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased demand for products led to the pursuit of supply chain manufacturing

1995 Buyers acquired Progressive PROGRESSIVE POWDER COATING, INC. Powder Coating

Our Nordson automatic powder application booth is used to powder coat our Buyers toolboxes and other truck and trailer



2004

Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries Rotospeed molding machines are used to manufacture our poly salt spreaders.



Boomerang

2009

Buyers began our operations at Boomerang Rubber, in Botkins, Ohio manufacturing mudflaps, wheel chocks and other rubber truck and trailer accessories.



The Buyers family of manufacturing companies









www.buyersproducts.com









